# Partnership for Good Governance Партнерство заради належного врядування





## **TENDER TECHNICAL SPECIFICATION**

Tender #	4435/2017/1 as of 4 August 2017			
Services	Provision of the computer and other office equipment			
Location and	Kyiv, Ukraine			
dates				
Dates	Deadline for provision – 30 September 2017			
Description of	Joint Programme between the European Union and the Council of Europe			
services	Deadline for provision – 30 September 2017			

## **Technical specification**

#	Item title	Quantity
1.	System unit	45
2.	Screen	45
3.	3. Keyboard +mouse 45	
4.	4. Power supply filter 45	
5.	. Uninterruptible power supply unit 35	
6.	Web camera 35	
7.	Acoustic system 35	
8.	Multifunctional printing device, A4, black and white, laser 35	
9.	Cartridge for Multifunctional device, A4, black and white, laser 35	
10.	Multifunctional printing device, A3, color, inkjet 1	

	Personal computer					
Chipset	Intel®	H110				
Processor						
Type Intel® Core <sup>TM</sup> i5-6500 Processor						
Processor speed	3.2					
(gigahertz)						
Number of general	4					
processor units						
	ı	RAM				
RAM (memory)	8 Gb					
Standart	DDR4					
	1	Hard drives				
Hard drive capacity,	1000					
SATA, Gb						
		Graphic adapter				
Graphic chipset		IA® GeForce GTX 1050Ti				
Memory volume	4					
		Hardware peripheral				
Optical drive		DVD-RW				
Sound controller		integrated HD Audio 7.1				
External ports		2xUSB 3.0, 4xUSB2.0, 3xAudio				
Card reader		Available				
Network adapter		10/100/1000				
Power supply unit cap	acity	400				
Operation system		Windows 10 Professional				
Web camera		Connectivity Technology -Wired Camera type - color				
		Image Sensor Type - 2 MP				
		Video Input - Color or B&W color				
		Audio Support - Yes				
		Audio Support Features - built-in microphone				
		Frame Rate - 30 frames per second				
		Still Image Capture Resolution - 4608 x 3456				
		Compatible OS – Windows				
		Computer Interface - USB 2.0				
		Optical Sensor: Total Pixels - 2000000 pixels				
Acoustic system		Audio Output Mode - Stereo				
Acoustic system		Number of Speakers - 2				
		Output Power - 4 W				
		Output Power per Channel - 2 W				
		Frequency Response - 100Hz-20kHz				
		Audio Controls - Volume				
		Front - 2 x 2W x 9cm x 5cm;				
		Audio Line-In Interface Quantity - 1				
		Audio Line-In Interface Connector Type - Mini-phone Stereo 3.5 mm				
		Input Voltage - AC 220 V				
		Input Frequency - 50 Hz				
Uninterruptible	power	UPS Topology - Line-interactive				
supply unit	-	Input				

	Generator Compatibility - Yes
	Nominal Input Voltage (Vac) - 230 ± 10%
	Input Voltage Range (Vac) -165 ~ 290
	Input Frequency (Hz) - $50 \pm 5$ ; $60 \pm 5$
	Input Frequency Detection- Auto-sensing
	Rated Input Current (A) - 2.95
	Input Connector Type- Schuko
	Output
	Capacity (VA) -650
	Capacity (Watts) - 360
	On Battery Waveform -Simulated Sine Wave
	On Battery Voltage(s) (Vac) - 230 ± 10%
	On Battery Frequency (Hz) - $50 \pm 1\%$ ; $60 \pm 1\%$
	Automatic Voltage Regulation (AVR) - Single Boost, Single Buck
	Overload Protection -Fuse
	Outlet(s) – Total 2
	Outlet(s) - Battery Backup 2
	Typical Transfer Time (ms) -4
	Battery
	Runtime at 60W (min) - 28
	Runtime at 90W (min) - 16
	Typical Recharge Time (Hours) - 8
	Start On Battery - Yes
	Battery Type - Sealed Lead-acid
	Replacement Battery Pack - RBP0119
	1
	RBP Quantity (pcs) -1
Keyboard and mouse	USB Keyboard and Mouse set
Keyboard and mouse	Standard, 104 keys
	Wired, 1.5 m,
D 1 61/	Keyboard layout - Ukrainian
Power supply filter	5 m
	Screen
Type	LED screen
Screen diagonal	23,8
Type of LED-matrix	AH-IPS
Image format	16:9
Resolution	1920x1080
Visual angle	178/178
Type of lighting system	WLED
Screen surface	Opaque screen
Vertical refresh rate,	56-75
gigahertz	30-73
giganeriz	Vidaasignal Interface
DVI	Videosignal Interface Available
HDMI Markit	Available
	functional device, A4, black and white printing
Multifunctional device	Printer
	Print speed
	Single sided: Up to 23 ppm (A4)
	Printing method

Monochrome laser beam printing

Print quality

Up to 1200 x 1200 dpi

**Print Resolution** 

600 x 600 dpi

First Print Out Time

Approx: 6.0 seconds or less

Printer languages

**UFRII-LT** 

Print margins

5 mm-top, bottom, left and right

10 mm-top, bottom, left and right (Envelope)

Toner saver mode

Yes

Copier

Copy Speed

Single sided: Up to 23 ppm (A4)

First Copy Output Time (FCOT)

Approx. 9.0 seconds or less

Copy resolution

Up to 600 x 600 dpi

Copy modes

Text/Photo, Text/Photo (High speed), Photo, Text

Multiple Copy

Up to 999 copies

Reduction/Enlargement

25-400% in 1% increments

Other features

Memory sort, 2 on 1, 4 on 1, ID card copy

Scanner

Type

Colour

Scan Resolution

Optical: Up to 600 x 600 dpi

Enhanced: Up to 9600 x 9600 dpi

Scan speed

Single sided mono: 3 sec/page (300x300dpi) Single sided colour: 4 sec/page (300x300dpi)

Colour scanning depth

24 bit/24 bit (input/output)

Greyscales

256 levels

Compatibility

TWAIN, WIA, ICA

Max. scan width

216mm

Scan to PC

TIFF/JPEG/PDF/Compact PDF/Searchable PDF<sup>1</sup>

Scan to Cloud

TIFF/JPEG/PDF/PNG

Media handling

Scanner Type

Flatbed

Paper input (Standard)

250-sheet cassette

1-sheet multi-purpose tray

Paper output

100-sheet

Media types

Plain paper, Colour paper, Recycled paper, Heavy Paper, Bond paper,

Label, Index card, Envelope

Media sizes

Cassette:

A4, A5, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Envelop (COM10, DL, C5), Custom sizes: Min. 76.2 x 210 mm Max. 216 x 356 mm.

Multi-purpose tray:

A4, A5, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Indexcard, Envelope (COM10,Monarch,DL, C5), Custom sizes: Min 76.2 x 127 mm Max. 216 x 356 mm.

Media weights

Cassette: 60 to 163 g/m<sup>2</sup>

Multi-purpose tray: 60 to 163 g/m<sup>2</sup>

Interface & Software

Interface type

USB 2.0 Hi-Speed,

Operating System compatibility

Windows® 10 / Windows® 8.1 / Windows® 8 / Windows® 7 / Vista

Mac OS X version 10.6 & up

Linux<sup>2</sup>

Software and printer management

Presto! Page Manager,

MF Scan Utility,

Toner Status Tool.

General features

Recommended Monthly Print Volume

500 - 2,000 pages per month

Duty cycle

Max. 15,000 pages per month<sup>3</sup>

Memory

128MB

Control Panel

5 lines B&W LCD

**Power Source** 

220-240V(±10%) 50/60Hz (±2Hz)

**Power Consumption** 

Maximum: Approx. 1120 W

Standby: Approx. 4.2 W

Sleep mode: Approx. 1.2 W

Typical Electricity Consumption (TEC): 0.6 kWh/week

Cartridge Q-ty in pack - 2

	Colour - black			
	resource (for 5% covered page) - 2 x 2400			
Multifunctional device, A3, color printing				
Multifunctional device	Printing Resolution			
	4,800 x 1,200 DPI			
	Application  Home Office Deskton Office Workgroup			
	Home, Office Desktop, Office Workgroup All-in-One Functions			
	Print, Scan, Copy, Fax			
	Printing Speed ISO/IEC 24734			
	18 pages/min Monochrome, 10 pages/min Colour			
	Printing Speed			
	32 pages/min Monochrome (plain paper 75 g/m²), 20 pages/min Colour			
	(plain paper 75 g/m <sup>2</sup> )			
	Duplex Printing Speed ISO/IEC 24734			
	8.7 A4 pages/min Monochrome, 6 A4 pages/min Colour			
	Colours			
	Black, Cyan, Yellow, Magenta			
	Scanning Resolution			
	1,200 DPI x 2,400 DPI (Horizontal x Vertical)			
	Output formats			
	BMP, JPEG, TIFF, PDF			
	Scanner type			
	Contact image sensor (CIS)			
	Type of fax			
	Walk-up black and white and colour fax capability			
	Fax Transmission Speed			
	Up to 33.6kbps / Approx. 3 sec/page			
	Error correction mode			
	CCITU/ITU Group3 fax with Error Correction Mode			
	Fax speed dials (max) 200 names and numbers			
	Page memory			
	Up to 550 pages/ 6MB (ITU-T No. 1 chart)			
	Fax Functions			
	PC Fax, Auto Redial, Address Book, Delay Send, Broadcast Fax			
	Number of paper trays - 3			
	Paper Formats			
	A3+, A3, A4, A5, A6, B5, C4 (Envelope), C6 (Envelope), DL			
	(Envelope), Letter, 9 x 13 cm, 10 x 15 cm, Legal			
	Duplex			
	Yes			
	Automatic Document Feeder			
	35 pages			
	Output Tray Capacity			
	125 Sheets			
	multifunction			
	250 Sheets Standard, 250 Sheets Maximum, 20 Photo Sheets			
	Rear paper path (special media)			
	Yes			
	Compatible Paper Weight			
	$64 \text{ g/m}^2 - 250 \text{ g/m}^2$			
	Media Handling			
	ADF 2-sided copy (A4/A3, plain paper), Auto Sheet Feeder,			
	Automatic duplex			
	Energy Use			

20 Watt (standalone copying, ISO/IEC 24712 pattern), 2 Watt (sleep mode), 9.1 Watt (ready), 0.5 Watt (Power off), ENERGY STAR® qualified

## **Supply Voltage**

AC 100 V - 240 V, 50 Hz - 60 Hz

## **Product dimensions**

666 x 486 x 418 mm (Width x Depth x Height)

## **Product weight**

23 kg

## **Noise Level**

5.8 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 44 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode

## **Compatible Operating Systems**

Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows XP x64

## **Included Software**

Epson Easy Photo Print, Epson Event Manager, Epson Scan, EpsonNet Print, EpsonNet setup

#### **Interfaces**

USB, Ethernet, WiFi, Wi-Fi Direct

## **Mobile and Cloud printing services**

Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Google Cloud Print

## **Power Supply**

100V, 110V, 220V, 240V

## What's in the box

2 full sets of ink (Bk - 140ml, CMY - 70 ml), Main unit, Power cable, Setup guide, Software (CD), Warranty document

## LCD screen

Type: Colour, Diagonal: 10.9 cm

## **Memory Cards**

SD, SDXC, Memory Stick Duo, MicroSDHC\*, SDHC\*, MicroSD\*, MicroSDXC\*, MiniSD\*, MiniSDHC\* (\* Adaptor required, not supplied in box)

## Features

Touchscreen

## 8 bottles of ink of different colors in batch

## **Payment** In return for the fulfilment by the Provider of its obligations under the contract, the Council undertakes to pay the Provider the amount in EUR or in UAH as follows: Advance payment of max 60% from the total price of the contract; • The balance to be paid by the Council of Europe within 60 calendar days after the completion of all the services, delivery and unloading of equipment, upon presentation of final detailed invoice(s), signing of the Act of Acceptance by two parties in two copies. Provider Bidders should: **Exclusion** Have not been sentenced by final judgment on one or more of the following charges: participation in a criminal organisation, corruption, fraud, money laundering; Are not in a situation of bankruptcy, liquidation, termination of activity, insolvency or arrangement with creditors or any like situation arising from a procedure of the same kind, or is not subject to a procedure of the same kind; Have not received a judgment with res judicata force, finding an offence that affects its professional integrity or constitutes a serious professional misconduct; Do comply with its obligations as regards payment of social security contributions, taxes and dues, according to the statutory provisions of the country where it is established. Provider Bidders should meet the following eligibility criteria: **Eligibility Criteria** Have a proven working experience in provision of similar equipment (min 1 calendar year). Operational and financial capacity of the company. Must be able to provide a budget offer and conclude the contract without VAT **Provider Award** Bidders will be assessed against the following criteria: Criteria • Suggested models of equipment are in compliance with the technical specifications provided; Suggested prices are on a general market level; • Balance of the prices and quality of the suggested equipment models will be weighed as 60% and 40% respectively; All the required document are accurately and correctly prepared, all the calculations are correct; Each bid should be submitted in 2 formats: scanned PDF (on the letterhead, with the date, name of responsible person, signature and stamp) and Excel. Submission of bids before the deadline indicated in the call for tender. Call for tender 4 August 2017 issued

Date of the	4 September 2017				
announcement of					
the results					
Documents to	All Bids should be sent via e-mail to <a href="mailto:kyiv@coe.int">kyiv@coe.int</a> indicating TENDER				
be provided by	4435/2017/1 in a subject line by 30 August 2017 at 23:59 Kyiv Time. The				
the Bidders	deadline is compulsory.				
	The following documents should be presented:				
	1. APPENDIX II Provisional budget template filled in as per all requested				
	service positions in PDF <u>and</u> Excel format. Submitted PDF formatted				
	budget should be duly signed, stamped and dated; provided on the				
	Company's letterhead (the budget to be in both UAH and EUR, at the				
	CoE rate as of 01/08/2017 1 Eur = 30,32 UAH;				
	2. Technical specification to each model of equipment suggested				
	3. <b>Cover letter</b> with the information about the Supplier and description of				
	its experience in provision of similar equipment.				
	4. APPENDIX IV Declaration on Exclusion Criteria				