COUNCIL OF EUROPE: CONFERENCE ON "PREVENTING SEXUAL ABUSE OF CHILDREN", MADRID, 10.-11.12.2013



Institute of Sexology and Sexual Medicine Charité - University Clinic of Berlin The Prevention Project Dunkelfeld (PPD): Proactive Strategies to Prevent Child Sexual Abuse and Child Pornography Offences

Klaus M. Beier, MD PhD



Child Sexual Abuse: Typology of Offenders

Approx. 40% **pedophilic** offenders - an erotic preference for prepubescent minors define the sexual arousal pattern

Approx. 60% **non-pedophilic** offenders, for whom the sexual abuse of the child serves as a **surrogate** for a sexual relationship with partners of similar age

K.M. Beier: Follow-up study of previously expert-appraised child molesters Int J Legal Med 1998; 111: 131-141



Sexual Preference Structure

Fate and not choice!

 Preferences for gender, (developmental) age of the "partner" and desired practices become manifest during puberty and remain stable

 It is not changeable and an expression of a fixed structure




Child Sexual Abuse: Recidivism Rates

Pedophilic offenders: 50 – 80 %

Non-pedophilic offenders: 10 - 25 %

K.M. Beier: Follow-up study of previously expert-appraised child molesters Int J Legal Med 1998; 111: 131-141

Sexual Preference, Child Sexual Abuse, and Detection Status



Dunkelfeld: cases not officially registered; Hellfeld: offically known cases

Primary Prevention

Because pedophilic inclination perseveres during lifetime, clinically relevant distress is more likely to be expected than in the surrogate offender type.

The prevalence of pedophilia is in Germany – according to a population-based study – at least 1%

Ahlers et al. (2011). Prevalence of Paraphilia-Associated Sexual Arousal Patterns (PASAPs) in a Community-based Sample of Men. J Sex Med 8; 1362-1370

Prevention Projekt Dunkelfeld (PPD) started 2005 in Berlin

PPD: Supporting Institutions









S C H O L Z & F R I E N D S AGENDA

SCHOLZ & FRIENDS HAMBURG

PPD: Campaign Image

-Non-medical

-Non-judgemental


-Non-threatening

PPD: Campaign Features

-Empathic

Authentic

-Professional



es gibt hilfe! kostenlos und unter schweigepflicht. institut für sexualmedizin der charité, telefon: 030/450 529 450, www.kein-täter-werden.de







Construction of the Claim



lieben sie kinder mehr als ihnen lieb ist?

This means: do you love children more than you want to?

In German the claim implies a double meaning: both – the offender and the child – are afraid of sexual abuse

Translation for the english website www.dont-offend.org

"Do you like children in ways you shouldn't"

Promotion by Sponsorship (Media-value ca. 100.000 €)



Billboards at 2.000 locations in Berlin for at least 4 weeks



Bus-stop



Column in the city

Approx. 80 sponsored broadcasting of the TV-Spot (repeated at primetime)







Campaign Claim & Delivered Message



"You are not guilty because of your sexual desire, but you are responsible for your sexual behavior!" (Campaign 2005)



"Do not offend. Not even online!" (Campaign 2009)

The Use of Google Adwords for the German "Prevention Project Dunkelfeld" (2012)



The Idea:

Guide potential users of child abusive images to the therapeutic offer of the PPD by using typical search keywords.

How it works:

By entering specific keywords the user get presented one of the ads mentioned down

Preteen porn
Child pussy
Kids porn
Sex with children
Children having sex
Preteen rape

Attracted by child porn
Your wish is no abuse, but consuming is abuse.
www.dont-offend.org

Prevent child abuse
Do you have sexual fantasies towards children? Don't offend!
www.dont-offend.org


More than 300.000 Ad Impressions and more than 6.500 clicks in one month

Project Design

- Media Campaign
- Telephone Hotline / Screening
- Clinical (Sexological) Interview
- Psychometric Assessment
- Examining for intake / exclusion criteria
- Treatment Program
- Post test & One-year Follow-up(s)




Sample Size PPD*



*October 2013

Geographical Origin of Participants



48% of the participants travelled more than 100 km!

Berlin Approach of Primary Prevention: Principles of Treatment Program

- Combination of cognitive-behavioral, sexological and pharmacological options
- A change of the pedophile preference is not possible, but control of the impulses is
- Focus lies on self-motivated behavior control.
 Goal is complete abstinence of child sexual abuse and child pornography offences

Evaluation revealed that the PPD

reduces risk factors for child sexual abuse

 prevents sexual offending against minors and reduces the number of contact offences

reduces frequency and severity of child pornography offences

PPD – International Aims

- 1. Pedophilia is a part of human sexuality and we can assume, that it is to be found in every culture in every country.
- Child pornography is a topic of international concern because of the worldwide web and the accessability in nearly every country.
- 3. All over the world a huge dunkelfeld can be assumed.

German Criminal Code

There is no mandatory child abuse reporting law in Germany.

Therapist-client confidentiality is guaranteed unless there
is evidence of an imminent risk of a child sexual abuse
occurring, associated with the risk of homicide.

 The PPD is accepted by the public and being used by self-motivated pedophiles

Countries with Mandatory Report Laws

 could at least to focus on potential or real users of child pornography in the Dunkelfeld for preventive purposes

 The use of child abusive images is an indicator for a pedophilic inclination and therefore the user is an important target for prevention

 The PPD shows that it is possible to reach pedophiles from the community and to encourage these men to change their habit of using child pornography

COUNCIL OF EUROPE: CONFERENCE ON "PREVENTING SEXUAL ABUSE OF CHILDREN", MADRID, 10.-11.12.2013



Institute of Sexology and Sexual Medicine Charité - University Clinic of Berlin The Prevention Project Dunkelfeld (PPD): Proactive Strategies to Prevent Child Sexual Abuse and Child Pornography Offences

Klaus M. Beier, MD PhD