

Strasbourg, 28 October 2015

CONVENTION ON THE CONSERVATION OF EUROPEAN WILDLIFE
AND NATURAL HABITATS

Standing Committee

35th meeting
Strasbourg, 1-4 December 2015

BIENNIAL REPORT (2009-2010)

- POLAND -

*Memorandum drawn up by
the Directorate of Democratic Governance
The document is being circulated in the form and the languages in which it was received by the Secretariat*

BIENNIAL REPORT 2009 -2010

POLAND

The authority empowered to take decisions in respect of the means that may be used, their limits and the persons instructed to carry them out is:

GENERAL DIRECTORATE
FOR ENVIRONMENTAL PROTECTION
52/54 WAWELSKA STR.
00-922 WARSAW
POLAND

Some decisions are under the references of regional directorates for environmental protection of particular voivodeships

In Poland wild flora species are protected under the *Regulation of 9th July 2004 (O. J. No 4, item 168) on wild flora species conservation* which determines strictly and partially protected flora species as well as prohibits a.o. deliberate killing, disturbance, catching or keeping of protected species.

The Bern Convention covers only a part of all flora species protected in Poland.

In 2009 there were made 48 exceptions regarding 30 wild flora species and in 2010 - 16 exceptions regarding 9 species. In most cases the exceptions were made for the purposes of research and education, of repopulation, of reintroduction and for cultivation.

1. EXCEPTIONS CONCERNING STRICTLY PROTECTED FLORA SPECIES

Table 1.1 (2009)

| Name of the species | Number of licences | Number of specimens (when practical) | Reasons for issuing of licences ¹ | Impact on population |
|-----------------------------|--------------------|--------------------------------------|--|----------------------|
| Thesium ebracteatum | 2 | | A | no |
| Pulsatilla patens | 5 | 10 | A | no |
| Botrychium matricariifolium | 1 | | A | no |
| Botrychium multifidum | 1 | | A | no |
| Botrychium simplex | 1 | | A | no |
| Salvinia natans | 1 | | A | no |
| Pulsatilla vulgaris | 1 | | A | no |
| Apium repens | 2 | | A | no |
| Aldrovanda vesiculosa | 1 | | A | no |

¹ A – for research/education/repopulation or reintroduction

B – for exploitation

C – for other overriding public interest (which?)

| | | | | |
|---------------------------------|---|----|---|----|
| <i>Lindernia procumbens</i> | 1 | | A | no |
| <i>Dracocephalum ruyschiana</i> | 1 | | A | no |
| <i>Najas flexilis</i> | 1 | | A | no |
| <i>Liparis loeselii</i> | 2 | | A | no |
| <i>Cypripedium calceolus</i> | 4 | | A | no |
| <i>Luronium natans</i> | 3 | | A | no |
| <i>Angelica palustris</i> | 1 | | A | no |
| <i>Ligularia sibirica</i> | 3 | | A | no |
| <i>Saxifraga hirculus</i> | 1 | | A | no |
| <i>Buxbaumia viridis</i> | 1 | | A | no |
| <i>Dicranum viride</i> | 1 | | A | no |
| <i>Carlina onopordifolia</i> | 3 | | A | no |
| <i>Trapa natans</i> | 1 | | | no |
| <i>Cochlearia polonica</i> | 1 | | B | no |
| <i>Galium cracoviense</i> | 1 | | B | no |
| <i>Carex secalina</i> | 1 | 15 | A | no |
| <i>Aconitum lasiocarpum</i> | 1 | | A | no |
| <i>Eleocharis carniolica</i> | 1 | | A | no |
| <i>Drepanocladus vernicosus</i> | 1 | | A | no |
| <i>Marsilea quadrifolia</i> | 2 | | A | no |
| <i>Caldesia parnassifolia</i> | 2 | | A | no |

Table 1.2 (2010)

| Name of the species | Number of licences | Number of specimens (when practical) | Reasons for issuing of licences ² | Impact on population |
|------------------------------|--------------------|--------------------------------------|--|----------------------|
| <i>Ligularia sibirica</i> | 4 | | A | no |
| <i>Liparis loeselii</i> | 2 | | A C | no |
| <i>Trapa natans</i> | 1 | | (renovation of pond) C | no |
| <i>Salvinia natans</i> | 1 | | (renovation of pond) | no |
| <i>Pulsatilla slavica</i> | 2 | | A | no |
| <i>Carlina onopordifolia</i> | 1 | | A | no |

² A – for research/education/repopulation or reintroduction

B – for exploitation

C – for other overriding public interest (which?)

| | | | | |
|-----------------------|---|---|---|----|
| Cypripedium calceolus | 2 | | A | no |
| Saxifraga hirculus | 2 | 9 | A | no |
| Pulsatilla patens | 1 | 5 | A | no |

In Poland wild fauna species are protected under the *Regulation of 28th September 2004 (O. J. No 4, item 220) on wild fauna species conservation* which determines strictly and partially protected fauna species as well as species of birds which can be traded, transported and keeping in commercial purposes if they are legally hunted. The regulations prohibits a.o. deliberate killing, disturbance, catching or keeping of the protected species.

In 2009 there were made 134 exceptions regarding 33 mammals species from appendix II.

In 2010 there were 84 exceptions regarding 28 mammals species from appendix II.

Many of the derogations concerned taxidermy of found dead individuals. Exceptions concerning bat species were granted for research purposes with application of nets.

In 2009, there were made 628 exceptions regarding 147 birds species.

In 2010, there were 681 exceptions regarding 128 birds species.

Derogations concerning such species like *Delichon urbica* or *Apus apus* are connected with destroying nests/habitats in cases of renovation of buildings. There were also many derogations concerning taxidermy of found dead individuals.

In 2009, there were 28 exceptions made for 9 species of amphibians, 11 exceptions for 3 species of reptiles, and for invertebrates there were 15 exceptions regarding 8 species from the appendix II.

In 2010, there were 197 exceptions made for 9 species of amphibians, 21 exceptions for 4 species of reptiles, and for invertebrates there were 36 exceptions regarding 9 species from the appendix II

In case of amphibians, there a few derogations for destruction of habitats and relocation of individuals for purposes of infrastructure building.

According to article 56.7 a of the Nature Conservation Act (Dz.U. z 2009 Nr 151 poz. 1220) General Director of regional director of the environmental protection can control the fullfilment of the imposed in permission conditions.

2. EXCEPTIONS CONCERNING STRICTLY PROTECTED FAUNA SPECIES (APPENDIX II)

Table 2.1 (2009)

| Name of species | No. of licences | No. of individuals (when practical) | Action permitted (a to f) | Reason (i to v) | Means of killing/ capture | Impact on population |
|------------------|-----------------|-------------------------------------|---------------------------|-----------------|-----------------------------|----------------------|
| Mammals: | | | | | | |
| Lutra lutra | 23 | 26 1 skull 12 | c | iv | taxidermy | no |
| Canis lupus | 18 | 2 skull 2 skins | d | iv | Taxidermy, taking photos | no |
| Ursus arctos | 23 | 5, 14sculls, 17 skins | d | iv | Taxidermy, taking photos | no |
| Myotis nattereri | 5 | 39 | c, b, d | iii, iv | Explosives, nets | no |

| | | | | | | |
|---------------------------------|---|----------|---------|---------|--|----|
| <i>Myotis daubentonii</i> | 6 | 7 | b, c, d | iii, iv | Explosives, nets, temporary keeping | no |
| <i>Charadrius hiaticula</i> | 3 | 2 | b | iii, iv | taxidermy | no |
| <i>Nyctalus noctula</i> | 3 | 1 | b, c, d | iii, iv | taxidermy, nets | no |
| <i>Plecotus auritus</i> | 7 | 7 | c, d | iii, iv | Taxidermy, nets | no |
| <i>Barbastella barbastellus</i> | 3 | 4 | c, d | iv | Taxidermy, nets | no |
| <i>Myotis myotis</i> | 2 | 1 | c, d | iii, iv | taxidermy | no |
| <i>Crocidura suaveolens</i> | 1 | 2 | | iv | taxidermy | no |
| <i>Rhinolophus hipposideros</i> | 5 | 3 | c, d | iii, iv | Taxidermy, nets | no |
| <i>Spermophilus suslicus</i> | 3 | | c | iv | Taking photos, temporary keeping and injury | no |
| <i>Spermophilus citellus</i> | 1 | 1 colony | | iv | Taking photos, filming | no |
| <i>Sicista betulina</i> | 2 | 1 | c | iv | traps, taxidermy | no |
| <i>Eptesicus serotinus</i> | 2 | | d | iii, iv | nets | no |
| <i>Plecotus austriacus</i> | 2 | | d | iii, iv | nets | no |
| <i>Nyctalus leisleri</i> | 1 | | d | iv | nets | no |
| <i>Nyctalus lasiopterus</i> | 1 | | d | iv | nets | no |
| <i>Pipistrellus pygmaeus</i> | 2 | 2 | d | iv | nets | no |
| <i>Pipistrellus kuhlii</i> | 1 | | d | iv | nets | no |
| <i>Pipistrellus nathusii</i> | 2 | 3 | d | iv | nets | no |
| <i>Vespertilio murinus</i> | 2 | 3 | d | iv | nets | no |
| <i>Eptesicus nilssonii</i> | 2 | 3 | d | iv | nets | no |
| <i>Myotis alcaethoe</i> | 2 | | d | iv | nets | no |
| <i>Myotis bechsteinii</i> | 1 | | d | iv | nets | no |
| <i>Myotis brandtii</i> | 3 | 1 | d | iv | Nets, temporary keeping | no |
| <i>Myotis dasycneme</i> | 2 | | d | iv | Nets, traps | no |

| | | | | | | |
|----------------------------------|----|-------------|---------------|---------------|---|----|
| <i>Myotis emarginatus</i> | 1 | | d | iv | nets | no |
| <i>Myotis blythii</i> | 1 | | d | iv | nets | no |
| <i>Myotis mystacinus</i> | 2 | | d | iv | Nets, traps | no |
| <i>Rhinolophus ferrumequinum</i> | 1 | | d | iv | nets | no |
| <i>Felis silvestris</i> | 1 | 1 | f | i | Export | no |
| Birds: | | | | | | |
| <i>Strix aluco</i> | 21 | 21 | f | iv | taxidermy | No |
| <i>Accipiter gentilis</i> | 19 | 45 | c, f | i, iv, vi | Taxidermy, taking photo | No |
| <i>Tyto alba</i> | 12 | 6 | c | i, iv | taxidermy | No |
| <i>Haliaeetus albicilla</i> | 42 | 41 | d, f | iii, iv | Taxidermy of found dead individuals, taking photos, noise | No |
| <i>Botaurus stellaris</i> | 3 | 2 | d | iii, iv | taxidermy | No |
| <i>Mergus albellus</i> | 3 | 11 | | iv | taxidermy | No |
| <i>Gavia stellata</i> | 5 | 11 | d, f | iii, iv | taxidermy | No |
| <i>Gavia arctica</i> | 6 | 15 | d, f | iii, iv | taxidermy | No |
| <i>Ciconia ciconia</i> | 33 | 45 | b, c | iv iii | Taxidermy of found dead individuals, moving 5 nests, filming, taking photos, reconstruction of nests, disturbance taxidermy of dead | No |
| <i>Buteo buteo</i> | 24 | 40 | c, d | iii, iv | individuals, taking photos, temporary keeping | No |
| <i>Accipiter nisus</i> | 21 | 21 | c | iv | Taxidermy of dead individual s, taking photos, | No |
| <i>Falco tinnunculus</i> | 16 | 10, 5 nests | b, c, d, e | i, iii, iv | Taxidermy, taking photos | No |
| <i>Bubo bubo</i> | 6 | 7 | c, d | i, iv | Taxidermy, taking photos | No |
| <i>Asio otus</i> | 15 | 15 | c, e | iv | Taxidermy, taking photos, temporary | No |

| | | | | | | |
|--------------------------------------|----|---------------|------|---------|--|----|
| | | | | | keeping | |
| <i>Falco peregrinus</i> | 4 | 8 | d, f | iv, vi | Taxidermy, taking photos | No |
| <i>Falco subbuteo</i> | 3 | 4 | e | iv | Taxidermy, taking photos | No |
| <i>Picus viridis</i> | 6 | 5 | d | iii, iv | Taxidermy, noise | No |
| <i>Tetrao urogallus</i> | 63 | 132 | c, f | iv | Taxidermy, taking photos and watching, temporary keeping for breeding and research purposes | No |
| <i>Caprimulgus europaeus</i> | 3 | 4 | | iv | taxidermy | No |
| <i>Delichon urbica</i> | 7 | 83 nests 2 | b | iii | By hand, noise | no |
| <i>Erithacus rubecula</i> | 8 | 10 | b, d | iii, iv | Taxidermy, cutting trees | no |
| <i>Motacilla flava</i> | 5 | 2 eggs 3 | c, d | iii, iv | Taxidermy, temporary keeping | no |
| <i>Ciconia nigra</i> | 13 | 7 3 eggs | d, e | iv | Taxidermy, taking photos | no |
| <i>Dendrocopos medius</i> | 3 | 2 | | iv | taxidermy | no |
| <i>Upupa epops</i> | 3 | 3 | c | vi | taxidermy | no |
| <i>Dendrocopos minor</i> | 5 | 3 | d | iii, vi | Taxidermy, noise | no |
| <i>Jynx torquilla</i> | 3 | 2 | c | vi | Taxidermy, temporary keeping | no |
| <i>Dendrocopos major</i> | 12 | 7 1 nest | b, d | iii, vi | Taxidermy, cutting trees, noise, temporary keeping | no |
| <i>Dryocopus martius</i> | 5 | 4 | | vi | Taxidermy, keeping | no |
| <i>Coccothraustes coccothraustes</i> | 4 | 5 | | vi | taxidermy | no |
| <i>Alcedo atthis</i> | 4 | 3 | d | iii, vi | Taxidermy, noise | no |
| <i>Grus grus</i> | 2 | 1 | d | iii, vi | Taxidermy, noise | no |
| <i>Sterna hirundo</i> | 4 | 2 | d | iii, vi | taxidermy | no |

| | | | | | | |
|--------------------------------|----|-------|---------------|---------|--|----|
| <i>Periparus ater</i> | 3 | 1 | c | vi | Taxidermy, temporary keeping | no |
| <i>Phoenicurus ochruros</i> | 4 | 2 | b, c, d | iii, iv | Cutting trees, Taxidermy, temporary keeping | no |
| <i>Phoenicurus phoenicurus</i> | 4 | 2 | b, d | iii, iv | taxidermy | no |
| <i>Riparia riparia</i> | 2 | nests | c, c | iv | Flowing water, temporary keeping | no |
| <i>Calidris alpina</i> | 4 | 5 | c | vi | Taxidermy, temporary keeping | no |
| <i>Bombycilla garrulus</i> | 4 | 5 | c | vi | taxidermy | no |
| <i>Cyanistes caeruleus</i> | 4 | 2 | b, c, d | iii, iv | Cutting trees, Taxidermy, temporary keeping | no |
| <i>Parus major</i> | 10 | 11 | b, d | iii, iv | Cutting trees, Taxidermy, noise, temporary keeping | no |
| <i>Certhia brachydactyla</i> | 1 | | b, d | iii, iv | Cutting trees | no |
| <i>Muscicapa striata</i> | 3 | 1 | b, c, d | iii, iv | Cutting trees, taxidermy, temporary keeping | no |
| <i>Sylvia atricapilla</i> | 6 | 2 | a, b, c, d | iii, iv | Cutting trees, taxidermy, temporary keeping, nets, | no |
| <i>Sitta europaea</i> | 5 | 3 | b, d | iii, iv | Cutting trees, taxidermy | no |
| <i>Emberiza citrinella</i> | 7 | 7 | b, d | iii, iv | Cutting trees, taxidermy | no |
| <i>Carduelis carduelis</i> | 2 | 4 | b, d | iii, iv | Cutting trees, taxidermy | no |
| <i>Certhia familiaris</i> | 5 | 9 | | iv | taxidermy | no |
| <i>Sylvia communis</i> | 2 | 1 | | iv | taxidermy | no |
| <i>Carduelis spinus</i> | 4 | 6 | | iv | taxidermy | no |
| <i>Dendrocopos leucotos</i> | 1 | | | iv | taxidermy | no |

| | | | | | | |
|--------------------------------|---|----|------|---------|---|----|
| <i>Carduelis chloris</i> | 6 | 15 | | iv | taxidermy | no |
| <i>Lanius collurio</i> | 7 | 8 | d | iii, iv | taxidermy | no |
| <i>Parus caeruleus</i> | 5 | 5 | c | iv | Taxidermy, temporary keeping | no |
| <i>Ficedula parva</i> | 1 | | | iv | taxidermy | no |
| <i>Regulus regulus</i> | 5 | 6 | | iv | taxidermy | no |
| <i>Nucifraga caryocatactes</i> | 1 | | | iv | taxidermy | no |
| <i>Strix uralensis</i> | 5 | 2 | | iv | Taxidermy of found dead individuals, photographing | no |
| <i>Carduelis cannabina</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Ficedula albicollis</i> | 1 | 3 | | iv | taxidermy | no |
| <i>Ficedula hypoleuca</i> | 6 | 7 | c, f | iv | Taxidermy, temporary keeping | no |
| <i>Phylloscopus trochilus</i> | 5 | 5 | | iv | taxidermy | no |
| <i>Sylvia curruca</i> | 4 | 4 | d | iii, iv | Taxidermy, temporary keeping | no |
| <i>Phylloscopus collybita</i> | 4 | 3 | c, d | iii, iv | Taxidermy, temporary keeping | no |
| <i>Motacilla cinerea</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Cinclus cinclus</i> | 2 | 2 | | iv | taxidermy | no |
| <i>Prunella modularis</i> | 2 | 1 | d | iv | Taxidermy, temporary keeping | no |
| <i>Aegithalos caudatus</i> | 1 | 3 | | iv | taxidermy | no |
| <i>Poecile montanus</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Poecile palustris</i> | 1 | 3 | | iv | taxidermy | no |
| <i>Troglodytes troglodytes</i> | 2 | 1 | | iv | taxidermy | no |
| <i>Anthus trivialis</i> | 2 | 1 | c | iv | Taxidermy, temporary keeping | no |

| | | | | | | |
|--------------------------------|---|----------------------------------|------|---------|------------------------------------|----|
| <i>Phylloscopus sibilatrix</i> | 2 | 1 | c | iv | Taxidermy, temporary keeping | no |
| <i>Oriolus oriolus</i> | 4 | 2 | d | iii, iv | Taxidermy, temporary keeping | no |
| <i>Pernis apivorus</i> | 1 | 1 | e | iv | Taking photos | no |
| <i>Athene noctua</i> | 2 | 1 | e | iv | Taking photos | no |
| <i>Aquila chrysaetos</i> | 3 | | d | iv | Taking photos | no |
| <i>Aquila pomarina</i> | 4 | 1 | d | iii, iv | Taking photos | no |
| <i>Circaetus gallicus</i> | 1 | | d | iv | Taking photos | no |
| <i>Aquila pennata</i> | 1 | | d | iv | Taking photos | no |
| <i>Milvus migrans</i> | 1 | | d | iv | Taking photos | no |
| <i>Nycticorax nycticorax</i> | 1 | | d | iv | Taking photos | no |
| <i>Loxia curvirostra</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Hirundo rustica</i> | 6 | 8 | d | iii, iv | taxidermy | no |
| | | 25 | | | | |
| <i>Coracias garrulus</i> | 2 | breeding boxes and hollows | c, d | iv | | no |
| | | 1 individuals | | | | |
| <i>Falco columbarius</i> | 2 | 2 | | iv | taxidermy | no |
| <i>Acrocephalus palustris</i> | 2 | 2 | c | iv | Taxidermy, temporary keeping | no |
| <i>Ixobrychus minutus</i> | 1 | 1 | c | iv | | no |
| <i>Aegolius funereus</i> | 2 | 2 | | iv | taxidermy | no |
| <i>Tringa glareola</i> | 2 | 1 | d | iii, iv | Taxidermy, noise | no |
| <i>Carduelis flammea</i> | 1 | 2 | | iv | taxidermy | no |
| <i>Turdus torquatus</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Sterna albifrons</i> | 2 | 2 | d | iii, iv | taxidermy | no |
| <i>Chlidonias niger</i> | 1 | 1 | | iv | taxidermy | no |

| | | | | | | |
|--------------------------------------|---|---|------|---------|---|----|
| <i>Parus montanus</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Emberiza aureola</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Panurus biarmicus</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Egretta alba</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Ardea purpurea</i> | 1 | | d | iii | noise | no |
| <i>Cygnus bewickii (columbianus)</i> | 2 | | d | iii | noise | no |
| <i>Cygnus cygnus</i> | 2 | | d | iii | noise | no |
| <i>Circus aeruginosus</i> | 1 | | d | iii | noise | no |
| <i>Circus pygargus</i> | 3 | | d | iii, iv | Noise, nets, collecting feathers | no |
| <i>Aquila clanga</i> | 1 | | d | iii | noise | no |
| <i>Porzana porzana</i> | 3 | 1 | d | iii, iv | Noise, taxidermy | no |
| <i>Crex crex</i> | 3 | | c, d | iii, iv | Noise, taxidermy, nets, temporary keeping | no |
| <i>Pluvialis apricaria</i> | 3 | | c, d | iii, iv | Noise, temporary keeping | no |
| <i>Asio flammeus</i> | 2 | 1 | d | iii, iv | noise | no |
| <i>Anthus campestris</i> | 1 | | d | iii | noise | no |
| <i>Motacilla alba</i> | 2 | | d | iii | noise | no |
| <i>Anthus pratensis</i> | 3 | | d | iii | Noise, temporary keeping | no |
| <i>Hippolais icterina</i> | 2 | | d | iii, iv | Noise, temporary keeping | no |
| <i>Podiceps auritus</i> | 1 | | d | iii | noise | no |
| <i>Porzana parva</i> | 1 | | d | iii | noise | no |
| <i>Recurvirostra avosetta</i> | 1 | | d | iii | noise | no |
| <i>Charadrius alexandrinus</i> | 1 | | d | iii | noise | no |
| <i>Gallinago media</i> | 2 | | d, f | iii | Noise, taxidermy | no |
| <i>Phalaropus lobatus</i> | 1 | | d | iii | noise | no |
| <i>Larus melanocephalus</i> | 1 | | d | iii | noise | no |
| <i>Larus minutus</i> | 1 | | d | iii | noise | no |
| <i>Sterna paradisaea</i> | 1 | | d | iii | noise | no |
| <i>Sterna sandvicensis</i> | 2 | | c, d | iii, iv | noise | no |
| <i>Tadorna tadorna</i> | 1 | | d | iii | noise | no |

| | | | | | | |
|-----------------------------------|---|---|---------|---------|--|----|
| <i>Luscinia luscinia</i> | 1 | | d | iii | noise Noise, <u>temporary keeping</u> | no |
| <i>Saxicola rubetra</i> | 2 | | d | iii | Taxidermy, <u>temporary keeping</u> | no |
| <i>Acrocephalus arundinaceus</i> | 2 | 1 | | iv | Noise, <u>temporary keeping</u> | no |
| <i>Acrocephalus schoenobaenus</i> | 1 | | d | iii | noise | no |
| <i>Sylvia nisoria</i> | 2 | | d | iii, iv | Noise, <u>temporary keeping</u> | no |
| <i>Carpodacus erythrinus</i> | 2 | | d | iii, iv | Noise, <u>temporary keeping</u> | no |
| <i>Nyctea scandiaca</i> | 2 | 2 | f | iv | import | no |
| <i>Otus scops</i> | 2 | 2 | f | iv | import | no |
| <i>Otis tarda</i> | 1 | 1 | f | iv | | no |
| <i>Burhinus oedicnemus</i> | 3 | 6 | f | iv | export | |
| <i>Charadrius dubius</i> | 1 | | | iv | Temporary <u>keeping</u> | no |
| <i>Pluvialis squatarola</i> | 1 | | | iv | Temporary <u>keeping</u> | no |
| <i>Arenaria interpres</i> | 1 | | | iv | Temporary <u>keeping</u> | no |
| <i>Calidris alba</i> | 1 | | | iv | Temporary <u>keeping</u> | no |
| <i>Tringa ochropus</i> | 1 | | | iv | Temporary <u>keeping</u> | no |
| <i>Emberiza schoeniclus</i> | 1 | | | iv | Temporary <u>keeping</u> | no |
| <i>Lophophanes cristatus</i> | 1 | | | iv | Temporary <u>keeping</u> | no |
| <i>Sylvia borin</i> | 1 | | | iv | Temporary <u>keeping</u> | no |
| <i>Saxicola rubicola</i> | 1 | | | iv | Temporary <u>keeping</u> | no |
| <i>Falco rusticolus</i> | 1 | 2 | f | iv | | no |
| <i>Falco cherrug</i> | 1 | 1 | f | iv | | no |
| <i>Falco biarmicus</i> | 1 | 1 | f | iv | | no |
| <i>Gavia immer</i> | 1 | 1 | f | iv | | no |
| <i>Acrocephalus paludicola</i> | 1 | | c | iv | Collecting feathers | no |
| Amphibians: | | | | | | |
| <i>Pelobates fuscus</i> | 3 | | a, b, d | iii | taxidermy | no |
| <i>Triturus cristatus</i> | 5 | | a, b, c | iii, iv | Barber's traps, displacement, <u>temporary keeping</u> | No |

| | | | | | | |
|-----------------------------|---|---|---------------|---------------|---|----|
| <i>Rana arvalis</i> | 5 | | b, d | i, iii, iv | Displacement, taxidermy | no |
| <i>Hyla arborea</i> | 4 | | | i | Displacement | no |
| <i>Bombina variegata</i> | 1 | | | i | Displacement | No |
| <i>Rana dalmatina</i> | 1 | | a, c | iv | Nets | no |
| <i>Bufo viridis</i> | 2 | | c, d | i, iv | Displacement, nets | no |
| <i>Bufo calamita</i> | 1 | | d | i | Displacement | no |
| Reptiles: | | | | | | |
| <i>Lacerta agilis</i> | 7 | 2 | a, c, d | iii, iv | Taxidermy, Barber's trap, noise | no |
| <i>Elaphe longissima</i> | 2 | | d | iv | Taking photos | no |
| <i>Coronella austriaca</i> | 2 | | d | iv | Taking photos, temporary keeping | no |
| Invertebrates: | | | | | | |
| <i>Rosalia alpina</i> | 1 | 3 | c | iv | | no |
| <i>Cucujus cinnaberinus</i> | 2 | 1 | c | iv | Taxidermy | no |
| <i>Cerambyx cerdo</i> | 4 | 5 | a, b, c | i, iii, iv | Taxidermy, destruction of larvas and chrysalis | no |
| <i>Osmoderma eremita</i> | 2 | 5 | a, b, c | iv | Entomological nets | no |
| <i>Lycaena dispar</i> | 1 | 1 | a, b, c, | iv | Entomological nets | no |
| <i>Maculinea arion</i> | 2 | 2 | a, b, c, | iv | Entomological nets | no |
| <i>Parnassius mnemosyne</i> | 2 | 1 | a, b, c, f | iv | Entomological nets | no |
| <i>Coenonympha hero</i> | 1 | 1 | a, b, c, | iv | Entomological nets | no |

Table 2.2 (2010)

| Name of species | No. of licences | No. of individuals (when practical) | Action permitted (a to f) | Reason (i to v) | Means of killing/capture | Impact on population |
|-------------------------|-----------------|-------------------------------------|---------------------------|-----------------|----------------------------|----------------------|
| Mammals: | | | | | | |
| <i>Lutra lutra</i> | 15 | 14 | a, d | ii, iv | Taxidermy, displacement | no |
| <i>Myotis dasycneme</i> | 1 | | d | iv | filming | no |

| | | | | | | |
|---------------------------------|----|--------------------------|---------------|------------|---|----|
| <i>Pipistrellus nathusii</i> | 1 | | d | iv | filming | no |
| <i>Pipistrellus pygmaeus</i> | 1 | | d | iv | filming | no |
| <i>Canis lupus</i> | 25 | 16 2 skull 16 2 | f | iv | Taxidermy Temporary keeping | no |
| <i>Ursus arctos</i> | 5 | 3 | f | iv | taxidermy | no |
| <i>Cricetus cricetus</i> | 3 | | d, c, e, f | iv | traps | no |
| <i>Micromys minutus</i> | 3 | 210 | f | | traps | no |
| <i>Felis silvestris</i> | 2 | 3 | f | iv | taxidermy | no |
| <i>Rhinolophus hipposideros</i> | 1 | | d | iv | Filming, taking photos | no |
| <i>Barbastella barbastellus</i> | 3 | 1 | e, f | iv | Taxidermy, nets | no |
| <i>Myotis nattereri</i> | 1 | | b | iii | explosion | no |
| <i>Myotis daubentonii</i> | 2 | | b, e | iii, iv | Explosion, nets | no |
| <i>Plecotus auritus</i> | 2 | | b, e | iii, iv | Explosion, nets | no |
| <i>Sicista betulina</i> | 5 | 2 | c, f, d | iv | Taxidermy, taps | no |
| <i>Nyctalus noctula</i> | 1 | | | iv | nets | no |
| <i>Myotis myotis</i> | 1 | | e | iv | nets | no |
| <i>Myotis dasycneme</i> | 1 | | e | iv | nets | no |
| <i>Myotis bechsteinii</i> | 1 | | e | iv | nets | no |
| <i>Myotis brandtii</i> | 1 | | e | iv | nets | no |
| <i>Spermophilus citellus</i> | 1 | | f | iv | traps | no |
| <i>Crocidura suaveolens</i> | 3 | | f, e | iv | traps | no |
| <i>Spermophilus suslicus</i> | 1 | | e | iv | Nets | no |
| <i>Microtus taticus</i> | 1 | | | iv | traps | no |
| <i>Phocoena phocoena</i> | 1 | | c, d | iv | | no |
| <i>Cetacea</i> | 1 | | c, d | iv | | no |
| <i>Eptesicus serotinus</i> | 1 | | c | iv | | no |
| Birds: | | | | | | |
| <i>Carduelis chloris</i> | 9 | 207 | b, c, d | iii, iv | Taxidermy, nets | no |
| <i>Bubo bubo</i> | 10 | 10 | c, d | iv | Taxidermy, filming, taking photos | no |

| | | | | | | |
|--------------------------------|----|---------------------------|---------------|------------|--|----|
| <i>Parus major</i> | 23 | 267 5 pairs | b, d, f | iii, iv | Taxidermy, nets | no |
| <i>Athene noctua</i> | 3 | 3 | f | iv | taxidermy | no |
| <i>Strix aluco</i> | 18 | 54 | b, c, d, f | iii, iv | Taxidermy, nets | no |
| <i>Accipiter gentilis</i> | 18 | 23 | b, c, f | iii, iv | Taxidermy, nets, traps | no |
| <i>Cyanistes caeruleus</i> | 16 | 104 7 pairs | b, c, d | iii, iv | Taxidermy, nets | no |
| <i>Tetrao urogallus</i> | 56 | 98 | d, f | iv | Taking photos, filming, taxidermy | no |
| <i>Ciconia nigra</i> | 11 | | d, f | iii, iv | Taking photos, filming | no |
| <i>Acrocephalus scirpaceus</i> | 1 | | d | iv | Taking photos | no |
| <i>Asio otus</i> | 26 | 24 | b, c, d, f | iii, iv | taxidermy | no |
| <i>Dendrocopos medius</i> | 5 | 3 | b, d | iii, iv | taxidermy | no |
| <i>Motacilla alba</i> | 7 | 5 | d | iii, iv | noise | no |
| <i>Phoenicurus phoenicurus</i> | 1 | | d | iii | noise | no |
| <i>Sylvia communis</i> | 3 | | b, d | iii | noise | no |
| <i>Sylvia atricapilla</i> | 8 | 40 eggs, 2 individuals | b, c, d, e | iii, iv | Noise, taxidermy | no |
| <i>Carduelis carduelis</i> | 3 | | b, d | iii | noise | no |
| <i>Carduelis cannabina</i> | 1 | | d | iii | noise | no |
| <i>Sterna hirundo</i> | 9 | 75 pairs 51 | b, c, d, e | iii, iv | taxidermy | no |
| <i>Sterna albifrons</i> | 3 | 5 pairs | b, d | iii | | no |
| <i>Circus aeruginosus</i> | 5 | 2 | b, c, d | iii, iv | taxidermy | no |
| <i>Crex crex</i> | 4 | | b, d | iii | | no |
| <i>Lanius collurio</i> | 8 | 2 | b, c, d | iii, iv | taxidermy | no |
| <i>Alcedo atthis</i> | 7 | 1 | b, d | iii, iv | taxidermy | no |
| <i>Sylvia nisoria</i> | 4 | | b, d | iii | | no |
| <i>Botaurus stellaris</i> | 5 | 4 | c | iv | taxidermy | no |
| <i>Haliaeetus albicilla</i> | 48 | 43 | c, d, f | iii, iv | Taxidermy, filming, taking photos | no |

| | | | | | | |
|--------------------------------|----|--------------------------------------|---------------|------------|---|----|
| <i>Milvus milvus</i> | 3 | 1 | d, f | iv | Filming, taking photos, taxidermy | no |
| <i>Milvus migrans</i> | 1 | | d | iv | Filming, taking photos | no |
| <i>Pandion haliaetus</i> | 3 | | d | iii, iv | Filming, taking photos, | no |
| <i>Eudromias morinellus</i> | 1 | | d | iv | Filming, taking photos | no |
| <i>Asio flammeus</i> | 3 | 1 | d, c | iv | Filming, taking photos, taxidermy | no |
| <i>Accipiter nisus</i> | 14 | 15 | b, c, f | iii, iv | taxidermy | no |
| <i>Aegolius funereus</i> | 2 | 2 | | iv | taxidermy | no |
| <i>Picus viridis</i> | 7 | 6 | d | iv | taxidermy | no |
| <i>Dendrocopos leucotos</i> | 2 | 2 | | iv | taxidermy | no |
| <i>Dendrocopos minor</i> | 7 | 6 | b, d | iii, iv | taxidermy | no |
| <i>Parus montanus</i> | 2 | 3 | | iv | taxidermy | no |
| <i>Poecile palustris</i> | 5 | 4 | b, c | iii, iv | taxidermy | no |
| <i>Upupa epops</i> | 4 | 3 | f | iv | taxidermy | no |
| <i>Tyto alba</i> | 2 | 4 | | iv | taxidermy | no |
| <i>Ciconia ciconia</i> | 43 | 1 pair 106 individuals , 1 egg | b, c, d, f | iii, iv | Filming, taxidermy, nets | no |
| <i>Delichon urbica</i> | 25 | 76 nests 2 | b, d | iii | | no |
| <i>Riparia riparia</i> | 3 | | b | iii | | no |
| <i>Phoenicurus ochruros</i> | 8 | 3 1 nest | b, d | iii, iv | taxidermy | no |
| <i>Falco tinnunculus</i> | 12 | 8 1 pair | b, c, f | iii, iv | taxidermy | no |
| <i>Aquila pomarina</i> | 5 | 1 | d | iv | Filming, taking photos, taxidermy | no |
| <i>Buteo buteo</i> | 26 | 26 | b, c, d, f | iii, iv | taxidermy | no |
| <i>Dryocopus martius</i> | 5 | | b, d, f | iii, iv | | no |
| <i>Dendrocopos major</i> | 11 | 8 | b, c, d, f | iii, iv | Taxidermy, nets | no |
| <i>Troglodytes troglodytes</i> | 4 | 3 | b, d | iii | | no |
| <i>Erithacus rubecula</i> | 8 | 83 | b, c, f | iii, iv | taxidermy | no |

| | | | | | | |
|--------------------------------------|---|----|---------|------------|------------------------------|----|
| <i>Hippolais icterina</i> | 4 | | b, d | iii | | no |
| <i>Sylvia borin</i> | 1 | | b | iii | | no |
| <i>Phylloscopus sibilatrix</i> | 3 | 2 | b | iii, iv | taxidermy | no |
| <i>Phylloscopus collybita</i> | 1 | | b | iii | | no |
| <i>Phylloscopus trochilus</i> | 1 | | b | iii | | no |
| <i>Ficedula hypoleuca</i> | 4 | | b, c, d | iii, iv | nets | no |
| <i>Parus caeruleus</i> | 6 | 62 | b, f | iii, iv | taxidermy | no |
| <i>Sitta europaea</i> | 5 | 1 | b, d | iii, iv | taxidermy | no |
| <i>Certhia brachydactyla</i> | 3 | | b, d | iii | | no |
| <i>Oriolus oriolus</i> | 3 | 3 | b, f | iii, iv | | no |
| <i>Serinus serinus</i> | 4 | | b, d | iii | | no |
| <i>Coccothraustes coccothraustes</i> | 6 | 4 | b, c, f | iii, iv | taxidermy | no |
| <i>Emberiza citrinella</i> | 5 | 3 | b, d | iii, iv | taxidermy | no |
| <i>Bombycilla garrulus</i> | 8 | 12 | b, c, f | iii, iv | taxidermy | no |
| <i>Regulus regulus</i> | 2 | 1 | b, c | iii, iv | | no |
| <i>Parus cristatus</i> | 2 | 1 | f | iv | taxidermy | no |
| <i>Aegithalos caudatus</i> | 6 | 6 | b, d, f | iii, iv | taxidermy | no |
| <i>Periparus ater</i> | 2 | 3 | c | iv | taxidermy | no |
| <i>Parus atricapillus</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Carduelis spinus</i> | 3 | 5 | c | iv | taxidermy | no |
| <i>Nucifraga caryocatactes</i> | 2 | 2 | c | iv | taxidermy | no |
| <i>Falco peregrinus</i> | 3 | 6 | f | iv | taxidermy | no |
| <i>Coccothraustes coccothraustes</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Hirundo rustica</i> | 4 | 3 | c | iv | taxidermy | no |
| <i>Coracias garrulus</i> | 2 | | d | iv | Taking photos, filming | no |
| <i>Aquila chrysaetos</i> | 1 | 2 | | iv | taxidermy | no |
| <i>Acrocephalus scirpaceus</i> | 4 | | b, d | iii, iv | | no |
| <i>Strix uralensis</i> | 3 | 3 | f | iv | taxidermy | no |
| <i>Jynx torquilla</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Calidris alpina</i> | 3 | 2 | c, d | iii, iv | taxidermy | no |

| | | | | | | |
|-----------------------------------|---|---------------|---------|------------|------------------------|----|
| <i>Ficedula albicollis</i> | 2 | 2 | c | iv | taxidermy | no |
| <i>Certhia familiaris</i> | 2 | 2 | c | iv | taxidermy | no |
| <i>Gavia stellata</i> | 2 | 15 | | iv | taxidermy | no |
| <i>Gavia arctica</i> | 2 | 15 | | iv | taxidermy | no |
| <i>Podiceps grisegena</i> | 1 | 10 | | iv | taxidermy | no |
| <i>Falco subbuteo</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Circus cyaneus</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Aquila clanga</i> | 2 | | d | iv | filming | no |
| <i>Muscicapa striata</i> | 4 | | b, d | iii | | no |
| <i>Acrocephalus palustris</i> | 2 | | b, d | iii | | no |
| <i>Sylvia curruca</i> | 3 | 1 | b, d | iii, iv | | no |
| <i>Charadrius hiaticula</i> | 1 | 25 pairs | c, e | iv | | no |
| <i>Charadrius dubius</i> | 2 | 30 pairs 3 | c, d, e | iii, iv | | no |
| <i>Acrocephalus arundinaceus</i> | 2 | 3 pairs | b, d | iii | | no |
| <i>Grus grus</i> | 5 | 2 | d, f | iii, iv | | no |
| <i>Tringa glareola</i> | 1 | | d | iii | | no |
| <i>Calidris minuta</i> | 1 | | d | iii | | no |
| <i>Pluvialis apricaria</i> | 1 | | d | iii | | no |
| <i>Chlidonias niger</i> | 2 | | d | iii | | no |
| <i>Ixobrychus minutus</i> | 2 | | d | iii, iv | | no |
| <i>Phalaropus lobatus</i> | 2 | | d | iii | | no |
| <i>Larus melanocephalus</i> | 1 | | d | iii | | no |
| <i>Larus minutus</i> | 1 | | d | iii | | no |
| <i>Anthus campestris</i> | 1 | | d | iii | | no |
| <i>Ficedula parva</i> | 1 | | d | iii | | no |
| <i>Pernis apivorus</i> | 1 | | d | iii | | no |
| <i>Tringa ochropus</i> | 1 | | d | iii | | no |
| <i>Loxia curvirostra</i> | 1 | 1 | c | iv | | no |
| <i>Carduelis carduelis major</i> | 2 | 8 | f | iv | Import from Germany | no |
| <i>Picus canus</i> | 2 | 5 | c, d | iv | | no |
| <i>Caprimulgus europaeus</i> | 1 | 1 | | iv | taxidermy | no |
| <i>Acrocephalus schoenobaenus</i> | 1 | | c | iv | nets | no |

| | | | | | | |
|-------------------------------|---|----|------|-----|--|----|
| <i>Falco columbarius</i> | 1 | 1 | f | iv | | no |
| <i>Falco naumanni</i> | 1 | 1 | f | iv | | no |
| <i>Falco vespertinus</i> | 1 | 1 | f | iv | | no |
| <i>Oenanthe oenanthe</i> | 1 | 2 | d | iii | | no |
| <i>Anthus trivialis</i> | 1 | 2 | d | iii | | no |
| <i>Burhinus oedicnemus</i> | 2 | 3 | f | | | no |
| <i>Poecile montanus</i> | 1 | 1 | c | iv | | no |
| | 1 | 1 | c | iv | | no |
| <i>Tadorna tadorna</i> | 1 | 2 | f | iv | | no |
| <i>Branta ruficollis</i> | 1 | 4 | f | iv | | no |
| <i>Branta leucopsis</i> | 1 | 5 | f | iv | | no |
| <i>Sterna sandvicensis</i> | 1 | 50 | f | iv | | no |
| <i>Turdus torquatus</i> | 1 | | d | iii | | no |
| (<i>Dendrocopos leucotos</i> | 1 | 4 | c, d | iv | | no |

Amphibians:

| | | | | | |
|---------------------------|----|------------------|---------------|------------------------------|----|
| <i>Triturus cristatus</i> | 40 | b, c, d, e, f | iii, iv, i | Displacement, nets, traps | no |
| <i>Hyla arborea</i> | 25 | a, b, c, d | iii, i, iv | Displacement, nets, traps | no |
| <i>Bombina bombina</i> | 32 | a, b, c, d, e | iii, i, iv | Displacement, nets, traps | no |
| <i>Rana arvalis</i> | 29 | b, d, c | iii, i, iv | Displacement, nets, traps | no |
| <i>Pelobates fuscus</i> | 26 | a, b, c, d | iii, i, iv | Displacement, nets, traps | no |
| <i>Bufo viridis</i> | 25 | b, c, d, e | ii, i, iv | Displacement, nets, traps | no |
| <i>Bombina variegata</i> | 6 | b, c, d | iii, i, iv | Displacement, traps, nets | no |
| <i>Bufo calamita</i> | 13 | b, c, d | iii, i, iv | Displacement, nets, traps | no |
| <i>Rana dalmatina</i> | 1 | c, d | iv | | no |

Reptiles:

| | | | | | |
|----------------------------|----|------------------|------------|---|----|
| <i>Lacerta agilis</i> | 10 | a, b, c, d, f | iii, iv | Noise, displacement, nets, traps | no |
| <i>Emys orbicularis</i> | 8 | d, c, e, f | iv | Filming, taking photos, taxidermy | no |
| <i>Elaphe longissima</i> | 2 | f | iv | taxidermy | no |
| <i>Coronella austriaca</i> | 1 | d, c | iv | nets | no |

| Invertebrates: | | | | | | |
|----------------------|----|----------|---------|--|--|----|
| | | | | | | |
| Cerambyx cerdo | 6 | b, c, d | iv | Temporary keeping, enthomologic al nets, Barber's traps, pheromone's traps | | no |
| Osmoderma eremita | 15 | b, c, d | iii, iv | Displacement, pheromone's traps | | no |
| Lycaena dispar | 3 | b, c | iii, iv | Enthomologic al nets, Barber's traps | | no |
| Dytiscus latissimus | 2 | c, d | iv | Taxidermy, poison | | no |
| Cucujus cinnaberinus | 5 | b, c, d | iv | Taking photos, enthomologic al nets, Barber's traps | | no |
| Parnassius apollo | 2 | c, f | iv | Temporary keeping, enthomologic al nets, Barber's traps | | no |
| Buprestis splendens | 1 | c | iv | Temporary keeping, enthomologic al nets, Barber's traps | | no |
| Ophiogomphus cecilia | 1 | c | iv | Temporary keeping, enthomologic al nets, Barber's traps | | no |
| Coenonympha oedippus | 1 | a, c, d, | iv | | | |

3. EXCEPTIONS CONCERNING FALCONRY

For each species used in falconry, state (use a separate sheet for each species) :

EXCEPTIONS CONCERNING FALCONRY

3.1 *Exceptions concerning falconry:*

Name of species: **Falco peregrinus**

Number of birds in captivity (after entry into force of the Convention) : 77 (total in 2007-2010)

Origin of birds : 0 % captured from the wild in the State

11,7 % imported

88,3 % reared in captivity

Estimated population in the wild (in the State) : 10-15 breeding pairs

Number of birds captured from the wild each year : 0

Number of birds imported (specify country of origin) :

2009 - 1 (from Austria)

Means authorised for capture:

3.2 Exceptions concerning falconry:

Name of species: **Accipiter gentilis**

Number of birds in captivity (after entry into force of the Convention) : 51 (total in 2007-2010)

Origin of birds : 0 % captured from the wild in the State

0 % imported

100 % reared in captivity

Estimated population in the wild (in the State) : 5000-10000 breeding pairs

Number of birds captured from the wild each year :

Number of birds imported (specify country of origin) : -

Controls involved:

Using birds of prey in hunting is determined by the Hunter's Law Act of 13th October 1995 and it is allowed for the members of Polish Hunting Association on the basis of the permit only. Permits concerning keeping birds of prey for other purposes than hunting are issued by the General Director for Environmental Protection.

According to the CITES legislation permits for import, export and reexport of birds of prey are issued by the Minister of the Environment (CITES Management Authority of Poland). These permits describe only general aims of trade (like education, zoological, commercial, breeding, private), and they do not specify falconry aim.

Certificates for internal trade in birds of prey are also issued according to the EU law concerning CITES: for commercial purposes, including some aspects of falconry (specimens of all sources, mostly of captive-bred origin) and for movement of live animals (except specimens of captive-bred origin).

According to article 56.7 a of the Nature Conservation Act (Dz.U. z 2009 Nr 151 poz. 1220) General Director of regional director of the environmental protection can control the fullfilment of the imposed in permission conditions.

4. EXCEPTIONS CONCERNING PROTECTED FAUNA SPECIES (APPENDIX III)³

Table 4.1 (2009)

| Name of the species | Exceptions made |
|----------------------------|--|
| Mammals: | |
| Bison bonasus | Killing, taxidermy, possession and internal trade, filming, taking photos - disturbance, temporary keeping |
| Lynx lynx | Taxidermy of found dead individuals, disturbance, temporary keeping |
| Castor fiber | Damage of breeding sites, killing, capture |
| Sorex araneus | Taxidermy, temporary keeping and injury, disturbance |
| Sciurus vulgaris | Taxidermy, disturbance, destruction of habitats, temporary keeping for research purpose |

³ If exceptions concern the prohibited means of capture and killing for Appendix III species, use the form 2.4 on Appendix IV.

| | |
|---------------------------------|--|
| <i>Marmota marmota</i> | Killing |
| <i>Mustela nivalis</i> | Taxidermy |
| <i>Erinaceus europaeus</i> | disturbance, destruction of habitats, taxidermy |
| <i>Mustela erminea</i> | Taxidermy, keeping and exporting skins abroad |
| <i>Muscardinus avellanarius</i> | Taxidermy, temporary keeping and injury |
| <i>Glis glis</i> | Taxidermy, temporary keeping and injury, filming, taking photos |
| <i>Neomys fodiens</i> | Taxidermy, temporary keeping and injury |
| <i>Dryomys nitedula</i> | temporary keeping and injury |
| <i>Sorex minutus</i> | Temporary keeping and injury, taxidermy |
| <i>Halichoerus grypus</i> | Export |
| <i>Rupicapra rupicapra</i> | taxidermy |
| <i>Erinaceus roumanicus</i> | Collecting dead individuals or their parts, taxidermy |
| Birds: | |
| <i>Phalacrocorax carbo</i> | Killing, disturbance, taxidermy |
| <i>Ardea cinerea</i> | Keeping, disturbance, killing, destruction of nests |
| <i>Corvus corax</i> | Keeping, disturbance, destruction of nests, killing, taxidermy |
| <i>Cygnus olor</i> | Taxidermy, disturbance, temporary keeping |
| <i>Aythya marila</i> | taxidermy |
| <i>Somateria mollissima</i> | taxidermy |
| <i>Clangula hyemalis</i> | Taxidermy, keeping |
| <i>Melanitta nigra</i> | Taxidermy, keeping |
| <i>Bucephala clangula</i> | Taxidermy, keeping |
| <i>Mergus serrator</i> | Taxidermy, keeping |
| <i>Mergus merganser</i> | Taxidermy, keeping |
| <i>Teatralo tetrix</i> | Taxidermy, keeping |
| <i>Apus apus</i> | Destruction of breeding sites, taxidermy, disturbance |
| <i>Fringilla coelebs</i> | Taxidermy, disturbance |
| <i>Turdus philomelos</i> | Taxidermy, disturbance, destruction of habitats, keeping |
| <i>Turdus merula</i> | Taxidermy, disturbance, destruction of habitats and breeding sites |
| <i>Gallinago gallinago</i> | Taxidermy, disturbance, keeping |
| <i>Columba livia f. urbana</i> | Destruction of habitats, temporary keeping |
| <i>Lullula arborea</i> | Destruction of habitats, disturbance |
| <i>Tetrao tetrix</i> | Taxidermy, possession |
| <i>Chlidonias hybridus</i> | Taxidermy, disturbance |
| <i>Cuculus canorus</i> | Taxidermy |
| <i>Larus cachinnans</i> | Disturbance, temporary keeping |
| <i>Branta canadensis</i> | Taking eggs and dislocating them |
| <i>Pyrrhula pyrrhula</i> | Taxidermy, temporary keeping |
| <i>Turdus iliacus</i> | Taxidermy, temporary keeping |
| <i>Turdus pilaris</i> | Taxidermy, disturbance, temporary keeping |
| <i>Larus cachinnans</i> | Disturbance |
| <i>Passer montanus</i> | Taxidermy, disturbance, destruction of habitats, temporary keeping |
| <i>Streptopelia decaocto</i> | Taxidermy, disturbance, destroying of habitats |
| <i>Melanitta fusca</i> | Taxidermy, keeping |
| <i>Larus cachinnans</i> | disturbance |

| | |
|---------------------------------|---|
| <i>Fringilla montifringilla</i> | Taxidermy, temporary keeping |
| <i>Alca torda</i> | Taxidermy, keeping |
| <i>Cephus grylle</i> | taxidermy |
| <i>Uria aalge</i> | Taxidermy, keeping |
| <i>Limosa limosa</i> | taxidermy |
| <i>Lymnocryptes minimus</i> | taxidermy |
| <i>Alauda arvensis</i> | Taxidermy, disturbance, capture and dislocating |
| <i>Anas penelope</i> | taxidermy |
| <i>Gallinula chloropus</i> | Taxidermy, keeping, disturbance |
| <i>Larus canus</i> | taxidermy |
| <i>Podiceps cristatus</i> | Taxidermy, keeping |
| <i>Coturnix coturnix</i> | taxidermy |
| <i>Philomachus pugnax</i> | Taxidermy, disturbance |
| <i>Tringa nebularia</i> | taxidermy |
| <i>Sterna caspia</i> | disturbance |
| <i>Emberiza hortulana</i> | Disturbance, temporary keeping |
| <i>Limosa lapponica</i> | Disturbance, temporary keeping |
| <i>Xenus cinereus</i> | disturbance |
| <i>Larus ridibundus</i> | Disturbance, temporary keeping |
| <i>Remiz pendulinus</i> | disturbance |
| <i>Actitis hypoleucos</i> | Temporary keeping |
| <i>Calidris canutus</i> | Temporary keeping |
| <i>Tringa totanus</i> | Temporary keeping |
| <i>Rallus aquaticus</i> | Keeping and temporary keeping |
| <i>Luscinia svecica</i> | Temporary keeping, injury |
| <i>Anas strepera</i> | Temporary keeping |
| <i>Vanellus venellus</i> | Disturbance, temporary keeping |
| <i>Aythya fuligula</i> | keeping |
| <i>Aythya merila</i> | keeping |
| <i>Coturnix coturnix</i> | keeping |
| <i>Tachybaptus ruficollis</i> | keeping |
| Reptiles: | |
| <i>Lacerta vivipara</i> | Capture, taxidermy, disturbance |
| <i>Natrix natrix</i> | Capture, taxidermy, disturbance |
| <i>Lacerna agilis</i> | Capture, taxidermy |
| <i>Vipera berus</i> | Taxidermy, disturbance |
| <i>Anguis fragilis</i> | taxidermy |
| Amphibians: | |
| <i>Rana esculenta</i> | Taxidermy, displacement, disturbance, injury, killing |
| <i>Triturus vulgaris</i> | Capture, taxidermy |
| <i>Rana lessonae</i> | Taxidermy, displacement, disturbance, temporary keeping |
| <i>Rana ridibunda</i> | Taxidermy, disturbance, temporary keeping and injury |
| <i>Rana temporaria</i> | Taxidermy, displacement, disturbance, capture |
| <i>Bufo bufo</i> | Taxidermy, displacement, disturbance, |
| <i>Salamandra salamandra</i> | Displacement |
| <i>Zootoca vivipara</i> | Capture, keeping, disturbance |
| Fish: | |
| <i>Cobitis taenia</i> | Capture, killing, keeping |
| <i>Sabanejewia aurata</i> | Capture, killing, keeping |

| | |
|--------------------------------|---|
| <i>Gobio albipinnatus</i> | Capture, killing, keeping |
| <i>Cottus poecilopus</i> | Capture, keeping |
| <i>Eudontomyzon mariae</i> | Capture, keeping |
| <i>Alburnoides bipunctatus</i> | Capture, keeping |
| <i>Rhodeus sericeus</i> | Capture, |
| Invertebrates: | |
| <i>Helix pomatia</i> | Killing, destruction of breeding/resting sites |
| <i>Astacus astacus</i> | destruction of habitats, disturbance, capture and keeping |
| <i>Hirudo medicinalis</i> | Medical purpose |
| <i>Lucanus cervus</i> | Capture, keeping, killing |

Table 4.2 (2010)

| Name of the species | Exceptions made |
|---------------------------------|---|
| Mammals: | |
| <i>Castor fiber</i> | Demage of breeding sites, killing, capture, disturbance, taxidermy |
| <i>Sorex araneus</i> | Taxidermy, capture, possession, killing, injury |
| <i>Glis glis</i> | Taking photos, filming, capture, taxidermy, possession, disturbance, injury |
| <i>Sciurus vulgaris</i> | Taxidermy, capture, possession |
| <i>Bison bonasus</i> | Taxidermy, taking photos, possession |
| <i>Erinaceus europaeus</i> | Taxidermy, keeping, capture, possession, disturbance |
| <i>Mustela erminea</i> | Taxidermy, keeping, possession |
| <i>Mustela nivalis</i> | Taxidermy, capture, possession, injury |
| <i>Lynx lynx</i> | Taxidermy, capture, temporary keeping |
| <i>Sorex minutus</i> | Capture, taxidermy, possession, killing |
| <i>Neomys fodiens</i> | Capture, taxidermy, possession, killing |
| <i>Neomys anomalus</i> | Capture, taxidermy, possession |
| <i>Dryomys nitedula</i> | Capture, taxidermy, possession, disturbance, injury |
| <i>Muscardinus avellanarius</i> | Capture, taxidermy, possession, disturbance |
| <i>Haematopus ostralegus</i> | Capture, keeping, taking eggs |
| <i>Marmota marmota</i> | Possession, |
| <i>Phoca vitulina</i> | Capture, keeping, disturbance, possession |
| <i>Phoca hispida</i> | Capture, keeping, disturbance, possession |
| <i>Halichoerus grypus</i> | Capture, keeping, disturbance, possession |
| <i>Anas strepera</i> | Possession, disturbance |
| Birds: | |
| <i>Fringilla coelebs</i> | Taxidermy, disturbance, destruction of habitats, possession |
| <i>Columba livia</i> | Destruction of nest, disturbance |
| <i>Tetrao tetrix</i> | Taxidermy, filming, taking photos, possession, |
| <i>Streptopelia decaocto</i> | Disturbance, destruction of nest/habitats, taxidermy, capture and keeping |
| <i>Turdus pilaris</i> | Disturbance, destruction of habitats, taxidermy, possession |
| <i>Phalacrocorax carbo</i> | killing |
| <i>Corvus corax</i> | Killing, disturbance, destruction of habitats, taxidermy |

| | |
|--------------------------------|--|
| <i>Mergus merganser</i> | Destruction of habitats, taxidermy, disturbance, capture and keeping |
| <i>Larus cachinans</i> | Disturbance, capture, keeping, taking eggs |
| <i>Turdus merula</i> | Destruction of habitats, possession, disturbance |
| <i>Larus cachinnans</i> | disturbance |
| <i>Ardea cinerea</i> | Disturbance, taxidermy, killing |
| <i>Apus apus</i> | Disturbance, destruction of habitats |
| <i>Columba livia f. urbana</i> | Destruction of habitats |
| <i>Scolopax rusticola</i> | Destruction of habitats |
| <i>Lullula arborea</i> | Destruction of habitats, disturbance |
| <i>Turdus philomelos</i> | Destruction of habitats, taxidermy, capture and keeping, disturbance |
| <i>Pyrrhula pyrrhula</i> | taxidermy |
| <i>Larus ridibundus</i> | Taxidermy, capture, keeping, taking eggs, disturbance |
| <i>Gallinula chloropus</i> | Taxidermy, disturbance |
| <i>Podiceps cristatus</i> | Taxidermy, disturbance |
| <i>Bucephala clangula</i> | Taxidermy, disturbance |
| <i>Turdus viscivorus</i> | taxidermy |
| <i>Streptopelia orientalis</i> | Taxidermy, capture and keeping |
| <i>Cygnus olor</i> | Taxidermy, capture and temporary keeping |
| <i>Aythya marila</i> | taxidermy |
| <i>Somateria mollissima</i> | taxidermy |
| <i>Clangula hyemalis</i> | taxidermy |
| <i>Melanitta nigra</i> | taxidermy |
| <i>Melanitta fusca</i> | taxidermy |
| <i>Mergellus albellus</i> | taxidermy |
| <i>Mergus serrator</i> | taxidermy |
| <i>Alca torda</i> | taxidermy |
| <i>Uria aalge</i> | taxidermy |
| <i>Cephus grylle</i> | taxidermy |
| <i>Turdus iliacus</i> | taxidermy |
| <i>Turdus viscivorus</i> | Taxidermy, capture and keeping |
| <i>Anas penelope</i> | taxidermy |
| <i>Anas clypeata</i> | Taxidermy, disturbance |
| <i>Passer montanus</i> | Destruction of nests, disturbance |
| <i>Larus canus</i> | Capture, keeping, taking eggs, disturbance |
| <i>Sternula albifrons</i> | Capture, keeping, taking eggs |
| <i>Tringa nebularna</i> | disturbance |
| <i>Tringa totanus</i> | disturbance |
| <i>Tringa erythropus</i> | disturbance |
| <i>Vanellus vanellus</i> | Disturbance, possession |
| <i>Ardea alba</i> | Disturbance, possession |
| <i>Philomachus pugnax</i> | Disturbance, possession |
| <i>Aythya nyroca</i> | disturbance |
| <i>Sterna caspia</i> | disturbance |
| <i>Luscinia svecica</i> | disturbance |
| <i>Emberiza hortulana</i> | disturbance |
| <i>Cuculus canorus</i> | possession |
| <i>Lymnocryptes minimus</i> | Capture and injury |

| | |
|-------------------------------|---|
| <i>Galerida cristata</i> | disturbance |
| <i>Alauda arvensis</i> | disturbance |
| <i>Gallinago gallinago</i> | disturbance |
| <i>Lophophanes cristatus</i> | keeping |
| Reptiles: | |
| <i>Natrix natrix</i> | Displacement, destruction of habitats, taxidermy, capture, disturbance, possession |
| <i>Vipera berus</i> | Displacement, destruction of habitats, capture, keeping, disturbance |
| <i>Lacerta vivipara</i> | Displacement, destruction of habitats, capture, keeping |
| <i>Anguis fragilis</i> | Displacement, destruction of habitats, taking photos, capture, keeping, disturbance |
| Amphibians: | |
| <i>Rana esculenta</i> | Destruction of habitats and displacement, capture, keeping, killing, disturbance |
| <i>Rana temporaria</i> | Destruction of habitats and displacement, disturbance, capture, killing |
| <i>Bufo bufo</i> | Destruction of habitats and displacement, disturbance, capture, keeping, killing |
| <i>Triturus vulgaris</i> | Destruction of habitats and displacement, disturbance, capture |
| <i>Rana ridibunda</i> | Destruction of habitats and displacement, disturbance, capture, killing |
| Rana lessonae | Destruction of habitats and displacement, disturbance, capture, disturbance |
| <i>Triturus alpestris</i> | Displacement, destruction of habitats, capture, keeping |
| <i>Lissotriton montandoni</i> | Displacement, destruction of habitats, killing, possession |
| <i>Salamandra salamandra</i> | Displacement, destruction of habitats, capture, disturbance, injury |
| <i>Lissotriton vulgaris</i> | Displacement, destruction of habitats, capturing, disturbance, killing |
| <i>Cornella austriaca</i> | Capture, keeping, disturbance |
| <i>Zootoca vivipara</i> | Killing, capture, keeping, disturbance, possession |
| <i>Zamenis longissimus</i> | Disturbance, capture, keeping |
| Fish: | |
| <i>Lampetra flviatillis</i> | Destruction of habitats |
| <i>Cobitis taenia</i> | Capture, killing, keeping |
| Invertebrates: | |
| <i>Helix pomatia</i> | Killing, disturbance |
| <i>Astacus astacus</i> | Capture, temporary keeping |
| <i>Hirudo medicinalis</i> | Killing |
| <i>Lucanus cervus</i> | Disturbance, capture, temporary keeping, injury |

5. EXCEPTIONS CONCERNING THE USE OF MEANS OF CAPTURE AND KILLING SPECIFIED IN APPENDIX IV

Table 5.1 (2009)

| Name of species | No. of lices nces | No. of specimens | Reasons | Method used | Impact on population |
|----------------------------------|-------------------|------------------|---------|-------------|----------------------|
| Mammals | | | | | |
| <i>Castor fiber</i> | 3 | 6, 1 family | ii | nets | no |
| <i>Sorex araneus</i> | 2 | | iv | traps | no |
| <i>Sorex minutus</i> | 2 | | iv | traps | no |
| <i>Neomys fodiens</i> | 1 | | iv | traps | no |
| <i>Sicista betulina</i> | 1 | | iv | traps | no |
| <i>Dryomys nitedula</i> | 1 | | iv | traps | no |
| <i>Glis glis</i> | 2 | | iv | traps | no |
| <i>Muscardinus avellanarius</i> | 1 | | iv | traps | no |
| <i>Sciurus vulgaris</i> | 2 | | iv | traps | no |
| <i>Myotis daubentonii</i> | 2 | | iv | nets | no |
| <i>Rhinolophus hipposideros</i> | 1 | | iv | nets | no |
| <i>Nyctalus leisleri</i> | 1 | | iv | nets | no |
| <i>Nyctalus lasiopterus</i> | 1 | | iv | nets | no |
| <i>Nyctalus noctula</i> | 1 | | iv | nets | no |
| <i>Plecotus auritus</i> | 4 | | iv | nets | no |
| <i>Plecotus austriacus</i> | 1 | | iv | nets | no |
| <i>Pipistrellus pygmaeus</i> | 2 | | iv | nets | no |
| <i>Pipistrellus kuhlii</i> | 1 | | iv | nets | no |
| <i>Pipistrellus pipistrellus</i> | 1 | | iv | nets | no |
| <i>Pipistrellus nathusii</i> | 2 | | iv | nets | no |
| <i>Barbastella barbastellus</i> | 2 | | iv | nets | no |
| <i>Vesperilio murinus</i> | 2 | | iv | nets | no |
| <i>Eptesicus nilssoni</i> | 2 | | iv | nets | no |
| <i>Eptesicus serotinus</i> | 1 | | iv | nets | no |
| <i>Myotis alcatheo</i> | 2 | | iv | nets | no |
| <i>Myotis bechsteinii</i> | 1 | | iv | nets | no |
| <i>Myotis brandtii</i> | 3 | | iv | nets | no |
| <i>Myotis myotis</i> | 1 | | iv | nets | no |
| <i>Myotis dasycneme</i> | 2 | | iv | nets | no |
| <i>Myotis nattereri</i> | 2 | | iv | nets | no |
| <i>Myotis emarginatus</i> | 1 | | iv | nets | no |
| <i>Myotis blythii</i> | 1 | | iv | nets | no |
| <i>Myotis mystacinus</i> | 2 | | iv | nets | no |
| <i>Rhinolophus ferrumequinum</i> | 1 | | iv | nets | no |
| <i>Ursus arctos</i> | 1 | 8 | iv | trap | no |

| | | | | | |
|--------------------------------|---|----|----|---|----|
| <i>Lyn lynx</i> | 1 | 3 | iv | trap | no |
| Birds: | | | | | |
| <i>Phalacrocorax carbo</i> | 1 | | ii | Explosives | no |
| <i>Larus cachinnans</i> | 1 | | ii | Explosives | no |
| <i>Ardea cinerea</i> | 1 | | ii | Explosives Sighting devices for night shooting | no |
| <i>Coracias garrulus</i> | 1 | | iv | nets | no |
| <i>Circus pygargus</i> | 1 | 5 | iv | Explosives, traps* | no |
| <i>Ciconia ciconia</i> | 1 | | ii | nets | no |
| <i>Ciconia ciconia</i> | 1 | 90 | iv | Explosives, traps* | no |
| <i>Vanellus vanellus</i> | 1 | | ii | Explosives, traps* | no |
| <i>Turdus pilaris</i> | 1 | | ii | Explosives, traps* | no |
| <i>Alauda arvensis</i> | 1 | | ii | Explosives, traps* | no |
| <i>Larus ridibundus</i> | 1 | | ii | Explosives, traps* | no |
| <i>Buteo buteo</i> | 1 | | ii | Explosives, traps* | no |
| <i>Falco tinnunculus</i> | 1 | | ii | Explosives, traps* | no |
| <i>Luscinia svecica</i> | 1 | | iv | nets | no |
| <i>Acrocephalus paludicola</i> | 1 | | iv | Nets | no |
| <i>Parus major</i> | 1 | | iv | Nets, traps* | no |
| <i>Sylvia atricapilla</i> | 1 | | iv | Nets, traps* | no |
| <i>Crex crex</i> | 1 | | iv | nets | no |
| Fish: | | | | | |
| <i>Cobitis taenia</i> | 1 | | iv | Electricity with alternating current | no |
| <i>Cottus poecilopus</i> | 1 | | iv | Electricity with alternating current | no |
| Invertebrates: | | | | | |
| <i>Astacus astacus</i> | 1 | 1 | iv | poisons | no |

*the licence was for more than one methods

Table 5.2 (2010)

| Name of species | No. of licences | No. of specimens | Reasons | Method used | Impact on population |
|---------------------------------|-----------------|------------------|---------|---|----------------------|
| Mammals: | | | | | |
| <i>Myotis dasycneme</i> | 1 | | iv | Sighting devices for night shooting | no |
| <i>Pipistrellus nathusii</i> | 1 | | iv | Sighting devices for night shooting | no |
| <i>Pipistrellus pygmaeus</i> | 1 | | iv | Sighting devices for night shooting | no |
| <i>Micromys minutus</i> | 1 | | iv | traps | no |
| <i>Bison bonasus</i> | 7 | 170 | iv | Traps (capture and transport or research) | no |
| <i>Canis lupus</i> | 1 | 10 | iv | traps | no |
| <i>Lynx lynx</i> | 1 | 5 | iv | traps | no |
| <i>Plecotus auritus</i> | 2 | | iv | nets | no |
| <i>Nyctalus noctula</i> | 1 | | iv | nets | no |
| <i>Myotis myotis</i> | 1 | | iv | nets | no |
| <i>Barbastella barbastellus</i> | 1 | | iv | nets | no |
| <i>Myotis dasycneme</i> | 1 | | iv | nets | no |
| <i>Myotis bechsteinii</i> | 1 | | iv | nets | no |
| <i>Myotis brandtii</i> | 1 | | iv | nets | no |
| <i>Myotis daubentonii</i> | 1 | | iv | nets | no |
| <i>Spermophilus citellus</i> | 1 | | iv | nets | no |
| <i>Glis glis</i> | 3 | | iv | traps | no |
| <i>Cricetus cricetus</i> | 2 | | iv | traps | no |
| <i>Muscardinus avellanarius</i> | 3 | | iv | traps | no |
| <i>Crocidura suaveolens</i> | 2 | | iv | traps | no |
| <i>Neomys fodiens</i> | 5 | | iv | traps | no |
| <i>Neomys anomalus</i> | 2 | | iv | traps | no |
| <i>Sorex araneus</i> | 7 | | iv | traps | no |
| <i>Sorex minutus</i> | 5 | | iv | traps | no |
| <i>Sicista betulina</i> | 2 | | iv | traps | no |
| <i>Dryomys nitedula</i> | 1 | | iv | Traps | no |

| | | | | |
|-----------------------------------|---|-----|--------------------------------------|----|
| <i>Spermophilus suslicus</i> | 1 | iv | nets | no |
| <i>Microtus taticus</i> | 1 | iv | traps | no |
| Birds: | | | | |
| <i>Phalacrocorax carbo</i> | 2 | ii | Explosives | no |
| <i>Larus cachinnans</i> | 1 | ii | Explosives | no |
| <i>Ardea cinerea</i> | 1 | ii | Explosives | no |
| <i>Larus cachinans</i> | 1 | iv | traps | no |
| <i>Larus ridibundus</i> | 1 | iv | traps | no |
| <i>Larus canus</i> | 1 | iv | traps | no |
| <i>Sternula albifrons</i> | 1 | iv | traps | no |
| <i>Sterna hirundo</i> | 1 | iv | traps | no |
| <i>Charadrius hiaticula</i> | 1 | iv | traps | no |
| <i>Charadrius dubius</i> | 1 | iv | traps | no |
| <i>Haematopus ostralegus</i> | 1 | iv | traps | no |
| <i>Lymnocryptes minimus</i> | 1 | iv | nets | no |
| <i>Acrocephalus scirpaceus</i> | 1 | iv | nets | no |
| <i>Acrocephalus schoenobaenus</i> | 1 | iv | nets | no |
| <i>Dendrocopos major</i> | 1 | iv | nets | no |
| <i>Accipiter gentilis</i> | 1 | iv | Nets, traps* | no |
| <i>Cygnus olor</i> | 1 | 90 | nets | no |
| <i>Parus major</i> | 1 | 200 | nets | no |
| <i>Cyanistes caeruleus</i> | 1 | 200 | nets | no |
| <i>Carduelis chloris</i> | 1 | 200 | nets | no |
| <i>Strix aluco</i> | 1 | 35 | nets | no |
| <i>Ficedula hypoleuca</i> | 1 | iv | nets | no |
| Fish: | | | | |
| <i>Cobitis taenia</i> | 1 | iv | Electricity with alternating current | no |