Partnership for Good Governance Партнерство заради належного врядування





TENDER TECHNICAL SPECIFICATION

Tender #	4435/2017/3 as of 25 October 2017	
Services	Provision of the computer and other office equipment	
Location and	Kyiv, Ukraine	
dates		
Dates	Deadline for provision of equipment – 30 November 2017	
Description of	Joint Programme between the European Union and the Council of Europe	
services	"Strengthening the implementation of the European human rights standards	
	Joint Programme between the European Union and the Council of European	
	VAT.	
	Taskaisal an aifiastica	

Technical specification

#	Item title	Quantity
1.	System unit	42
2.	Screen	42
3.	Keyboard +mouse	42
4.	Power supply filter	45
5.	Uninterruptible power supply unit	35
6.	Web camera	35
7.	Acoustic system	35
8.	Multifunctional printing device, A4, black and white, laser	35
9.	Cartridge for Multifunctional device, A4, black and white, laser	35
10	Multifunctional printing device, A3, color, inkjet	1

1	
1	
1	
1	

Personal computer			
Chipset	Intel®) H110	
		Processor	
Type	Intel®	Core TM i5-6500 Processor	
Processor speed	3.2		
(gigahertz)			
Number of general	4		
processor units			
		RAM	
RAM (memory)	8 Gb		
Standart	DDR4	1-2133	
		Hard drives	
Hard drive capacity,	1000		
SATA, Gb			
		Graphic adapter	
Graphic chipset	NVID	IA® GeForce GTX 1050Ti	
Memory volume	4		
		Hardware peripheral	
Optical drive		DVD-RW	
Sound controller		integrated HD Audio 7.1	
External ports		2xUSB 3.0, 4xUSB2.0, 3xAudio	
Card reader		Available	
Network adapter		10/100/1000	
Power supply unit cap	acity	400	
Operation system		Windows 10 Professional	
Web camera		Connectivity Technology -Wired Camera type - color	
		Image Sensor Type - 2 MP	
		Video Input - Color or B&W color	
		Audio Support - Yes	
		Audio Support Features - built-in microphone	
		Frame Rate - 30 frames per second	
		Still Image Capture Resolution - 4608 x 3456	
		Compatible OS – Windows	
		Computer Interface - USB 2.0	
		Optical Sensor: Total Pixels - 2000000 pixels	
Acoustic system		Audio Output Mode - Stereo	
		Number of Speakers - 2	
		Output Power - 4 W	
		Output Power per Channel - 2 W	
		Frequency Response - 100Hz-20kHz	
		Audio Controls - Volume	
		Front - 2 x 2W x 9cm x 5cm;	
		Audio Line-In Interface Quantity - 1	
		Audio Line-In Interface Connector Type - Mini-phone Stereo 3.5 mm	
		Input Voltage - AC 220 V	

	Input Frequency - 50 Hz
Uninterruptible power	UPS Topology - Line-interactive
supply unit	Input
11 0	Generator Compatibility - Yes
	Nominal Input Voltage (Vac) - 230 ± 10%
	Input Voltage Range (Vac) -165 ~ 290
	Input Frequency (Hz) - 50 ± 5 ; 60 ± 5
	Input Frequency Detection- Auto-sensing
	Rated Input Current (A) - 2.95
	Input Connector Type- Schuko
	Output
	Capacity (VA) -650
	Capacity (Watts) - 360
	On Battery Waveform -Simulated Sine Wave
	On Battery Voltage(s) (Vac) - $230 \pm 10\%$
	On Battery Frequency (Hz) - $50 \pm 1\%$; $60 \pm 1\%$
	Automatic Voltage Regulation (AVR) - Single Boost, Single Buck
	Overload Protection -Fuse
	Outlet(s) – Total 2
	Outlet(s) - Battery Backup 2
	Typical Transfer Time (ms) -4
	Battery
	Runtime at 60W (min) - 28
	Runtime at 90W (min) - 16
	Typical Recharge Time (Hours) - 8
	Start On Battery - Yes
	Battery Type - Sealed Lead-acid
	Replacement Battery Pack - RBP0119
	RBP Quantity (pcs) -1
Keyboard and mouse	USB Keyboard and Mouse set
	Standard, 104 keys
	Wired, 1.5 m,
	Keyboard layout - Ukrainian
Power supply filter	5 m
	Screen
Type	LED screen
Screen diagonal	23,8
Type of LED-matrix	AH-IPS
Image format	16:9
Resolution	1920x1080
Visual angle	178/178
Type of lighting system	WLED
Screen surface	Opaque screen
Vertical refresh rate, gigahertz	56-75
	Videosignal Interface
DVI	Available
HDMI	Available
	· · · · · · · · · · · · · · · · · ·

Multifunctional device, A4, black and white printing

Multifunctional device

Printer

Print speed

Single sided: Up to 23 ppm (A4)

Printing method

Monochrome laser beam printing

Print quality

Up to 1200 x 1200 dpi

Print Resolution 600 x 600 dpi

First Print Out Time

Approx: 6.0 seconds or less

Printer languages

UFRII-LT

Print margins

5 mm-top, bottom, left and right

10 mm-top, bottom, left and right (Envelope)

Toner saver mode

Yes

Copier

Copy Speed

Single sided: Up to 23 ppm (A4)

First Copy Output Time (FCOT)

Approx. 9.0 seconds or less

Copy resolution

Up to 600 x 600 dpi

Copy modes

Text/Photo, Text/Photo (High speed), Photo, Text

Multiple Copy

Up to 999 copies

Reduction/Enlargement

25-400% in 1% increments

Other features

Memory sort, 2 on 1, 4 on 1, ID card copy

Scanner

Type

Colour

Scan Resolution

Optical: Up to 600 x 600 dpi

Enhanced: Up to 9600 x 9600 dpi

Scan speed

Single sided mono: 3 sec/page (300x300dpi) Single sided colour: 4 sec/page (300x300dpi)

Colour scanning depth

24 bit/24 bit (input/output)

Greyscales

256 levels

Compatibility

TWAIN, WIA, ICA

Max. scan width

216mm

Scan to PC

TIFF/JPEG/PDF/Compact PDF/Searchable PDF¹

Scan to Cloud

TIFF/JPEG/PDF/PNG

Media handling

Scanner Type

Flatbed

Paper input (Standard)

250-sheet cassette

1-sheet multi-purpose tray

Paper output

100-sheet

Media types

Plain paper, Colour paper, Recycled paper, Heavy Paper, Bond paper,

Label, Index card, Envelope

Media sizes

Cassette:

A4, A5, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Envelop (COM10, DL, C5), Custom sizes: Min. 76.2 x 210 mm Max. 216 x 356 mm.

Multi-purpose tray:

A4, A5, B5, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Indexcard, Envelope (COM10,Monarch,DL, C5), Custom sizes: Min 76.2 x 127 mm Max. 216 x 356 mm.

Media weights

Cassette: 60 to 163 g/m²

Multi-purpose tray: 60 to 163 g/m²

Interface & Software

Interface type

USB 2.0 Hi-Speed,

Operating System compatibility

Windows® 10 / Windows® 8.1 / Windows® 8 / Windows® 7 / Vista

Mac OS X version 10.6 & up

Linux²

Software and printer management

Presto! Page Manager,

MF Scan Utility,

Toner Status Tool,

General features

Recommended Monthly Print Volume

500 - 2,000 pages per month

Duty cycle

Max. 15,000 pages per month³

Memory

128MB

Control Panel

	51: DOMICD
	5 lines B&W LCD
	Power Source
	220-240V(±10%) 50/60Hz (±2Hz)
	Power Consumption
	Maximum: Approx. 1120 W
	Standby: Approx. 4.2 W
	Sleep mode: Approx. 1.2 W
	Typical Electricity Consumption (TEC): 0.6 kWh/week
Cartridge	Q-ty in pack - 2
Cartriage	Colour - black
	resource (for 5% covered page) - 2 x 2400
	Multifunctional device, A3, color printing
Multifunctional device	Printing Resolution
	4,800 x 1,200 DPI
	Application
	Home, Office Desktop, Office Workgroup
	All-in-One Functions
	Print, Scan, Copy, Fax
	Printing Speed ISO/IEC 24734
	18 pages/min Monochrome, 10 pages/min Colour
	Printing Speed
	32 pages/min Monochrome (plain paper 75 g/m²),
	20 pages/min Colour (plain paper 75 g/m²)
	Duplex Printing Speed ISO/IEC 24734
	8.7 A4 pages/min Monochrome, 6 A4 pages/min Colour
	Colours
	Black, Cyan, Yellow, Magenta
	Scanning Resolution
	1,200 DPI x 2,400 DPI (Horizontal x Vertical)
	Output formats
	BMP, JPEG, TIFF, PDF
	Scanner type
	Contact image sensor (CIS)
	Type of fax
	Walk-up black and white and colour fax capability
	Fax Transmission Speed
	Up to 33.6kbps / Approx. 3 sec/page
	Error correction mode
	CCITU/ITU Group3 fax with Error Correction Mode
	Fax speed dials (max)
	200 names and numbers
	Page memory
	Up to 550 pages/ 6MB (ITU-T No. 1 chart) Fax Functions
	PC Fax, Auto Redial, Address Book, Delay Send, Broadcast Fax
	Number of paper trays - 3
	Paper Formats A 2 + A 2 A 4 A 5 A 6 D 5 C 4 (Envelope) C 6 (Envelope) DI
	A3+, A3, A4, A5, A6, B5, C4 (Envelope), C6 (Envelope), DL
	(Envelope), Letter, 9 x 13 cm, 10 x 15 cm, Legal
	Duplex
	Yes
	Automatic Document Feeder
	35 pages

Output Tray Capacity

125 Sheets

multifunction

250 Sheets Standard, 250 Sheets Maximum, 20 Photo Sheets

Rear paper path (special media)

Yes

Compatible Paper Weight

 $64 \text{ g/m}^2 - 250 \text{ g/m}^2$

Media Handling

ADF 2-sided copy (A4/A3, plain paper), Auto Sheet Feeder,

Automatic duplex

Energy Use

20 Watt (standalone copying, ISO/IEC 24712 pattern), 2 Watt (sleep mode), 9.1 Watt (ready), 0.5 Watt (Power off), ENERGY STAR® qualified

Supply Voltage

AC 100 V - 240 V, 50 Hz - 60 Hz

Product dimensions

666 x 486 x 418 mm (Width x Depth x Height)

Product weight

23 kg

Noise Level

5.8 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 44 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode

Compatible Operating Systems

Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows XP x64

Included Software

Epson Easy Photo Print, Epson Event Manager, Epson Scan, EpsonNet Print, EpsonNet setup

Interfaces

USB, Ethernet, WiFi, Wi-Fi Direct

Mobile and Cloud printing services

Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Google Cloud Print

Power Supply

100V, 110V, 220V, 240V

What's in the box

2 full sets of ink (Bk - 140ml, CMY - 70 ml), Main unit, Power cable, Setup guide, Software (CD), Warranty document

LCD screen

Type: Colour, Diagonal: 10.9 cm

Memory Cards

SD, SDXC, Memory Stick Duo, MicroSDHC*, SDHC*, MicroSD*, MicroSDXC*, MiniSD*, MiniSDHC* (* Adaptor required, not supplied in box)

Features

Touchscreen

8 bottles of ink of different colors in batch

Payment	 In return for the fulfilment by the Provider of its obligations under the contract, the Council undertakes to pay the Provider the amount in EUR or in UAH as follows: Advance payment of max 60% from the total price of the contract; The balance to be paid by the Council of Europe within 60 calendar days after the completion of all the services, delivery and unloading of 	
	equipment, upon presentation of final detailed invoice(s), signing of the Act of Acceptance by two parties in two copies.	
Provider	Bidders should:	
Exclusion	Have not been sentenced by final judgment on one or more of the following charges: participation in a criminal organisation, corruption,	
	fraud, money laundering;	
	 Are not in a situation of bankruptcy, liquidation, termination of activity, insolvency or arrangement with creditors or any like situation arising from a procedure of the same kind, or is not subject to a procedure of the same kind; 	
	 Have not received a judgment with res judicata force, finding an offence that affects its professional integrity or constitutes a serious professional misconduct; 	
	 Do comply with its obligations as regards payment of social security contributions, taxes and dues, according to the statutory provisions of the country where it is established. 	
Provider	Bidders should meet the following eligibility criteria:	
Eligibility Criteria	Being registered as an entity entitled to supply the required equipment	
	Have experiencein provision of similar equipment (min 1 calendar)	
	year).	
	 Must be able to provide a budget offer and conclude the contract without VAT 	
Provider Award	Bidders will be assessed against the following criteria:	
Criteria	Suggested models of equipment are in compliance with the technical analistic and provided 20%.	
	specifications provided – 30%;Quality of the suggested equipment models – 10%;	
	Suggested financial offer- 60%.	
Call for tender issued	25 October 2017	
Date of the announcement of the results	31 October 2017	
Documents to	All Bids should be sent via e-mail to kyiv@coe.int indicating TENDER	

be provided by the Bidders

4435/2017/3 in a subject line by 30 October 2017 at 11:00 Kyiv Time. The deadline is compulsory.

The following documents should be presented:

- 1. **APPENDIX II Provisional budget template** filled in as per all requested service positions in PDF <u>and</u> Excel format. Submitted PDF formatted budget should be <u>duly signed</u>, stamped and dated; provided on the <u>Company's letterhead</u> (the budget to be in both UAH and EUR, at the CoE rate as of 25/10/2017 1 Eur = 31,1815 UAH;
- 2. Technical specification to each model of equipment suggested
- 3. Declaration of the provider signed, dated and stamped in Ukrainian and English
- 4. Document confirming state registration of the supplier in accordance with the national legislation