

Strasbourg, 6 November 2015

CONVENTION ON THE CONSERVATION OF EUROPEAN WILDLIFE
AND NATURAL HABITATS

Standing Committee

35th meeting
Strasbourg, 1-4 December 2015

BIENNIAL REPORT (2013-2014)

- BELGIUM (FLEMISH REGION) -

*Memorandum drawn up by
the Directorate of Democratic Governance
The document is being circulated in the form and the languages in which it was received by the Secretariat*

**BIENNAL REPORT
2013 -2014**

BELGIUM (FLEMISH REGION) 2013- 2014

FLEMISH REGION

1. EXCEPTIONS CONCERNING STRICTLY PROTECTED FLORA SPECIES

Name of the species	Number of licences	Number of specimens (when practical)	Reasons for issuing of licences ¹	Impact on population
Luronium natans	1		For the purposes of researching and education, A	
Apium repens	1		For the purposes of researching and education, A	none
Apium repens	1	30	For the purposes of researching and education, A	
Luronium natans	1	1	In the interests of public health, C	
Luronium natans	1	1	To prevent serious damage to water, C	
Luronium natans	1	1	For other imperative reasons of overriding public interest, including those of beneficial consequences of primary importance for the environment, C	

2. EXCEPTIONS CONCERNING STRICTLY PROTECTED FAUNA SPECIES (APPENDIX II)

Other species than birds.

Name of species	No. of licences	No. of individuals (when practical)	Action permitted (a to f)	Reason (i to v)
<i>Myotis bechsteinii</i>	1	0	c	iv
<i>Hyla arborea</i>	1	1	a, c, f	ii, iii
<i>Nyctalus leisleri</i>	1	0	c	iv
<i>Myotis brandtii</i>	1	0	c	iv
<i>Myotis nattereri</i>	1	0	c	iv
<i>Bombina variegata</i>	2	2	a, c, f	i, ii, iii, iv
<i>Leucorhina pectoralis</i>	1	1	a, c	i, iv
<i>Myotis mystacinus</i>	1	0	c	iv
<i>Coronella austriaca</i>	2	883	c	iv
<i>Rhinolophus ferrumequinum</i>	1	1	c	iv
<i>Cricetus cricetus</i>	2	2	f	iv
<i>Rana arvalis</i>	1		c	i, iv
<i>Myotis emarginatus</i>	1	0	c	iv
<i>Triturus cristatus</i>	16	12	a, c, f	i, ii, iii, iv
<i>Pipistrellus pygmaeus</i>	1	0	c	iv
<i>Pelobates fuscus</i>	2	2	a, c, f	i, ii, iii, iv
<i>Eptesicus serotinus</i>	1	0	c	iv
<i>Myotis dasycneme</i>	1	0	c	iv
<i>Barbastella barbastellus</i>	1	0	c	iv
<i>Podarcis muralis</i>	1	300	c	iv
<i>Lutra lutra</i>	1	1	f	iv
<i>Nyctalus noctula</i>	1	0	c	iv
<i>Bufo calamita</i>	6	34	a, c, f	i, ii, iii, iv
<i>Pipistrellus nathusii</i>	1	0	c	iv
<i>Tursiops truncatus</i>	1	6	c	iv
<i>Vespertilio murinus</i>	1	0	c	iv
<i>Myotis myotis</i>	1	0	c	iv
<i>Alytes obstetricans</i>	4	4	a, c, f	i, ii, iii, iv
<i>Myotis daubentonii</i>	1	0	c	iv
<i>Sp. Chiroptera</i>	3	3	c	i, iv
<i>Mustela lutreola</i>	1		c	i
<i>Plecotus spec.</i>	1	0	c	iv
<i>Dama dama</i>	1		b	

Birds.

Name of species	No. of licences	No. of individuals (when practical)	Action permitted (a to f)	Reason (i to v)
<i>Accipiter gentilis</i>	3	4	c, d, f	iv
<i>Accipiter nisus</i>	5	9	c, d, f	iv
<i>Acrocephalus scirpaceus</i>	1	1	f	iv
<i>Aegolius funereus</i>	1		d	iv
<i>Alcedo atthis</i>	1	1	f	iv
<i>Ardeola ralloides</i>	1	1	c	iv
<i>Arenaria interpres</i>	3	5	c, f	iv
<i>Asio flammeus</i>	1		d	iv
<i>Asio otus</i>	5	5	d, f	iv
<i>Athene noctua</i>	7	5	c, d, f	iv, v
<i>Botaurus stellaris</i>	1	1	f	iv
<i>Branta leucopsis</i>	7	252	a, c, d, f	i, ii, iv
<i>Bubo bubo</i>	10	24	c, d, f	iv, v
<i>Buteo buteo</i>	7	14	c, d, f	iii, iv
<i>Calidris alba</i>	1	1	f	iv
<i>Calidris alpina</i>	3	5	c, f	iv
<i>Caprimulgus europaeus</i>	2	5	f	iv
<i>Carduelis cannabina</i>	1	1	f	iv
<i>Carduelis carduelis</i>	1	1	f	iv
<i>Carduelis chloris</i>	1	1	f	iv
<i>Carduelis flammea</i>	1	1	c	iv
<i>Carduelis spinus</i>	1	1	f	iv
<i>Certhia brachydactyla</i>	2	1	c, d, f	i, iv
<i>Charadrius hiaticula</i>	1	1	f	iv
<i>Ciconia ciconia</i>	2	3	b, f	i, iii, iv
<i>Circus aeruginosus</i>	2	1	d, f	iv
<i>Circus cyaneus</i>	2	1	d, f	iv
<i>Circus pygargus</i>	1		d	iv
<i>Coccothraustes coccothraustes</i>	1	1	f	iv
<i>Delichon urbica</i>	1		b	i
<i>Dendrocopos major</i>	4	12	c, d, f	i, iv
<i>Egretta garzetta</i>	4	8	c, f	iv, v
<i>Emberiza citrinella</i>	1	1	f	iv
<i>Erithacus rubecula</i>	5	3	c, d, f	i, iv
<i>Falco biarmicus</i>	1	2	c	iv
<i>Falco cherrug</i>	1	1	c	iv
<i>Falco columbarius</i>	1	4	c	iv
<i>Falco peregrinus</i>	4	4	c, d, f	iv
<i>Falco rusticolus</i>	1	2	c	iv
<i>Falco subbuteo</i>	3	6	c, d, e, f	i, iii, iv
<i>Falco tinnunculus</i>	7	19	c, d, f	iii, iv, v

<i>Ficedula hypoleuca</i>	2	40	c	iv
<i>Grus grus</i>	2	4	c	v
<i>Haliaeetus albicilla</i>	1		d	iv
<i>Himantopus himantopus</i>	1	1	c	iv
<i>Hirundo rustica</i>	1	1	f	iv
<i>Lanius collurio</i>	1	1	f	iv
<i>Lanius excubitor</i>	1	1	c	iv
<i>Larus melanocephalus</i>	1	1	f	iv
<i>Loxia curvirostra</i>	1	1	f	iv
<i>Luscinia megarhynchos</i>	2	2	c, f	iv, v
<i>Milvus migrans</i>	2	2	c, d	iv
<i>Milvus milvus</i>	2	1	d, f	iv
<i>Motacilla alba</i>	1	1	f	iv
<i>Motacilla cinerea</i>	1	1	f	iv
<i>Nyctea scandiaca</i>	2	4	c	0, iv
<i>Nycticorax nycticorax</i>	2	15	c, f	iv
<i>Parus a. ater</i>	1		c, d	i, iv
<i>Parus caeruleus</i>	4	21	c, d, f	i, iv
<i>Parus major</i>	6	43	c, d, f	i, iv
<i>Pelecanus crispus</i>	1	7		
<i>Pernis apivorus</i>	1	1	c, d	i, iv
<i>Phoenicopterus ruber</i>	3	117	c, f	iv, v
<i>Phoenicurus ochruros</i>	1	1	f	iv
<i>Phoenicurus phoenicurus</i>	1	20	c	iv
<i>Phylloscopus collybita</i>	2	1	c, d, f	i, iv
<i>Phylloscopus trochilus</i>	2	1	c, d, f	i, iv
<i>Picus viridis</i>	4	3	c, d, f	i, iv
<i>Platalea leucorodia</i>	2	4	c, f	iv
<i>Plegadis falcinellus</i>	1	1	c	iv
<i>Prunella modularis</i>	3	2	c, d, f	i, iv
<i>Recurvirostra avosetta</i>	2	27	c, f	iv
<i>Regulus regulus</i>	3	2	c, d, f	i, iv
<i>Sitta europaea</i>	5	47	c, d, f	i, iv
<i>Sterna hirundo</i>	1	1	f	iv
<i>Strix aluco</i>	6	7	c, d, f	iv
<i>Strix nebulosa</i>	1	2	c	v
<i>Surnia ulula</i>	1	1	f	iv
<i>Sylvia atricapilla</i>	2	1	c, d, f	i, iv
<i>Sylvia borin</i>	1		c, d	i, iv
<i>Tadorna tadorna</i>	1	1	f	iv
<i>Troglodytes troglodytes</i>	1		c, d	i, iv
<i>Tyto alba</i>	15	20	b, c, d, f	i, iii, iv, v

3. EXCEPTIONS CONCERNING FALCONRY

For each species used in falconry, state (use a separate sheet for each species) :

Name of species:

Number of birds in captivity (after entry into force of the Convention) :

Origin of birds : % captured from the wild in the State

 % imported

 % reared in captivity

Estimated population in the wild (in the State) :

Number of birds captured from the wild each year :

Number of birds imported (specify country of origin) :

Means authorised for capture:

Controls involved:

4. EXCEPTIONS CONCERNING PROTECTED FAUNA SPECIES (APPENDIX III)²

Other species than birds.

Name of the species	Exceptions made
<i>Anguis fragilis</i>	specimen(s);iv;Capture
<i>Anguis fragilis</i>	1 specimen(s);iv;Stuffing
<i>Bufo bufo</i>	2 specimen(s);i;Transport
<i>Bufo bufo</i>	8 specimen(s);i;Capture
<i>Bufo bufo</i>	1 specimen(s);ii;Capture
<i>Bufo bufo</i>	1 specimen(s);ii;Capture /hunting with nets
<i>Bufo bufo</i>	1 specimen(s);ii;Capture /hunting with snares
<i>Bufo bufo</i>	1 specimen(s);ii;Deliberate collecting in the wild
<i>Bufo bufo</i>	1 specimen(s);ii;Keeping (in captivity)
<i>Bufo bufo</i>	1 specimen(s);ii;Killing
<i>Bufo bufo</i>	1 specimen(s);ii;Transport
<i>Bufo bufo</i>	specimen(s);iii;Destruction of resting places
<i>Bufo bufo</i>	specimen(s);iii;Deterioration of resting places
<i>Bufo bufo</i>	2 specimen(s);iii;Capture /hunting with nets
<i>Bufo bufo</i>	2 specimen(s);iii;Capture /hunting with snares
<i>Bufo bufo</i>	2 specimen(s);iii;Deliberate collecting in the wild
<i>Bufo bufo</i>	2 specimen(s);iii;Keeping (in captivity)
<i>Bufo bufo</i>	2 specimen(s);iii;Killing
<i>Bufo bufo</i>	2 specimen(s);iii;Transport
<i>Bufo bufo</i>	3 specimen(s);iii;Capture
<i>Bufo bufo</i>	1 specimen(s);iv;Transport
<i>Bufo bufo</i>	10 specimen(s);iv;Capture
<i>Capreolus capreolus</i>	2 specimen(s);iv;Stuffing
<i>Castor fiber</i>	0 specimen(s);i;Capture

² If exceptions concern the prohibited means of capture and killing for Appendix III species, use the form 2.4 on Appendix IV.

<i>Castor fiber</i>	0 specimen(s);i;Deliberate disturbance during the migration period
<i>Castor fiber</i>	0 specimen(s);i;Deliberate disturbance during the period of breeding
<i>Castor fiber</i>	0 specimen(s);i;Keeping (in captivity)
<i>Castor fiber</i>	0 specimen(s);i;Transport
<i>Castor fiber</i>	3 specimen(s);i;Destruction of resting places
<i>Castor fiber</i>	10 specimen(s);i;Deliberate disturbance during the period of rearing
<i>Castor fiber</i>	17 specimen(s);i;Deterioration of resting places
<i>Castor fiber</i>	7 specimen(s);ii;Destruction of resting places
<i>Castor fiber</i>	24 specimen(s);ii;Deterioration of resting places
<i>Castor fiber</i>	30 specimen(s);ii;Capture
<i>Castor fiber</i>	30 specimen(s);ii;Transport
<i>Castor fiber</i>	4 specimen(s);iii;Destruction of breeding sites
<i>Castor fiber</i>	8 specimen(s);iii;Destruction of resting places
<i>Castor fiber</i>	11 specimen(s);iii;Capture
<i>Castor fiber</i>	11 specimen(s);iii;Deterioration of resting places
<i>Castor fiber</i>	11 specimen(s);iii;Transport
<i>Castor fiber</i>	0 specimen(s);iv;Capture
<i>Castor fiber</i>	0 specimen(s);iv;Deliberate disturbance during the migration period
<i>Castor fiber</i>	0 specimen(s);iv;Deliberate disturbance during the period of breeding
<i>Castor fiber</i>	1 specimen(s);iv;Keeping (in captivity)
<i>Castor fiber</i>	1 specimen(s);iv;Stuffing
<i>Castor fiber</i>	2 specimen(s);iv;Transport
<i>Castor fiber</i>	10 specimen(s);iv;Deterioration of resting places
<i>Castor fiber</i>	11 specimen(s);iv;Deliberate disturbance during the period of rearing
<i>Cervus elaphus</i>	2 specimen(s);iv;Stuffing
<i>Cobitis taenia</i>	1 specimen(s);ii;Capture
<i>Cobitis taenia</i>	1 specimen(s);ii;Capture /hunting with nets
<i>Cobitis taenia</i>	1 specimen(s);ii;Capture /hunting with snares
<i>Cobitis taenia</i>	1 specimen(s);ii;Deliberate collecting in the wild
<i>Cobitis taenia</i>	1 specimen(s);ii;Keeping (in captivity)
<i>Cobitis taenia</i>	1 specimen(s);ii;Killing
<i>Cobitis taenia</i>	1 specimen(s);ii;Transport
<i>Cobitis taenia</i>	2 specimen(s);iii;Capture
<i>Cobitis taenia</i>	2 specimen(s);iii;Capture /hunting with nets
<i>Cobitis taenia</i>	2 specimen(s);iii;Capture /hunting with snares
<i>Cobitis taenia</i>	2 specimen(s);iii;Deliberate collecting in the wild
<i>Cobitis taenia</i>	2 specimen(s);iii;Keeping (in captivity)
<i>Cobitis taenia</i>	2 specimen(s);iii;Killing
<i>Cobitis taenia</i>	2 specimen(s);iii;Transport
<i>Cobitis taenia</i>	specimen(s);iv;Capture
<i>Cobitis taenia</i>	specimen(s);iv;Capture /hunting with nets
<i>Cobitis taenia</i>	specimen(s);iv;Transport
<i>Crocidura leucodon</i>	0 specimen(s);iv;Keeping (in captivity)

<i>Crocidura leucodon</i>	1 specimen(s);iv;Capture
<i>Crocidura leucodon</i>	1 specimen(s);iv;Stuffing
<i>Crocidura russula</i>	0 specimen(s);iv;Keeping (in captivity)
<i>Crocidura russula</i>	1 specimen(s);iv;Capture
<i>Crocidura russula</i>	1 specimen(s);iv;Stuffing
<i>Erinaceus europaeus</i>	0 specimen(s);i;Capture
<i>Erinaceus europaeus</i>	0 specimen(s);i;Deliberate disturbance during the migration period
<i>Erinaceus europaeus</i>	0 specimen(s);i;Deliberate disturbance during the period of breeding
<i>Erinaceus europaeus</i>	0 specimen(s);i;Deliberate disturbance during the period of rearing
<i>Erinaceus europaeus</i>	0 specimen(s);i;Keeping (in captivity)
<i>Erinaceus europaeus</i>	0 specimen(s);i;Transport
<i>Erinaceus europaeus</i>	0 specimen(s);iv;Deliberate disturbance during the migration period
<i>Erinaceus europaeus</i>	0 specimen(s);iv;Deliberate disturbance during the period of breeding
<i>Erinaceus europaeus</i>	0 specimen(s);iv;Deliberate disturbance during the period of rearing
<i>Erinaceus europaeus</i>	0 specimen(s);iv;Keeping (in captivity)
<i>Erinaceus europaeus</i>	0 specimen(s);iv;Transport
<i>Erinaceus europaeus</i>	1 specimen(s);iv;Capture
<i>Erinaceus europaeus</i>	1 specimen(s);iv;Stuffing
<i>Halichoerus grypus</i>	1 specimen(s);i;Keeping (in captivity)
<i>Halichoerus grypus</i>	1 specimen(s);iv;Stuffing
<i>Lacerta vivipara</i>	1 specimen(s);iv;Capture
<i>Lampetra planeri</i>	1 specimen(s);ii;Capture
<i>Lampetra planeri</i>	1 specimen(s);ii;Capture /hunting with nets
<i>Lampetra planeri</i>	1 specimen(s);ii;Capture /hunting with snares
<i>Lampetra planeri</i>	1 specimen(s);ii;Deliberate collecting in the wild
<i>Lampetra planeri</i>	1 specimen(s);ii;Keeping (in captivity)
<i>Lampetra planeri</i>	1 specimen(s);ii;Killing
<i>Lampetra planeri</i>	1 specimen(s);ii;Transport
<i>Lampetra planeri</i>	2 specimen(s);iii;Capture
<i>Lampetra planeri</i>	2 specimen(s);iii;Capture /hunting with nets
<i>Lampetra planeri</i>	2 specimen(s);iii;Capture /hunting with snares
<i>Lampetra planeri</i>	2 specimen(s);iii;Deliberate collecting in the wild
<i>Lampetra planeri</i>	2 specimen(s);iii;Keeping (in captivity)
<i>Lampetra planeri</i>	2 specimen(s);iii;Killing
<i>Lampetra planeri</i>	2 specimen(s);iii;Transport
<i>Lampetra planeri</i>	specimen(s);iv;Capture /hunting with nets
<i>Lampetra planeri</i>	specimen(s);iv;Transport
<i>Lepus europaeus</i>	1 specimen(s);iv;Stuffing
<i>Lucanus cervus</i>	2 specimen(s);i;Deliberate collecting in the wild
<i>Martes foina</i>	1 specimen(s);iv;Stuffing
<i>Martes martes</i>	1 specimen(s);iv;Stuffing
<i>Meles meles</i>	0 specimen(s);i;Capture

<i>Meles meles</i>	0 specimen(s);i;Deliberate disturbance during the migration period
<i>Meles meles</i>	0 specimen(s);i;Deliberate disturbance during the period of breeding
<i>Meles meles</i>	0 specimen(s);i;Deliberate disturbance during the period of rearing
<i>Meles meles</i>	0 specimen(s);i;Keeping (in captivity)
<i>Meles meles</i>	0 specimen(s);i;Transport
<i>Meles meles</i>	1 specimen(s);iii;Capture
<i>Meles meles</i>	1 specimen(s);iii;Destruction of breeding sites
<i>Meles meles</i>	1 specimen(s);iii;Destruction of resting places
<i>Meles meles</i>	0 specimen(s);iv;Deliberate disturbance during the migration period
<i>Meles meles</i>	0 specimen(s);iv;Deliberate disturbance during the period of breeding
<i>Meles meles</i>	0 specimen(s);iv;Deliberate disturbance during the period of rearing
<i>Meles meles</i>	1 specimen(s);iv;Capture
<i>Meles meles</i>	1 specimen(s);iv;Keeping (in captivity)
<i>Meles meles</i>	1 specimen(s);iv;Stuffing
<i>Meles meles</i>	1 specimen(s);iv;Transport
<i>Misgurnus fossilis</i>	1 specimen(s);ii;Capture
<i>Misgurnus fossilis</i>	1 specimen(s);ii;Capture /hunting with nets
<i>Misgurnus fossilis</i>	1 specimen(s);ii;Capture /hunting with snares
<i>Misgurnus fossilis</i>	1 specimen(s);ii;Deliberate collecting in the wild
<i>Misgurnus fossilis</i>	1 specimen(s);ii;Keeping (in captivity)
<i>Misgurnus fossilis</i>	1 specimen(s);ii;Killing
<i>Misgurnus fossilis</i>	1 specimen(s);ii;Transport
<i>Misgurnus fossilis</i>	2 specimen(s);iii;Capture
<i>Misgurnus fossilis</i>	2 specimen(s);iii;Capture /hunting with nets
<i>Misgurnus fossilis</i>	2 specimen(s);iii;Capture /hunting with snares
<i>Misgurnus fossilis</i>	2 specimen(s);iii;Deliberate collecting in the wild
<i>Misgurnus fossilis</i>	2 specimen(s);iii;Keeping (in captivity)
<i>Misgurnus fossilis</i>	2 specimen(s);iii;Killing
<i>Misgurnus fossilis</i>	2 specimen(s);iii;Transport
<i>Misgurnus fossilis</i>	specimen(s);iv;Capture /hunting with nets
<i>Misgurnus fossilis</i>	specimen(s);iv;Transport
<i>Muscardinus avellanarius</i>	0 specimen(s);i;Deliberate disturbance during the migration period
<i>Muscardinus avellanarius</i>	0 specimen(s);i;Deliberate disturbance during the period of breeding
<i>Muscardinus avellanarius</i>	0 specimen(s);i;Deliberate disturbance during the period of rearing
<i>Muscardinus avellanarius</i>	0 specimen(s);i;Keeping (in captivity)
<i>Muscardinus avellanarius</i>	0 specimen(s);i;Transport
<i>Muscardinus avellanarius</i>	1 specimen(s);i;Capture
<i>Muscardinus avellanarius</i>	1 specimen(s);iii;Capture
<i>Muscardinus avellanarius</i>	0 specimen(s);iv;Deliberate disturbance during the migration period

<i>Muscardinus avellanarius</i>	0 specimen(s);iv;Deliberate disturbance during the period of breeding
<i>Muscardinus avellanarius</i>	0 specimen(s);iv;Deliberate disturbance during the period of rearing
<i>Muscardinus avellanarius</i>	0 specimen(s);iv;Keeping (in captivity)
<i>Muscardinus avellanarius</i>	0 specimen(s);iv;Transport
<i>Muscardinus avellanarius</i>	1 specimen(s);iv;Stuffing
<i>Muscardinus avellanarius</i>	7 specimen(s);iv;Capture
<i>Mustela erminea</i>	1 specimen(s);iv;Stuffing
<i>Mustela nivalis</i>	1 specimen(s);iv;Stuffing
<i>Mustela putorius</i>	2 specimen(s);iv;Stuffing
<i>Neomys fodiens</i>	0 specimen(s);iv;Keeping (in captivity)
<i>Phoca vitulina</i>	1 specimen(s);i;Keeping (in captivity)
<i>Phoca vitulina</i>	1 specimen(s);iv;Stuffing
<i>Phoca vitulina</i>	7 specimen(s);iv;Keeping (in captivity)
<i>Pipistrellus pipistrellus</i>	0 specimen(s);iv;Keeping (in captivity)
<i>Pipistrellus pipistrellus</i>	1 specimen(s);iv;Stuffing
<i>Rana kl. esculenta</i>	2 specimen(s);i;Capture
<i>Rana kl. esculenta</i>	2 specimen(s);i;Transport
<i>Rana kl. esculenta</i>	1 specimen(s);ii;Capture
<i>Rana kl. esculenta</i>	1 specimen(s);ii;Capture /hunting with nets
<i>Rana kl. esculenta</i>	1 specimen(s);ii;Capture /hunting with snares
<i>Rana kl. esculenta</i>	1 specimen(s);ii;Deliberate collecting in the wild
<i>Rana kl. esculenta</i>	1 specimen(s);ii;Keeping (in captivity)
<i>Rana kl. esculenta</i>	1 specimen(s);ii;Killing
<i>Rana kl. esculenta</i>	1 specimen(s);ii;Transport
<i>Rana kl. esculenta</i>	2 specimen(s);iii;Capture
<i>Rana kl. esculenta</i>	2 specimen(s);iii;Capture /hunting with nets
<i>Rana kl. esculenta</i>	2 specimen(s);iii;Capture /hunting with snares
<i>Rana kl. esculenta</i>	2 specimen(s);iii;Deliberate collecting in the wild
<i>Rana kl. esculenta</i>	2 specimen(s);iii;Keeping (in captivity)
<i>Rana kl. esculenta</i>	2 specimen(s);iii;Killing
<i>Rana kl. esculenta</i>	2 specimen(s);iii;Transport
<i>Rana kl. esculenta</i>	1 specimen(s);iv;Capture
<i>Rana kl. esculenta</i>	1 specimen(s);iv;Transport
<i>Rana lessonae</i>	2 specimen(s);i;Capture
<i>Rana lessonae</i>	2 specimen(s);i;Transport
<i>Rana lessonae</i>	1 specimen(s);ii;Capture
<i>Rana lessonae</i>	1 specimen(s);ii;Capture /hunting with nets
<i>Rana lessonae</i>	1 specimen(s);ii;Capture /hunting with snares
<i>Rana lessonae</i>	1 specimen(s);ii;Deliberate collecting in the wild
<i>Rana lessonae</i>	1 specimen(s);ii;Keeping (in captivity)
<i>Rana lessonae</i>	1 specimen(s);ii;Killing
<i>Rana lessonae</i>	1 specimen(s);ii;Transport
<i>Rana lessonae</i>	2 specimen(s);iii;Capture
<i>Rana lessonae</i>	2 specimen(s);iii;Capture /hunting with nets
<i>Rana lessonae</i>	2 specimen(s);iii;Capture /hunting with snares
<i>Rana lessonae</i>	2 specimen(s);iii;Deliberate collecting in the wild
<i>Rana lessonae</i>	2 specimen(s);iii;Keeping (in captivity)

<i>Rana lessonae</i>	2 specimen(s);iii;Killing
<i>Rana lessonae</i>	2 specimen(s);iii;Transport
<i>Rana lessonae</i>	1 specimen(s);iv;Capture
<i>Rana lessonae</i>	1 specimen(s);iv;Transport
<i>Rana temporaria</i>	2 specimen(s);i;Transport
<i>Rana temporaria</i>	11 specimen(s);i;Capture
<i>Rana temporaria</i>	specimen(s);ii;Capture
<i>Rana temporaria</i>	specimen(s);ii;Capture /hunting with nets
<i>Rana temporaria</i>	specimen(s);ii;Capture /hunting with snares
<i>Rana temporaria</i>	specimen(s);ii;Deliberate collecting in the wild
<i>Rana temporaria</i>	specimen(s);ii;Keeping (in captivity)
<i>Rana temporaria</i>	specimen(s);ii;Killing
<i>Rana temporaria</i>	specimen(s);ii;Transport
<i>Rana temporaria</i>	specimen(s);iii;Capture /hunting with nets
<i>Rana temporaria</i>	specimen(s);iii;Capture /hunting with snares
<i>Rana temporaria</i>	specimen(s);iii;Deliberate collecting in the wild
<i>Rana temporaria</i>	specimen(s);iii;Keeping (in captivity)
<i>Rana temporaria</i>	specimen(s);iii;Killing
<i>Rana temporaria</i>	specimen(s);iii;Transport
<i>Rana temporaria</i>	2 specimen(s);iii;Capture
<i>Rana temporaria</i>	1 specimen(s);iv;Transport
<i>Rana temporaria</i>	12 specimen(s);iv;Capture
<i>Rana temporaria</i>	100 specimen(s);iv;Keeping (in captivity)
<i>Rana temporaria</i>	112 specimen(s);iv;Deliberate taking of eggs from the wild
<i>Rhodeus sericeus amarus</i>	1 specimen(s);ii;Capture
<i>Rhodeus sericeus amarus</i>	1 specimen(s);ii;Capture /hunting with nets
<i>Rhodeus sericeus amarus</i>	1 specimen(s);ii;Capture /hunting with snares
<i>Rhodeus sericeus amarus</i>	1 specimen(s);ii;Deliberate collecting in the wild
<i>Rhodeus sericeus amarus</i>	1 specimen(s);ii;Keeping (in captivity)
<i>Rhodeus sericeus amarus</i>	1 specimen(s);ii;Killing
<i>Rhodeus sericeus amarus</i>	1 specimen(s);ii;Transport
<i>Rhodeus sericeus amarus</i>	2 specimen(s);iii;Capture
<i>Rhodeus sericeus amarus</i>	2 specimen(s);iii;Capture /hunting with nets
<i>Rhodeus sericeus amarus</i>	2 specimen(s);iii;Capture /hunting with snares
<i>Rhodeus sericeus amarus</i>	2 specimen(s);iii;Deliberate collecting in the wild
<i>Rhodeus sericeus amarus</i>	2 specimen(s);iii;Keeping (in captivity)
<i>Rhodeus sericeus amarus</i>	2 specimen(s);iii;Killing
<i>Rhodeus sericeus amarus</i>	2 specimen(s);iii;Transport
<i>Rhodeus sericeus amarus</i>	specimen(s);iv;Capture
<i>Rhodeus sericeus amarus</i>	specimen(s);iv;Capture /hunting with nets
<i>Rhodeus sericeus amarus</i>	specimen(s);iv;Transport
<i>Salamandra salamandra</i>	2 specimen(s);i;Capture
<i>Salamandra salamandra</i>	2 specimen(s);i;Transport
<i>Salamandra salamandra</i>	1 specimen(s);ii;Capture
<i>Salamandra salamandra</i>	1 specimen(s);ii;Capture /hunting with nets
<i>Salamandra salamandra</i>	1 specimen(s);ii;Capture /hunting with snares
<i>Salamandra salamandra</i>	1 specimen(s);ii;Deliberate collecting in the wild
<i>Salamandra salamandra</i>	1 specimen(s);ii;Keeping (in captivity)

<i>Salamandra salamandra</i>	1 specimen(s);ii;Killing
<i>Salamandra salamandra</i>	1 specimen(s);ii;Transport
<i>Salamandra salamandra</i>	2 specimen(s);iii;Capture
<i>Salamandra salamandra</i>	2 specimen(s);iii;Capture /hunting with nets
<i>Salamandra salamandra</i>	2 specimen(s);iii;Capture /hunting with snares
<i>Salamandra salamandra</i>	2 specimen(s);iii;Deliberate collecting in the wild
<i>Salamandra salamandra</i>	2 specimen(s);iii;Keeping (in captivity)
<i>Salamandra salamandra</i>	2 specimen(s);iii;Killing
<i>Salamandra salamandra</i>	2 specimen(s);iii;Transport
<i>Salamandra salamandra</i>	1 specimen(s);iv;Capture
<i>Salamandra salamandra</i>	1 specimen(s);iv;Transport
<i>Sciurus vulgaris</i>	0 specimen(s);i;Capture
<i>Sciurus vulgaris</i>	0 specimen(s);i;Deliberate disturbance during the migration period
<i>Sciurus vulgaris</i>	0 specimen(s);i;Deliberate disturbance during the period of breeding
<i>Sciurus vulgaris</i>	0 specimen(s);i;Deliberate disturbance during the period of rearing
<i>Sciurus vulgaris</i>	0 specimen(s);i;Keeping (in captivity)
<i>Sciurus vulgaris</i>	0 specimen(s);i;Transport
<i>Sciurus vulgaris</i>	0 specimen(s);iv;Deliberate disturbance during the migration period
<i>Sciurus vulgaris</i>	0 specimen(s);iv;Deliberate disturbance during the period of breeding
<i>Sciurus vulgaris</i>	0 specimen(s);iv;Deliberate disturbance during the period of rearing
<i>Sciurus vulgaris</i>	0 specimen(s);iv;Keeping (in captivity)
<i>Sciurus vulgaris</i>	1 specimen(s);iv;Capture
<i>Sciurus vulgaris</i>	1 specimen(s);iv;Transport
<i>Sciurus vulgaris</i>	3 specimen(s);iv;Stuffing
<i>Sorex minutus</i>	0 specimen(s);iv;Keeping (in captivity)
<i>Sorex minutus</i>	1 specimen(s);iv;Capture
<i>Sorex spec.</i>	0 specimen(s);iv;Keeping (in captivity)
<i>Sorex spec.</i>	1 specimen(s);iv;Capture
<i>Sp. Soricidae</i>	0 specimen(s);i;Transport
<i>Sp. Soricidae</i>	1 specimen(s);i;Capture
<i>Sp. Soricidae</i>	1 specimen(s);i;Deliberate disturbance during the migration period
<i>Sp. Soricidae</i>	1 specimen(s);i;Deliberate disturbance during the period of breeding
<i>Sp. Soricidae</i>	1 specimen(s);i;Deliberate disturbance during the period of rearing
<i>Sp. Soricidae</i>	1 specimen(s);i;Keeping (in captivity)
<i>Sp. Soricidae</i>	0 specimen(s);iv;Transport
<i>Sp. Soricidae</i>	1 specimen(s);iv;Deliberate disturbance during the migration period
<i>Sp. Soricidae</i>	1 specimen(s);iv;Deliberate disturbance during the period of breeding

<i>Sp. Soricidae</i>	1 specimen(s);iv;Deliberate disturbance during the period of rearing
<i>Sp. Soricidae</i>	1 specimen(s);iv;Keeping (in captivity)
<i>Sp. Soricidae</i>	4 specimen(s);iv;Capture
<i>Sus scrofa</i>	2 specimen(s);iv;Stuffing
<i>Triturus alpestris</i>	2 specimen(s);i;Transport
<i>Triturus alpestris</i>	8 specimen(s);i;Capture
<i>Triturus alpestris</i>	1 specimen(s);ii;Capture
<i>Triturus alpestris</i>	1 specimen(s);ii;Capture /hunting with nets
<i>Triturus alpestris</i>	1 specimen(s);ii;Capture /hunting with snares
<i>Triturus alpestris</i>	1 specimen(s);ii;Deliberate collecting in the wild
<i>Triturus alpestris</i>	1 specimen(s);ii;Keeping (in captivity)
<i>Triturus alpestris</i>	1 specimen(s);ii;Killing
<i>Triturus alpestris</i>	1 specimen(s);ii;Transport
<i>Triturus alpestris</i>	2 specimen(s);iii;Capture /hunting with nets
<i>Triturus alpestris</i>	2 specimen(s);iii;Capture /hunting with snares
<i>Triturus alpestris</i>	2 specimen(s);iii;Deliberate collecting in the wild
<i>Triturus alpestris</i>	2 specimen(s);iii;Keeping (in captivity)
<i>Triturus alpestris</i>	2 specimen(s);iii;Killing
<i>Triturus alpestris</i>	2 specimen(s);iii;Transport
<i>Triturus alpestris</i>	3 specimen(s);iii;Capture
<i>Triturus alpestris</i>	specimen(s);iv;Capture /hunting with nets
<i>Triturus alpestris</i>	1 specimen(s);iv;Transport
<i>Triturus alpestris</i>	11 specimen(s);iv;Capture
<i>Triturus helveticus</i>	2 specimen(s);i;Transport
<i>Triturus helveticus</i>	5 specimen(s);i;Capture
<i>Triturus helveticus</i>	1 specimen(s);ii;Capture
<i>Triturus helveticus</i>	1 specimen(s);ii;Capture /hunting with nets
<i>Triturus helveticus</i>	1 specimen(s);ii;Capture /hunting with snares
<i>Triturus helveticus</i>	1 specimen(s);ii;Deliberate collecting in the wild
<i>Triturus helveticus</i>	1 specimen(s);ii;Keeping (in captivity)
<i>Triturus helveticus</i>	1 specimen(s);ii;Killing
<i>Triturus helveticus</i>	1 specimen(s);ii;Transport
<i>Triturus helveticus</i>	2 specimen(s);iii;Capture /hunting with nets
<i>Triturus helveticus</i>	2 specimen(s);iii;Capture /hunting with snares
<i>Triturus helveticus</i>	2 specimen(s);iii;Deliberate collecting in the wild
<i>Triturus helveticus</i>	2 specimen(s);iii;Keeping (in captivity)
<i>Triturus helveticus</i>	2 specimen(s);iii;Killing
<i>Triturus helveticus</i>	2 specimen(s);iii;Transport
<i>Triturus helveticus</i>	3 specimen(s);iii;Capture
<i>Triturus helveticus</i>	specimen(s);iv;Capture /hunting with nets
<i>Triturus helveticus</i>	1 specimen(s);iv;Transport
<i>Triturus helveticus</i>	8 specimen(s);iv;Capture
<i>Triturus vulgaris</i>	2 specimen(s);i;Transport
<i>Triturus vulgaris</i>	9 specimen(s);i;Capture
<i>Triturus vulgaris</i>	1 specimen(s);ii;Capture
<i>Triturus vulgaris</i>	1 specimen(s);ii;Capture /hunting with nets
<i>Triturus vulgaris</i>	1 specimen(s);ii;Capture /hunting with snares
<i>Triturus vulgaris</i>	1 specimen(s);ii;Deliberate collecting in the wild

<i>Triturus vulgaris</i>	1 specimen(s);ii;Keeping (in captivity)
<i>Triturus vulgaris</i>	1 specimen(s);ii;Killing
<i>Triturus vulgaris</i>	1 specimen(s);ii;Transport
<i>Triturus vulgaris</i>	2 specimen(s);iii;Capture /hunting with nets
<i>Triturus vulgaris</i>	2 specimen(s);iii;Capture /hunting with snares
<i>Triturus vulgaris</i>	2 specimen(s);iii;Deliberate collecting in the wild
<i>Triturus vulgaris</i>	2 specimen(s);iii;Killing
<i>Triturus vulgaris</i>	2 specimen(s);iii;Transport
<i>Triturus vulgaris</i>	4 specimen(s);iii;Capture
<i>Triturus vulgaris</i>	8 specimen(s);iii;Keeping (in captivity)
<i>Triturus vulgaris</i>	specimen(s);iv;Capture /hunting with nets
<i>Triturus vulgaris</i>	1 specimen(s);iv;Transport
<i>Triturus vulgaris</i>	12 specimen(s);iv;Capture

Birds.

Name of the species	Exceptions made
<i>Aegithalos caudatus</i>	1 specimens;iv;Stuffing
<i>Alca torda</i>	1 specimens;iv;Stuffing
<i>Alle alle</i>	1 specimens;iv;Stuffing
<i>Alopochen aegyptiaca</i>	6 specimens;i;Capture
<i>Alopochen aegyptiaca</i>	2 specimens;i;Killing
<i>Alopochen aegyptiaca</i>	3 specimens;ii;Capture
<i>Alopochen aegyptiaca</i>	1 specimens;ii;Killing
<i>Alopochen aegyptiaca</i>	2 specimens;iii;Capture
<i>Alopochen aegyptiaca</i>	1 specimens;iii;Killing
<i>Anas clypeata</i>	1 specimens;iv;Stuffing
<i>Anas crecca</i>	1 specimens;iv;Stuffing
<i>Anas penelope</i>	1 specimens;iv;Stuffing
<i>Anas platyrhynchos</i>	1 specimens;iv;Stuffing
<i>Anas strepera</i>	1 specimens;iv;Stuffing
<i>Anser albifrons</i>	1 specimens;iv;Stuffing
<i>Anser anser</i>	1 specimens;iv;Stuffing
<i>Anser fabalis</i>	1 specimens;iv;Stuffing
<i>Apus apus</i>	11 specimens;iv;Stuffing
<i>Ardea cinerea</i>	1 specimens;iv;Keeping (in captivity)
<i>Ardea cinerea</i>	1 specimens;iv;Stuffing
<i>Ardea cinerea</i>	1 specimens;iv;Transport
<i>Aythya ferina</i>	1 specimens;iv;Stuffing
<i>Aythya fuligula</i>	1 specimens;iv;Stuffing
<i>Branta bernicla</i>	1 specimens;iv;Stuffing
<i>Calidris canutus</i>	1 specimens;iv;Keeping (in captivity)
<i>Columba oenas</i>	specimens;iii;Killing
<i>Corvus corax</i>	1 specimens;0;Keeping (in captivity)
<i>Corvus corax</i>	1 specimens;0;Transport
<i>Coturnix coturnix</i>	1 specimens;iv;Stuffing
<i>Cygnus olor</i>	1 specimens;iv;Stuffing
<i>Fratercula arctica</i>	1 specimens;iv;Stuffing

<i>Fringilla coelebs</i>	specimens;0;Breeding
<i>Fringilla coelebs</i>	specimens;i;Capture /hunting with nets
<i>Fringilla coelebs</i>	specimens;i;Deliberate disturbance during the period of breeding
<i>Fringilla coelebs</i>	specimens;iv;Capture /hunting with nets
<i>Fringilla coelebs</i>	specimens;iv;Deliberate disturbance during the period of breeding
<i>Fringilla coelebs</i>	1 specimens;iv;Keeping (in captivity)
<i>Fringilla coelebs</i>	1 specimens;iv;Stuffing
<i>Fringilla montifringilla</i>	1 specimens;iv;Stuffing
<i>Fulica atra</i>	specimens;iv;Stuffing
<i>Haematopus ostralegus</i>	5 specimens;iv;Keeping (in captivity)
<i>Haematopus ostralegus</i>	1 specimens;iv;Stuffing
<i>Larus canus</i>	1 specimens;iv;Stuffing
<i>Larus ridibundus</i>	specimens;iii;Killing
<i>Larus ridibundus</i>	1 specimens;iv;Stuffing
<i>Limosa lapponica</i>	specimens;iv;Stuffing
<i>Limosa limosa</i>	3 specimens;iv;Keeping (in captivity)
<i>Limosa limosa</i>	1 specimens;iv;Stuffing
<i>Melanitta nigra</i>	1 specimens;iv;Stuffing
<i>Mergus merganser</i>	1 specimens;iv;Stuffing
<i>Mergus serrator</i>	1 specimens;iv;Stuffing
<i>Miliaria calandra</i>	8 specimens;i;Capture /hunting with nets
<i>Miliaria calandra</i>	16 specimens;iv;Capture /hunting with nets
<i>Morus bassanus</i>	1 specimens;iv;Stuffing
<i>Numenius arquata</i>	1 specimens;iv;Stuffing
<i>Perdix perdix</i>	1 specimens;iv;Stuffing
<i>Phalacrocorax carbo</i>	1 specimens;iv;Stuffing
<i>Phasianus colchicus</i>	1 specimens;iv;Stuffing
<i>Pluvialis squatarola</i>	1 specimens;0;Keeping (in captivity)
<i>Pluvialis squatarola</i>	1 specimens;0;Transport
<i>Pluvialis squatarola</i>	2 specimens;iv;Keeping (in captivity)
<i>Podiceps cristatus</i>	1 specimens;iv;Stuffing
<i>Pyrrhula pyrrhula</i>	1 specimens;iv;Stuffing
<i>Scolopax rusticola</i>	1 specimens;iv;Stuffing
<i>Streptopelia decaocto</i>	2 specimens;iv;Stuffing
<i>Streptopelia turtur</i>	1 specimens;iv;Stuffing
<i>Tachybaptus ruficollis</i>	1 specimens;iv;Stuffing
<i>Tringa nebularia</i>	1 specimens;0;Keeping (in captivity)
<i>Tringa nebularia</i>	1 specimens;0;Transport
<i>Tringa nebularia</i>	1 specimens;iv;Keeping (in captivity)
<i>Tringa totanus</i>	1 specimens;iv;Stuffing
<i>Turdus iliacus</i>	1 specimens;iv;Stuffing
<i>Turdus merula</i>	specimens;i;Capture /hunting with nets
<i>Turdus merula</i>	specimens;i;Deliberate disturbance during the period of breeding
<i>Turdus merula</i>	specimens;iv;Capture /hunting with nets
<i>Turdus merula</i>	specimens;iv;Deliberate disturbance during the period of breeding

<i>Turdus merula</i>	1 specimens;iv;Stuffing
<i>Turdus philomelos</i>	specimens;i;Capture /hunting with nets
<i>Turdus philomelos</i>	specimens;i;Deliberate disturbance during the period of breeding
<i>Turdus philomelos</i>	specimens;iv;Capture /hunting with nets
<i>Turdus philomelos</i>	specimens;iv;Deliberate disturbance during the period of breeding
<i>Turdus philomelos</i>	1 specimens;iv;Stuffing
<i>Turdus pilaris</i>	1 specimens;iv;Stuffing
<i>Turdus viscivorus</i>	1 specimens;iv;Stuffing
<i>Uria aalge</i>	1 specimens;iv;Stuffing
<i>Vanellus vanellus</i>	specimens;iii;Killing
<i>Vanellus vanellus</i>	1 specimens;iv;Stuffing

5. EXCEPTIONS CONCERNING THE USE OF MEANS OF CAPTURE AND KILLING SPECIFIED IN APPENDIX IV

Name of species	No. of licences	No. of specimens	Reasons	Method used	Impact on population
<i>Buteo buteo</i>	1	10	iii	11.	
<i>Certhia brachydactyla</i>	1		i	10.	
<i>Certhia brachydactyla</i>	1		iv	10.	
<i>Dendrocopos major</i>	1		i	10.	
<i>Dendrocopos major</i>	1		iv	10.	
<i>Erithacus rubecula</i>	1		i	10.	
<i>Erithacus rubecula</i>	1		iv	10.	
<i>Falco tinnunculus</i>	1	10	iii	11.	
<i>Fringilla coelebs</i>	1		i	10.	
<i>Fringilla coelebs</i>	1		iv	10.	
<i>Miliaria calandra</i>	1	8	i	10.	
<i>Parus a. ater</i>	1		i	10.	
<i>Parus a. ater</i>	1		iv	10.	
<i>Pernis apivorus</i>	1	1	i	10.	
<i>Pernis apivorus</i>	1	1	iv	10.	
<i>Phylloscopus collybita</i>	1		i	10.	
<i>Phylloscopus collybita</i>	1		iv	10.	
<i>Phylloscopus trochilus</i>	1		i	10.	
<i>Phylloscopus trochilus</i>	1		iv	10.	
<i>Picus viridis</i>	1		i	10.	
<i>Picus viridis</i>	1		iv	10.	
<i>Prunella modularis</i>	1		i	10.	
<i>Prunella modularis</i>	1		iv	10.	

Regulus regulus	1		i	10.	
Regulus regulus	1		iv	10.	
Sitta europaea	1		i	10.	
Sitta europaea	1		iv	10.	
Sylvia atricapilla	1		i	10.	
Sylvia atricapilla	1		iv	10.	
Sylvia borin	1		i	10.	
Sylvia borin	1		iv	10.	
Troglodytes troglodytes	1		i	10.	
Troglodytes troglodytes	1		iv	10.	
Turdus merula	1		i	10.	
Turdus merula	1		iv	10.	
Turdus philomelos	1		i	10.	
Turdus philomelos	1		iv	10.	
Alopochen aegyptiaca	2	2	iii	11.	
Branta leucopsis	2		ii	11.	
Branta leucopsis	2		ii	14.	
Castor fiber	2	0	i	16.	
Castor fiber	2	0	iv	16.	
Erinaceus europaeus	2	0	i	16.	
Erinaceus europaeus	2	0	iv	16.	
Meles meles	2	0	i	16.	
Meles meles	2	0	iv	16.	
Miliaria calandra	2	16	iv	10.	
Muscardinus avellanarius	2	0	i	16.	
Muscardinus avellanarius	2	0	iv	16.	
Parus caeruleus	2		i	10.	
Parus caeruleus	2		iv	10.	
Parus major	2		i	10.	
Parus major	2		iv	10.	
Sciurus vulgaris	2	0	i	16.	
Sciurus vulgaris	2	0	iv	16.	
Sp. Soricidae	2	0	i	16.	
Sp. Soricidae	2	0	iv	16.	
Alopochen aegyptiaca	3	3	ii	11.	
Branta leucopsis	4	2	i	10.	
Branta leucopsis	4	2	ii	10.	
Alopochen aegyptiaca	9	6	i	11.	

No exception