


CDPPS, June 6, 2023, Berlin

Applying the risk, need and responsivity model to the treatment of individuals convicted of sexual offending in Sweden

Johanna Lätth Clinical forensic psychologist, PhD student

Risk, need and responsivity principles (RNR)



(E.g. Bonta & Andrews, 2017; FORTE, 2015; Gannon et al., 2019; Hanson et al, 2009)

Risk principle


Consent



SEIF





Program designs: Risk




Consent 

SEIF 

	Consent 	SEIF 
Target group	People convicted of sexual offending or use of child sexual abuse material	
Gender	Gender inclusive	
Format and duration	Individual 18-26 h	Individual up to 100 h Group up to 250 h
Facilitator requirements	Training provided by the Swedish Prison and Probation Service (SPPS)	Psychologists (prison) Behavioural scientists with special training provided by SPPS (probation service)


Need principle

Categories of dynamic risk factors



(E.g. Boer et al., 1997; Fernandez et al., 2012; Ireland & Craig, 2011; Wong, Olver & Nicholaichuk, 2013)




SEIF




Consent



Forensic case formulation




Program designs: Needs




Responsivity principle


Program designs: Responsivity




Valued direction




Risky direction



Consent: Cards sorting



SEIF



PhD project



Consent



SEIF




Needs and responsivity profiles?
Cross-sectional study

Treatment effects?
Randomized waitlist-controlled
trial of Consent

Treatment needs among females?
Feasibility study of both programs

What about reoffending rates?

Reconvictions for sexual crimes within 3 years in society



■ Reconvicted 2% ■ Not reconvicted 98%

(Kriminalvården, 2022)

johanna.latth@kriminalvarden.se

KRIM: VÅRD



Kriminalvården