



Strasbourg, 1st December 2023

T-PVS(2023)30

CONVENTION ON THE CONSERVATION OF EUROPEAN WILDLIFE AND NATURAL HABITATS

Standing Committee

43rd meeting Strasbourg, 27 November - 1 December 2023

CONSERVATION OF SEA TURTLE NESTING SITES: A GUIDANCE TOOL

Providing guidance to Contracting Parties in the Mediterranean

Document prepared by the independent experts
Paolo Casale and Ivica Trumbic and the Secretariat of the Bern Convention

TABLE OF CONTENTS*

EX	ECUTIVE SUMMARY	4 -
1.	INTRODUCTION	5 -
2.	THE BERN CONVENTION INITIATIVE FOR THE CONSERVATION OF SEA TURTLES	7 -
	2.1 Objectives of the initiative	7 -
	2.2 Main findings of the case-file reports	
	2.3 Main findings of the meetings with stakeholders	9 -
3.	CONTEXT: SEA TURTLE CONSERVATION IN THE MEDITERRANEAN	11 -
	3.1 Sea turtle populations: conservation status and priorities	11 -
	3.2 National, regional and international sea turtle conservation efforts	12 -
	3.3 The role of Integrated Coastal Zone Management and Marine Spatial Planning: solutions an regulations for sea turtle conservation	
4. (CONSERVATION OF SEA TURTLE NESTING SITES	17 -
	4.1. Anthropogenic threats at nesting sites	17 -
	4.1.1. Beach reduction by hard constructions	17 -
	4.1.2. Alteration of sand composition	17 -
	4.1.3. Alteration of beach profile	18 -
	4.1.4. Disturbance by light pollution	18 -
	4.1.5. Obstacles on the beach	18 -
	4.1.6. Disturbance of females while nesting	18 -
	4.1.7. Damage or disturbance of eggs	19 -
	4.1.8. Predation by anthropophilic predators	19 -
	4.2. Assessing the conservation status of a sea turtle nesting site	19 -
	4.2.1 Biological variables describing the output of a sea turtle nesting site	19 -
	4.2.2 Primary biological variables suitable as indicators of anthropogenic threats at ne sites	
	4.2.3 The importance of monitoring spatiotemporal differences	20 -
	4.2.4 Conservation-dependency	21 -
	4.2.5 Vulnerability to climate change	21 -
	4.3 Local community involvement	21 -
	4.4 Experiences of conserving nesting sites from other regions	22 -
	4.4.1. USA (Florida): involvement of local communities	22 -
	4.4.2. Brazil: shifting local community habits	23 -
	4.4.3 India (Odisha): Integrated Coastal Zone Management Planning	23 -
	4.4.4 Indonesia (Sukabumi): Protecting the Green Turtle through Integrated Coastal Management	27 -

5. FILTERING OUT WHICH FACTORS AFFECT THE CONSERVATION STATUS NESTING SITES	
6. CONLUSIONS AND SUGGESTIONS FOR ACTION	30 -
6.1 Conclusions	30 -
6.2 Suggestions for action	30 -
6.3 Toolbox	31 -
6.3.1 Monitoring the conservation status of a nesting site	31 -
6.3.1.1. Nesting site subareas and geolocation	33 -
6.3.1.2 Monitoring protocols	33 -
6.3.2 Engage local community	37 -
6.3.3 Improve communication and collaboration in order to identify and agree of turtle conservation	•
ANNEXES	38 -
ANNEX I: List of acronyms	39 -
ANNEX II: Questionnaires national consultations	40 -
ANNEX III: Example of Monitoring form	66 -
REFERENCES	67 -

^{*} Sections that relate to sea turtles conservation were drafted by Dr Paolo Casale. Sections relating to Integrated Coastal Zone Management and Marine Spatial Planning were drafted by Mr Ivica Trumbic.

EXECUTIVE SUMMARY

The Bern Convention's case-file system, established in 1984, allows NGOs or private citizens to submit complaints about potential breaches of the Convention by Contracting Parties.

At the time of writing, five case-files regard sea turtle conservation at nesting sites, with the primary species of concern being the loggerhead sea turtle (*Caretta caretta*) and, in some cases, the green sea turtle (*Chelonia mydas*). Efforts up until this point have not sufficiently resolved these case-files, with most of them having remained open for many years.

The present initiative aims to support Contracting Parties in resolving pending sea turtle conservation cases and preventing new complaints. Objectives include understanding the reasons for the lack of progress, identifying alternative approaches, and providing a guidance toolbox for stakeholders. Activities undertaken include analysing case-file reports, meeting a diverse range of stakeholders, academic research, and setting up a working group.

The main threats identified at sea turtle nesting sites include excessive tourism development, construction near nesting areas, light pollution, unregulated water sports, beach debris, erosion, human use, and predation.

The main findings from case-file reports indicate that complainants and governments have differing views on the progress made. Clutch count is a frequently mentioned indicator, with governments interpreting increasing counts as evidence of good nesting site status. Unfortunately, this is not an adequate indicator for the current conservation status of a sea turtle nesting site. Moreover, parties involved in the case-files often rely on their perceptions or expert opinions rather than objective evidence.

Effective conservation requires monitoring biological variables, understanding spatiotemporal differences, and considering conservation-dependency and climate change vulnerability. Local community involvement is also crucial. Lessons from regions like Florida, Brazil, India, and Indonesia offer valuable insights.

There is a need to: (i) draw lessons from less successful conservation cases to improve management in other sites before they degrade; (ii) identify all remote sites and those at risk of becoming more accessible in the future to anticipate potential threats; (iii) implement existing laws, regulations, spatial development plans, and Marine Spatial Plans; (iv) use empirical scientific evidence for assessing the impact of anthropogenic threats where information exists about sea turtle reproduction and these threats. Proper indicators should be utilised.

The provided Toolbox translates the above findings and conclusions into practical steps for stakeholders: (i) monitoring the conservation status of a nesting site in terms of the effect of potential anthropogenic threats to number of hatchling produced and their sex ratio (for most of the proposed 18 indicators, the necessary data are already collected by conservation/research teams working at sea turtle nesting sites or can be easily gathered through typical activities); (ii) engaging local communities in conservation efforts; (iii) using monitoring results to improve communication and collaboration, identify and rank threats, and strategise for sea turtle conservation.

1. INTRODUCTION

The Standing Committee of the Bern Convention decided at its 40th plenary in December 2020 to launch an initiative for the conservation of sea turtles. This decision is motivated by the lack of progress in the numerous and long-standing case-files under the Bern Convention involving sea turtle nesting sites.

The Bern Convention's case-file system, dating back to 1984, is a unique monitoring tool which stems from a decision taken by the Bern Convention's Standing Committee.

Thanks to the case-file system, NGOs or private citizens can submit complaints for possible breaches of the Convention by Contracting Parties (the countries that have ratified the Bern Convention). The complaints so received are processed by the Secretariat, the Bureau and, when particularly relevant, also by the Standing Committee. The analysis of case-files is conducted on the basis of reports submitted by the NGO/citizen (the complainant) and the Contracting Party (the respondent country). For how long a case-file remains on the agenda strongly varies and depends on the rapidity and quality of progress made from the side of the Contracting Party regarding the matter of the complaint.

The initiative on sea turtle conservation, which forms the basis for the Guidance tool at hand, stems from five case-files on sea turtle conservation¹, (hereby case-files). In all cases, the complainants are non-governmental organisations: MEDASSET, ARCHELON, Terra Cypria and MERÇED. The case-files have a very broad range with regard to how long they have remained on the Bern Convention's agenda. The oldest case originates in 1986 and the newest in 2019.

In all five case-files, *Caretta caretta* - loggerhead sea turtle-, is the main sea turtle species of concern and some cases other species are threatened, include *Chelonia mydas* - green sea turtle- too. Both species are listed under Appendix II of the Bern Convention. Complainants of the five case-files identified excessive tourism development and its consequences (construction of - sometimes illegal - buildings in proximity to nesting areas, littering, light pollution, unregulated water sports, presence of people, vehicles and beach furniture on nesting beaches at night) as the main threat to sea turtles and their natural habitats. In some cases², an additional factor endangering the turtles is fishery with the use of nets and incidental turtle-catches. Further, inadequate or insufficient legal protection of the sea turtles and their habitats or an inadequate implementation of such protection is believed to threaten the habitat and species concerned. This dynamic is enhanced by a lack of education and public awareness on the needs of sea turtles³.

Over the life-cycle of four⁴ of the five case-files, the Standing Committee of the Bern Convention mandated on-the-spot-appraisals of external experts to the sites concerned. The on-the-spot appraisals resulted in the adoption by the Standing Committee of site-specific Recommendations⁵. Despite the Recommendations, improvements on the case-files were considered insufficient by the Standing Committee to declare them closed.

¹ 1995/6: Cyprus: Akamas peninsula, 1986/8: Greece: Recommendation No. 9 (1987) on the protection of Caretta Caretta in Laganas bay, Zakynthos, 2010/5: Greece: threats to marine turtles in Thines Kiparissias, Türkiye: Presumed degradation of nesting beaches in Fethiye and Patara SPAs and 2019/5: Türkiye: Habitat destruction in Mersin Anamur Beach.

² 2012/9 Türkiye, 1986/8 Greece, 05/2010 Greece.

³ 09/2012 Türkiye; 05/2010 Greece; 06/1995 Cyprus.

⁴ 09/2012 Turkey, 05/2010 Greece, 1986/8 Greece, 06/1995 Cyprus.

⁵ Recommendation No. 7 (1987); Recommendation No. 9 (1987), Recommendation No. 63 (1997) Recommendation No. 66 (1998), Recommendation No. 174 (2014, Recommendations No. 182 (2015); Recommendations No. 183 (2015), Recommendation No. 191 (2016)

In spite of the efforts put in place over decades by all stakeholders and by the Bern Convention, the progress made so far was not considered to be sufficient to close the case-files. In order to provide new impetus to efforts to find solutions for the case files, a Bern Convention initiative for the conservation of sea turtles was brought into life in 2021. Its aim is to explore new complementary ways of supporting the Contracting Parties in finding a solution to the pending sea turtle cases, to prevent further sea turtle complaints and to ensure adequate conservation for sea turtles in the whole Mediterranean. Stemming from the experience of case-file stakeholders, a central aim of the initiative is the provision of a guidance tool for the conservation of sea turtle nesting sites which is presented under section 6 of this paper and is addressed to all Contracting Parties in the Mediterranean.

2.THE BERN CONVENTION INITIATIVE FOR THE CONSERVATION OF SEA TURTLES

As stated in the introduction, the Bern Convention initiative on the conservation of sea turtles aims to support the Bern Convention's Contracting Parties in solving their pending case-files related to sea turtle conservation and prevent the upcoming of new complaints, by enhancing the protection of sea turtles in the whole Mediterranean. As a starting point, all related case-file reports were analysed and national consultations with relevant national stakeholders were held.

2.1 Objectives of the initiative

The general approach of the initiative is to tackle the ongoing problems at the origin of the case-files from a different perspective that can support and complement the current approach, with the final aim of ensuring adequate conservation of sea turtles in the whole Mediterranean. The specific objectives of the initiative are:

- Understanding the reasons for the lack of progress in the numerous and long-standing casefiles under the Bern Convention involving sea turtle nesting sites;
- Identifying any promising alternative or complementary approach for the adherence to the Convention;
- Providing a guidance toolbox that can help all stakeholders in the Mediterranean to identify problems and solutions and that can help the Standing Committee of the Bern Convention and its Bureau to monitor the case-files.

These objectives have been pursued through the following activities:

- Analyse of case-files reports to identify the reasons why the case-files are not being solved.
 Reports were compared in terms of potential differences among different stakeholders and across years.
- Meet case-file stakeholders to identify obstacles to the implementation of the previous case-file Recommendations. Online meetings were organised with different stakeholders (government, civil society, business sector) from countries concerned by case-files separately and jointly. As a facilitating and supporting tool, stakeholders were also asked to compile a questionnaire.
- Use academic research to understand the relation among the monitored variables and conservation measures most typically used or mentioned by the stakeholders when presenting their evaluation of the conservation status of a nesting site.
- Set up of an ad hoc Working Group comprising relevant representatives of Contracting Parties as well as relevant Observers to the Bern Convention. This activity is mainly aimed at providing advice and guidance and giving recommendations for the drafting of the present Guidance tool.

2.2 Main findings of the case-file reports

A few general patterns emerged from the reports of the five case-files (Türkiye: Fethiye and Patara; Türkiye: Mersin-Anamur; Greece: Thines Kiparissias; Greece: Zakynthos; Cyprus: Akamas peninsula):

- The reports by both Complainants and Government tend to remain similar from year to year, denoting little change perceived or declared by each party.
- The reports by the Complainants tend to claim that the Standing Committee Recommendations have not been fulfilled by the Government. They further tend to focus on violations of the law and on increasing coastal development (in terms of buildings or activities) in a context of low law enforcement.
- The reports by the Governments tend to claim that the Standing Committee Recommendations have been fulfilled or that the process is underway and to focus on the positive actions that have been undertaken for the protection of sea turtles, including monitoring/protection field activities by local teams (Cyprus: Akamas peninsula, Türkiye: Fethiye and Patara)
- Although Complainants and Governments claim that threats to sea turtles are still in place or that sea turtle protection is guaranteed, respectively, data on the subject of all these debates (i.e., sea turtles) are rarely reported to support the claimed negative or positive status of the nesting sites.
- When turtles are mentioned, clutch count is the most mentioned indicator. Governments tend to interpret increasing clutch counts as evidence of the good status of the nesting site⁶. Complainants tend to interpret decreasing clutch counts as evidence of a poor status⁷ or to interpret increasing clutch counts as evidence of a good status or good protection in previous years, i.e. when the present time nesting females were born on the same beach⁸. The same interpretation is used to claim that the effect of present-time management will be observed only in decades⁹.
- When other types of observations are reported (e.g., hatchling disorientation, nesting female entrapment, strandings) they are reported as anecdotal information without clear statistics and analyses in relation to threats 10. The only exception is Türkiye: Fethiye and Patarawhere trends of several indicators (Nesting Success, Hatching Success, Emergence Success, average water entering success) are provided by the Government and in general the hatchling production is mentioned and reported.¹¹
- While almost all case files mention the problem with the large-scale construction and the illegal construction, mainly for tourism purposes, as well as the need for improved implementation of existing plans, there is no mention, except in one case (Cyprus: Akamas peninsula) of the need to develop spatial coastal plans or ICZM plans. In no case files there is a mention of the need to regulate marine uses, in particular through development of Marine Spatial Plans.

⁶ e.g., Greece, Zakynthos: Files48e 2021 Greece Laganas Govt report.docx

⁷ e.g., <u>Greece, Zakynthos: files63e 2020 Follow up Rec9 Greece Laganas bay Zakynthos (Greece)ARCHELON.docx; Turkey,</u> Mersin Anamur: Files23e 2020 Turkey Mersin Anamur beach Complaint Form.docx

⁸ e.g. Greece, Thines Kiparissias: Files62e 2020 Greece Thines-Kyparissias NGO-ARCHELON.docx


⁹ e.g., Cyprus, Akamas: files32e 2019 Cyprus Akamas Peninsula Complainant Rep.docx

¹⁰ e.g. Greece, Zakynthos: files63e 2020 Follow up Rec9 Greece Laganas bay Zakynthos (Greece) ARCHELON.docx; Greece, Thines Kiparissias: Files44e 2018 Greece Marine Turtles Thines Kiparissia NGO Rep.docx; files47e 2019 Greece marine turtles in Thines Kiparissias_Comp_Rep_Archelon.docx; Files62e_2020_Greece_Thines-Kyparissias_NGO-ARCHELON.docx 11 e.g. Files26e 2019 Follow up Rec183 and 182 Turkey Patara and Fethiye Govt Rep.docx;

Files28e 2021 Turkey Patara and Fethiye Govt Rep.docx

2.3 Main findings of the meetings with case-file stakeholders

A general pattern emerging from the questionnaires shared ahead of online meetings is a more optimistic opinion of governmental authorities regarding the current level of protection of sea turtles in the country (Fig. 2.3A) and their long term fate (Fig. 2.3B) than civil society organisations. This is somehow expected since the latter group includes the Complainants (the organisations that brought the cases to the attention of the Bern Convention), but it also suggests that different opinions/perceptions may be part of the problem. Regarding the Bern Convention Recommendations, governmental authorities generally consider them adequate (more than civil society) (Fig. 2.3C) and identify engagement of local stakeholders and improving enforcement as key solutions for the open case-files, while civil society organisations do not identify main specific solutions (Fig. 2.3D).






Fig.2.3 A/B/C/D: Question and answers by Government and Civil society representatives in Türkiye: Fethiye and Patara, Mersin-Anamur; Greece: Thines Kiparissia and, Zakynthos and Cyprus: Akamas peninsula, and Governmental stakeholders included representatives of relevant Ministries as well as local administrative entities. Civil society stakeholders included representatives of environmental organisations and academia.

Economic actors were also involved in the consultations concerning the sites in Greece: Zakynthos and Türkiye:Fethiye and Patara, however, the number of replies to the questionnaire received (one for each site) were not considered to be statistically relevant and therefore are not included in the figures below.

A general pattern emerging from the online meetings is that while civil society organisations (including Complainants) tend to claim the existence of a conservation problem by focusing on violations of the law (associated to a lack of enforcement), governmental stakeholders tend to disagree about the existence of a conservation problem by focusing on a biological index (number of clutches) that generally shows non-negative trends. Civil society organisations argue that the number of clutches is the result of past situations and does not reflect current threats.

Based on what is outlined above, two general problems can be identified. First, there is a tendency by all involved stakeholders to consider opinion/perception instead of objective evidence. Second, when evidence is sought, different types of evidence are considered (i.e. legal vs biological indices). This lack of common ground and standardisation may make communication and discussions more difficult and be one of the causes of the current standstill of the case-files.

3. CONTEXT: SEA TURTLE CONSERVATION IN THE MEDITERRANEAN

This section aims to provide background information on the current state of play of sea turtle conservation in the Mediterranean, because it determines the setting that the Bern Convention initiative operates in. In the following, the conservation status and conservation priorities for sea turtle populations, current sea turtle conservation efforts on the regional, national and international level, as well as solutions and regulations provided through Integrated Coastal Zone Management and Marine Spatial Planning will be laid out.

3.1 Sea turtle populations: conservation status and priorities

Two sea turtle species have resident populations in the Mediterranean (Wallace et al. 2010): the loggerhead turtle Caretta caretta and the green turtle Chelonia mydas. The major breeding areas of loggerhead turtles are located in Greece, Türkiye, Cyprus and Libya, and foraging areas occur across the entire Mediterranean, although the most important ones are distributed on the large continental shelves in the eastern Mediterranean (e.g. the Adriatic Sea, the Tunisian/Libyan shelf, the Egyptian shelf, the Aegean Sea) (Casale et al. 2018). The major breeding areas of green turtles are in Türkiye, Cyprus and Syria. At sea, the species distribution is restricted to the easternmost part of the Mediterranean basin, between Türkiye and Egypt, although some individuals can frequent more western waters as far as the south Adriatic and the Tunisian shelf (Casale et al. 2018). Female philopatry determines metapopulation structure of both species in the Mediterranean.

Sea turtle populations are commonly described in terms of number of annual clutches as a proxy of population abundance.

SEA TURTLES PRESENCE IN THE MEDITERREAN

Seven independent Management Units (MUs) of loggerhead turtles have been identified within the region using mitochondrial DNA (mtDNA) markers (Shamblin et al. 2014): (1) Calabria, Italy, (2) western Greece (Zakynthos + Kyparissia + Lakonikos), (3) Rethymno (Crete, Greece), (4) Dalyan + Dalaman (Türkiye), (5) western Türkiye (Fethiye to Çıralı), (6) eastern Mediterranean (central + eastern Türkiye +Lebanon + Israel + Cyprus) and (7) Libya + Tunisia.

A minimum of 3 MUs of green turtles have been identified using mitochondrial short tandem repeats (mtSTRs) (Karaman et al. 2022): (1) Akamas + Akdeniz (Cyprus), (2) Alagadi (Cyprus), and (3) North and South Karpaz (Cyprus) + Israel + Türkiye.

NUMBER OF CLUTCHES

Average calculated over a 5yeras period

Loggerhead turtles: **8,179**/ year at 52

major nesting sites

Green turtles: 1,650/ year at 13 major

nesting sites

(Casale et al. 2018)

Estimating the number of adults is difficult because of the uncertainty of the variables (clutch frequency, remigration interval, sex ratio) used as conversion factors from number of clutches.

NUMBER OF ADULTS

Estimate

Loggerhead turtles: 15,843

(95% Confidence Interval: 6,915-31 958)

Green turtles: 3,390

(95% Confidence Interval: 1,894-6,552)

(Casale and Heppell 2016)

Although clutch counts are a poor indicator of sea turtle abundance (Ceriani et al. 2019; Casale and Ceriani 2020), it is the only one currently available. A rough comparison between two periods (before and after 2000) shows an increase in clutch numbers at the major nesting sites of both species (Casale et al. 2018). This may be interpreted as a sign of recovery from past depletion as a result of decades of protection in the Mediterranean. However, the current knowledge about sea turtle population dynamics as well as past and ongoing impact to the populations by the several anthropogenic threats at land and at sea is insufficient to support such a statement. For the lack of obvious negative trends and for the population range and abundance, the Mediterranean RMU of the loggerhead turtle was considered as Least Concern in the first assessment of this RMU by IUCN (Casale 2015). The first assessment of the Mediterranean RMU of the green turtle is still underway by the Sea turtle Specialist Group (IUCN/SSC).

The main current threat at foraging grounds in the Mediterranean is represented by interaction with fisheries, while the potential impact of marine debris and pollution on the populations is unclear (Casale et al. 2018). Regarding conservation at nesting sites in the Mediterranean, which is the focus of this document, the main current threats (not in order of importance) are: beach debris, erosion/sand extraction, coastal development, human use, light pollution, and predation (for a review by country see Casale et al. 2018). Continuing the current conservation methods at nesting areas was ranked by a recent review (Casale et al. 2018) as the second conservation priority for Mediterranean sea turtles.

3.2 National, regional and international sea turtle conservation efforts

Mediterranean countries have signed several international conventions protecting sea turtles and then incorporated them into their national legislation (Table 3.2). This process dramatically changed the anthropogenic impact on Mediterranean Sea turtle populations starting from the 1980s, through making their direct (consumptive) use illegal. Historically, severe exploitation of turtles occurred in the first half of the 20th century, with mainly green but also loggerhead turtles being

collected in the waters off eastern Türkiye, Lebanon, Israel and Palestine¹² and sold to markets in the UK and Egypt for local consumption (Hornell 1935; Sella 1982). By now, most Mediterranean countries have legislations that specifically prohibit to kill or capture sea turtles. Several countries hosting nesting sites have also protected some of these sites with specific regulations (see individual country chapters in: Casale et al. 2020).

A Mediterranean regional legal instrument that indirectly protects sea turtles is the Barcelona Convention's Protocol on Integrated Coastal Zone Management. One of its objectives is to "ensure preservation of the integrity of coastal ecosystems", while two of its general principles state that "the biological wealth and the natural dynamics and functioning of the intertidal area and the complementary and interdependent nature of the marine part and the land part forming a single entity shall be taken particularly into account" and that "the ecosystems approach to coastal planning and management shall be applied so as to ensure the sustainable development of coastal zones" (UNEP/MAP-PAP/RAC, 2008).

In addition to the abovementioned role of promoting regulation and protection at national level, international conventions provide useful tools. The Regional Activity Centre for Specially Protected Areas (RAC/SPA) of the Barcelona Convention carried out several initiatives (including training) and produced several guidance tools such as (https://www.rac-spa.org/marine_turtles):

Action Plan for the Conservation of Turtles Marine in the Mediterranean (1989 and revised 1999)

Report: Interaction of the turtles marine with fishing in the Mediterranean (1999)

Sea Turtle handling Guidebook for fishermen (2001)

Conservation of marine turtles in the Mediterranean region: a gap analysis (2020)

Guidelines to design legislation and regulations relative to the conservation and management of marine turtle populations and their habitats (2003)

Guidelines to improve the involvement of rescue centers for marine turtles (2004)

Marine Turtle Research and Conservation in Libya: A contribution to safeguarding Mediterranean Biodiversity (2021)

Another tool was produced by MedPan (network of Marine Protected Areas -hereby MPAsmanagers in the Mediterranean): Sea turtles in MPAs: a monitoring and management guide (2020).

¹² This designation shall not be construed as recognition of a State of Palestine and is without prejudice to the individual positions of Council of Europe member States on this issue.

		Inter	rnational	Conventi	ons		Habitats Directive (EU)	National Law
	Barcelona Conv. (1976)	CBD (1993)	CMS (1979)	CITES (1973)	African Conv. (1969)	Bern Conv. (1979)		
Albania	✓	✓	✓	✓		✓		✓
Algeria	✓	✓	✓	✓	✓			✓
Bosnia and Herzegovina	✓	√		✓		✓		✓
Croatia	✓	√	√	√		✓	√	√
Republic of Cyprus	√	√	√	√		√	✓	√
Egypt	✓	√	√	√	√			√
France	✓	√	√	√		√	√	√
Greece	✓	√	√	√		√	√	√
Israel	✓	√	√	√				√
Italy	✓	✓	✓	√		✓	√	√
Lebanon	✓	√		√				√
Libya	✓	√	√	√	√			√
Malta	✓	✓	√	√		✓	√	√
Monaco	✓	✓	✓	√		✓		√
Montenegro	✓	✓	✓	✓		✓		✓
Morocco	✓	✓	✓	✓	✓	✓		✓
Slovenia	✓	✓	√	✓		✓	√	√
Spain	✓	✓	√	✓		✓	✓	✓
Syria	✓	✓	✓	✓				
Tunisia	✓	✓	√	✓	√	✓		✓
Türkiye	✓	✓		✓		✓		✓

Table 3.2. International conventions and national laws protecting sea turtles in the Mediterranean (modified after Casale et al. 2018). African Conv.: African Convention on the Conservation of Nature and Natural Resources; CBD: Convention on Biological Diversity; CMS: Convention on the Conservation of Migratory Species of Wild Animals; CITES: Convention on International Trade in Endangered Species of Wild Fauna and Flora.

3.3 The role of Integrated Coastal Zone Management and Marine Spatial Planning: solutions and regulations for sea turtle conservation

Increased human use of marine and coastal space has intensified pressures on valuable coastal and marine ecosystems that require special approaches to protection and conservation. The sea turtles can be considered as extremely important elements of some Mediterranean ecosystems. Coastal and sea uses are often characterised by conflicting interactions of environmental, spatial, organisational, or aesthetic nature. A better understanding and recognition of the linkages between marine and coastal ecosystems and their elements, such as sea turtles, and the wider coastal and marine area gave impetus to the need for effective incentives and institutional arrangements to manage these ecosystems in the broader context of integrated coastal and marine management frameworks.

Another important aspect to be considered with regard to sea turtle conservation is their economic value, in particular comparison between harvesting sea turtles and conserving the species.

In this perspective, the issue of valuation of ecosystem services, i.e. estimating the value of a service a certain ecosystem, in this case the sea turtle, brings to humanity, and not only in terms of their use for food but also other services they provide to human welfare, is essential. This is a relatively new scientific field, which is progressing rapidly and, today, effective methods exist to value ecosystem services as an indispensable input to decision-making. One important recent example is the calculation of economic value of sea turtles in the Asia-Pacific (Brander et al, 2021). The report concludes that turtle extinction could result in up to US \$39 billion per year in economic welfare losses. On the other hand, taking action to protect sea turtles would deliver improvements in human welfare valued at US \$54 billion per year. Similar studies have not been prepared in the Mediterranean but the one above points to possible action in the future.

To ensure a sustainable use of these resources, an ecosystem-based approach to guide Integrated Coastal Zone Management (ICZM) and Marine Spatial Planning (MSP) was developed. ICZM and MSP are key tools in articulating policies that balance conflicting sector-based interests competing over the use of sea-space, a competition that is likely to intensify in the future. In general, the goals of ICZM are broader than those of biodiversity conservation, with a strong emphasis on the governance process and the well-being of people. The main goals of ICZM can be generalised as to: (1) improve the governance process that is supported by and benefits communities and nations; (2) improve the economy, health and social well-being of people who depend upon coastal resources; and, (3) improve environmental quality to maintain biodiversity and ecosystem productivity. In contrast, the main goals of biodiversity conservation are often stated as to: (1) conserve biological diversity, and (2) conserve ecosystem functioning (Best, 2003). The integrated view on the ICZM and biodiversity conservation, which by default also includes the conservation and protection of sea turtles, are best represented in the Table 3.3 below.

Cons	SERVATION .	
Theme	ICM	Biodiversity Conservation
Focus	Emphasis on development promote the people, preserve the place	Emphasis on conservation: preserve the place, engage the people
Goals	Improve the governance process, economy, health, social well-being, and environmental quality to maintain ecosystem productivity	Conserve biological diversity and ecosystem function
Public role	Neutral brokers	Environmental advocates
Site selection and project design	Development and issue-based approach (i.e., decentralization, strengthen local communities)	Global biodiversity assessments and threats-based approach
Site-based approaches and strengths	Emphasis on governance process helps establish legal, decision-making and enabling environments across local, sub-national and national scales, establishing strong national ICM policies, frameworks and institutions that support local efforts and reduce external threats to MPAs	Emphasis on establishing and strengthening management schemes in MPA's land acquisition, concessions and debt-for-nature swaps; target critical marine biodiversity and ecosystems in need of immediate protection; garner international funds and resources
International approaches and strengths	Promote international awareness of the need for integrated approaches to coastal management and capacity building; mainstream ICM into development plans	Change global trade policies and transform businesses; reduce threats from global economic drivers, such as unsustainable fishing and tourism; strengthen international conventions
Scaling-up approaches and trends	Coastal watershed and basin-scale management establish strong national ICM policies, frameworks and institutions uselocal government units to replicate efforts; establish authorities to integrate across land and marine resources	Establish functionally-connected networks of MPAs; Eco-regional and seascape approaches to biodiversity threats

Table 3.3. Integration of ICZM and biodiversity conservation (Best, 2003)

ICZM enables a more balanced and yet comprehensive approach to ensuring sustainable economic development and environmental protection, including conservation, so that the final program can be mainstreamed into the local development agenda. Conservation and other environmental as well as socioeconomic issues are evaluated based on assessments of their risks to human and ecosystem health; these are then prioritised for management interventions. This is particularly important as nature conservation is conventionally low on the government priority agenda.

In the Mediterranean, these considerations were best expressed in the Barcelona Convention's Protocol on Integrated Coastal Zone Management. The Protocol defines the coastal zone as "the geomorphologic area [on] either side of the seashore in which the interaction between the marine and land parts occurs in the form of complex ecological and resource systems made up of biotic and abiotic components coexisting and interacting with human communities and relevant socio-economic activities." (UNEP/MAP-PAP/RAC, 2008) Consequently, it defines the ICZM as a "dynamic process for the sustainable management and use of coastal zones, taking into account at the same time the fragility of coastal ecosystems and landscapes, the diversity of activities and uses, their interactions, the maritime orientation of certain activities and uses and their impact on both the marine and land parts." (UNEP/MAP-PAP/RAC, 2008).

Among the first examples of implementation of the Marine Spatial Planning (MSP) for the management of marine protected areas are Australia's Great Barrier Reef Marine Park (GBRMPA) and the Florida Keys National Marine Sanctuary in the early seventies of the last century. The standard definition of the MSP states that it is a public process of analysing and allocating the spatial and temporal distribution of human activities in marine areas to achieve ecological, economic and social objectives that have been specified through a political process. The same principles of an ecosystem-based approach as in ICZM also apply to MSP.

With regard to the protection and conservation of sea turtles it is important to note that the boundaries of their ecosystem extend way beyond their nesting beaches. As many cases show, their ecosystem includes their routes, which are under equally great pressure from fisheries and transportation as the nesting sites. Therefore, it is essential to consider their ecosystem in a much wider context than the most endangered areas. MSP, when backed by appropriate legislation and governance structure, may be the answer for a more efficient conservation and protection of the Mediterranean sea turtle ecosystem.

4. CONSERVATION OF SEA TURTLE NESTING SITES

Nesting sites have a very specific role in sea turtle biology and hence in sea turtle conservation: they are the only habitat where new individuals can develop. Moreover, the beach environment (incubation temperature) determines the sex of the newborns (Oz et al. 2004). In other words, the role of nesting sites is to contribute to the spawning of individuals of both sexes from which the population at sea reproducing at that pool of nesting sites is recruited. Therefore, this section of the document is dedicated to provide an understanding on the anthropogenic threats for nesting sites and introducing how the conservation status of a nesting site can be assessed. Because of its importance in turtle conservation, a special section highlights the role of local community involvement. Finally, experiences and best practice examples from sea turtle conservation in other places of the world aim to broaden the view and provide inspiration to learn from.

It remains to be stated that while the presence of potential threats is generally not considered a positive factor, whether and how much sea turtles are impacted by those potential threats cannot be known without assessing the biological output of a nesting site in terms of production of new individuals of both sexes.

4.1. Anthropogenic threats at nesting sites

This section introduces the different categories of potential threats to sea turtles. Whether or not a threat category impacts sea turtle in a real case needs to be assessed through a proper investigation.

4.1.1. Beach reduction by hard constructions

Beaches are dynamic habitats, usually in an equilibrium between sand accumulation and removal that keeps the coastline almost stable in the short term. However, this equilibrium may change due to natural or anthropogenic causes. Beach erosion can make a sandy beach disappear and therefore be unavailable for turtle nesting. However, even before that, beach reduction can affect nest distribution (Fujisaki et al. 2018) and can reduce reproductive success because of nest densitydependent processes (Mazaris et al. 2009). Moreover, a reduced width increases the chances that egg clutches are laid close to the high-tide line and suffer from inundation (Tuttle and Rostal 2010; Limpus et al. 2020). In such situations, human constructions (e.g., buildings, roads, seawalls) at the rear side of the beach may worsen the situation. For instance, seawalls can have profound effects on the beach dynamics, profile and width (Dugan and Hubbard 2006), and can have a negative effect on sea turtle nesting success. Seawalls can also increase the probability of nests to be washed over during storms (Rizkalla and Savage 2011), with a potential effect on in-nest mortality and sex ratio (Foley et al. 2000; Oz et al. 2004; Foley et al. 2006). Moreover, constructions impede the beach to shift when the coastline moves, causing the complete obliteration of the sand area and the sea turtle nesting habitat. This is particularly important when taking into account sea level rise caused by climate change and for this reason hard constructions should be avoided (Fish et al. 2008).

4.1.2. Alteration of sand composition

Sand features may affect nest site selection (Karavas et al. 2005). Moreover, the several features of sand type affect the incubation environment variables in the egg chamber, including gas exchange rate, humidity and temperature (McGehee 1990; Ackerman 1997; Speakman et al. 1998). Therefore,

any alteration of sand features can alter these incubation variables and extreme alteration represented by mixing sand with anthropogenic material, soil, or mud, may affect the incubation success or the emergence of hatchling to the beach surface. For instance, less nesting was observed at beach zones with finer material (Karavas et al. 2005) which may indicate a female selection against fine material that impedes adequate gas diffusion for incubation needs. Moreover, compact sand (possibly caused by altered sand composition, pedestrian trampling or vehicles) can decrease emergence success of hatchlings (Peters et al. 1994).

4.1.3. Alteration of beach profile

The beach profile is among the features affecting nesting success and the number of clutches occurring in a coastal tract (Mazaris et al. 2006; Siqueira-Silva et al. 2020). Moreover, beach profile, vegetation and the dune profile affect the point on the beach (in the sea-land axis) that a sea turtle female selects to lay her eggs (Miller 2003; Karavas et al. 2005; Serafini et al. 2009; Kelly et al. 2017; Halls and Randall 2018) and in turn the clutch position on the beach may affect incubation conditions and ultimately hatching success and sex ratio (Martins et al. 2022). Therefore, altering the profile may affect the distribution and success of turtle clutches.

4.1.4. Disturbance by light pollution

Disturbance by light pollution is one of the most important and widespread anthropogenic threats at nesting sites (Witherington and Martin 2000). Artificial lights can discourage females to come ashore to nest, causing a different distribution of clutches along a coastline (Witherington 1992; Kaska et al. 2010; Price et al. 2018). They also disturb the nesting phase and can increase the activity of hatchling predators (Silva et al. 2017). Furthermore, hatchlings find the sea by means of visual cues (brightness and low horizon) (Limpus and Kamrowski 2013) and are attracted by artificial lights (Tuxbury and Salmon 2005; Berry et al. 2013). This causes mis- and disorientation that make hatchlings spend more time on the beach and be subject to predation, get entrapped in vegetation and circle around without finding the sea (Witherington and Martin 2000; Salmon 2006; Lorne and Salmon 2007; Erb and Wyneken 2019). Such anthropogenic mortality may have an effect at population level (Dimitriadis et al. 2018).

4.1.5. Obstacles on the beach

Obstacles on the beach induce turtles to nest closer to sea (Witherington et al. 2011) and the presence of obstacles has a negative effect on nesting success (Fujisaki and Lamont 2016). Beach furniture like sun chairs and umbrellas used during the day may at night have negative effects on sea turtle nesting activity (Margaritoulis 2005; González et al. 2020) although obstacle density is a key factor and the problem may be lower in large beaches with low obstacle density (Ware and Fuentes 2020). Large obstacles can also entrap females, impeding them to return to the sea (Pikesley et al. 2013).

4.1.6. Disturbance of females while nesting

Human presence on the beach can disturb the female while it is on the beach searching for a place where to lay eggs, digging the body pit or the egg chamber, causing abortion of the nesting attempt and resulting in a reduced nesting success (number of clutches / total emergences) at beach level (Margaritoulis 2005; Kaska et al. 2010). However, this does not necessarily imply a reduction of the overall number of clutches, because the female can just return to the sea and try to nest at another time at the same or another place in the same nesting site.

4.1.7. Damage or disturbance of eggs

Human presence during daylight and associated furniture (umbrellas, beach towels, trampling) can compact the sand Furthermore, furniture like umbrellas and beach towels as well as any other structure can create shadow that may alter the temperature of the sand and consequently the incubation duration and sex ratio.

4.1.8. Predation by anthropophilic predators

Although predation is a natural source of mortality, in certain cases predation level may be much higher than natural predation because the populations of certain anthropophilic species (e.g., canids, seagulls, rats) may be larger than natural due to the trophic resources provided by human presence. In such cases, predation may be considered as an anthropogenic threat. Predation of eggs and hatchlings while in the nest decreases the overall proportion of eggs laid/live hatchlings emerging from a nest, while predation on hatchlings crawling on the beach towards the sea decreases the overall proportion of eggs laid/live hatchlings entering the sea. Predation may also alter sex ratio if predated clutches are distributed in subareas with different sand temperature (Oz et al. 2004) or if a clutch is partially predated and the remaining eggs experience a different temperature than the average temperature of the non-predated clutches (Kaska 2000).

4.2. Assessing the conservation status of a sea turtle nesting site

While some anthropogenic threats may be rather obvious, their impact on sea turtles is less obvious and its level is usually hypothesised on the basis of the threats. However, a direct measure of the impact of the anthropogenic threats would greatly improve the conservation capacity, in terms of prompt detection of increasing threats and of the effectiveness of conservation measures.

4.2.1 Biological variables describing the output of a sea turtle nesting site

The population value of a sea turtle nesting site can be described (and measured) in terms of only two key biological variables (KBV): (i) number of new individuals entering the sea and (ii) their sex ratio. Factors at sea (independent from the beach; e.g. mortality and trophic resources at sea, adult sex ratio) determine the number of females that – in natural conditions – would approach a nesting beach and the number of fertile eggs they would lay. Then, anthropogenic factors at a nesting site can alter potential KBV by (i) discouraging females to lay their eggs at that site and making them move to other sites, (ii) reducing the proportion of fertile eggs that result in a hatchling entering the sea, and/or (iii) altering the hatchling sex ratio. Therefore, definition and monitoring of the conservation status of a nesting site should focus only on the factors acting directly at the nesting sites and variables observed there.

Of the two KBV, sex ratio (SR) is a fundamental variable (cannot be broken down), while the number of individuals entering the sea (N) is determined by 6 variables:

N = C*CS*F*IS*SS*WS

where C is the number of clutches laid at the nesting site, CS is the average clutch size (number of eggs per clutch), F is the average fertility (proportion of fertile eggs on the total CS), IS is the average incubation success (proportion of fertile eggs that hatch), SS is the average surfacing survival (proportion of hatchlings that emerge at beach surface), and WS is the average water entering success (proportion of emerged hatchlings that enter the sea).

C is primarily affected by factors at sea, although it may also be affected by factors acting at the nesting site that induce the female to lay all or part of her clutches elsewhere. If the marine area in front of a nesting site is included in the definition of the nesting site, then C may also be affected by mortality of the adults caused by fishing gears near the nesting beach. CS and F are entirely due to factors at sea. IS, SS, WS and SR are entirely due to factors acting at the nesting site (on land). Therefore, 5 primary biological variables (C, IS, SS, WS and SR) should be considered for assessing the conservation status of the nesting site.

Two variables commonly measured in sea turtle nesting studies are hatching success (HS; proportion of hatched eggs to total eggs laid) and emergence success (ES; proportion of hatchlings that emerge on the beach surface to the total eggs laid) and have been used to calculate the production of hatchlings in terms of emergences from the nest, not considering WS because the latter is difficult to estimate (Brost et al. 2015). They are related to the variables mentioned above as follows: HS=F*IS; ES=F*IS*SS.

4.2.2 Primary biological variables suitable as indicators of anthropogenic threats at nesting sites

The relationship between the eight types of anthropogenic threats (see section 4.1) and the five primary biological variables (see section 4.2.1) is summarised by Table 4.2.2. However, only four primary biological variables can be used as indicators of those anthropogenic threats and consequently of the conservation status of the nesting sites, because one of them (C, number of clutches laid) is not suitable, because is primarily affected by factors at sea or to the population productivity occurred decades ago (i.e., a period equal to the age of sexual maturity). Moreover, the listed anthropogenic threats at nesting sites do not necessarily cause a decrease of the number of clutches (C) at site level, because in cases of reduction of the suitable area, clutch density can greatly increase before density-dependent effects occur. In cases of disturbance, the female can just try laying her eggs again in the same spot or in another part of the same site, eventually laying the same number of clutches at the nesting site. However, it cannot be excluded that with a high level of such disturbance females will move (temporarily or permanently) to a different site, determining a decrease of C at the original nesting site. In conclusion, anthropogenic threats at nesting sites can have limited (if any) effects on C and consequently C does not represent a suitable indicator of the conservation status, although nesting success may provide insights on initial problems (see section 4.1).

	Primary biological variables										
Anthropogenic impacts	C*	IS	SS	WS	SR						
Beach reduction by hard constructions	√	✓	✓		✓						
Alteration of sand composition		√	✓		✓						
Alteration of beach profile	√	√			✓						
Disturbance by light pollution	√			√							
Obstacles on the beach	√	√	√		√						
Disturbance of females while nesting	√										
Damage or disturbance of eggs		√	√		√						
Predation by anthropophilic predators		√	√	√	√						

^{*} mainly affected by other factors (see text)

Table 4.2.2. The 5(4) primary biological variables affected by 8 anthropogenic impacts at sea turtle nesting sites.

4.2.3 The importance of monitoring spatiotemporal differences

Given the high variability of sea turtle biological variables at nesting sites, single values of the variables are not informative in terms of the conservation status of a nesting site. Comparing variable

values across different parts of the nesting site and across years may be more informative, especially if compared with the spatiotemporal occurrence of potential anthropogenic threats. For instance, a change of one variable value after a certain threat (theoretically affecting that variable) appeared or was removed would represent a strong indication of the impact of that threat and of the conservation measures aimed to mitigate the threat.

Regarding temporal trends, while a positive trend of the number of individuals recruiting at sea and with a constant/natural sex ratio indicates a *Good* conservation status of the nesting beach (i.e. the beach habitat is appropriate for the species needs and allows a natural productivity of hatchlings and hatchling sex ratio), other trends do not necessarily imply a *Not-Good* status (i.e. the beach habitat is not adequate for the species needs and reduces the potential productivity or alters the natural hatchling sex ratio). A negative or stable trend of the number of individuals recruiting at sea or a trend of hatchling sex ratio might indicate a *Not-Good* conservation status only if they are caused by anthropogenic factors at the nesting beach and not if they are caused by other factors at sea. Therefore, it is fundamental to (i) monitor the anthropogenic threats and (ii) the variables affected by them.

4.2.4 Conservation-dependency

In a nesting beach that would qualify for a status classified as Good, the number of individuals recruiting at sea and their sex ratio may depend on intensive conservation activities. In other words, anthropogenic factors are impactful but can be counterbalanced by conservation measures. Such a conservation-dependency however represents a weakness (conservation activities may cease) and should be considered when assigning a conservation status.

4.2.5 Vulnerability to climate change

In a nesting beach that would qualify for a *Good* status, anthropogenic factors resulting in a negative impact (on the number of individuals recruiting at sea or on their sex ratio) occur only in the future in the context of climate change. Still, such a situation represents a weakness (for the future of the nesting site) and should be considered when assigning a conservation status.

4.3 Local community involvement

Local communities have the strongest interaction with the nesting beach habitat and may have strong interest in coastal development. They may include representatives of all main stakeholders (business sector, civil society, governmental agencies). Therefore, the engagement of local communities in sea turtle conservation may be key for any long-term conservation strategy and should be pursued. There are two main and not mutually exclusive factors that can induce local communities to engage in sea turtle conservation: ethical/emotional affection and economic interest. The first is generally reached through public awareness, while the second is reached through direct or indirect use of sea turtles.

Public awareness may be conducted by personal meetings or public events. Release events of turtles incidentally captured or found stranded are generally an excellent way to promote public awareness. Such activities are facilitated by rescue centers and networks. Moreover, rescue centers, being permanent structures with constant activity, may become a reference point for local communities and represent an additional opportunity for local communities and tourists to see sea turtles while in rehabilitation. Although sea turtle rescue centers are primarily set up for rehabilitating individuals and may also provide scientific information (UNEP 2004; Ullmann and Stachowitsch

2015), they may also play an important role in promoting conservation at nesting sites if located near these areas (Kaska et al. 2011).

It is well known – with several cases worldwide - that non-consumptive use of sea turtles can generate revenue and even a greater revenue than consumptive use (Troeng and Drews 2004) and have been the main driver for the success of some conservation programs (Pegas et al. 2013). Non-consumptive use includes ecotourism activities such as turtle-watching at land (nesting females) or at sea. Specific studies showed that turtle-watching does not cause behavioral changes at land (Marco et al. 2021; Smith et al. 2021) or at sea (Papafitsoros et al. 2021), although at sea a potential threat is represented by maritime traffic and increased risk of collision with propellers (Papafitsoros et al. 2021).

4.4 Experiences of conserving nesting sites from other regions

In this section, examples are displayed that show how sea turtle conservation at nesting sites was tackled in other countries. Two examples cover very important nesting areas for turtles in USA (Florida) and Brazil. Here, it needs to be taken into account that the socio-economic context greatly differs between these countries as well as from that of the countries of the case-files. Additionally, examples of Integrated Coastal Zone Management are provided from Odisha (India) and Sukabumi (Indonesia).

4.4.1. USA (Florida): involvement of local communities

Until recently, Florida hosted the largest nesting population of the loggerhead sea turtle worldwide, with over 97,000 annual clutches distributed along most of the coast, although with different density (Ceriani et al. 2019). Florida is also an important tourist destination and has a highly developed coast. For these reasons, it represents a good opportunity to learn lessons about potential conflicts between coastal development and protection of nesting sites.

At federal level, sea turtles are protected under the Federal Endangered Species Act of 1973 and, nationally, by Florida's Sea turtle Protection Act (Florida Statutes), that restricts the take, possession, disturbance, mutilation, destruction, sale, transference, molestation, and harassment of sea turtles, nests or eggs. However, the relevant regulations are at county level. Sea turtles are mainly protected through the dedicated sea turtle program of the Florida Fish and Wildlife Conservation Commission (FWC). FWC protects turtles through three divisions: Division of Habitat and Species Conservation - Imperiled Species Management (ISM), Fish and Wildlife Research Institute (FWRI), Division of Law Enforcement (DLE). ISM is primarily responsible for the management efforts of sea turtle recovery. This includes reviewing permits for coastal construction and other beach activities, commenting on land acquisition and management of nesting habitat, evaluating the success of protection measures in the field, and administration of permits for sea turtle research and rehabilitation.

Regarding coastal development, in the past some coastal tracts have been protected, also thanks to private donations, and therefore remained pristine. However, there are no turtle-related restrictions to coastal constructions along the rest of the coast. The Florida Department of Environmental Protection and the FWC-ISM dually review permits for coastal construction under the Beaches and Coastal Systems Rule that affect sea turtles. In this respect, the main concern is minimizing light pollution and the state of Florida developed the Model Lighting Ordinance for Sea turtle Protection Rule to guide local governments in creating lighting ordinances.

Regarding the use of the nesting habitat, the main concern is beach furniture that represents obstacles for sea turtle nesting. Beach users are invited to remove furniture from the beach at night or, if they cannot be removed, to stack and arrange them to minimize their impact. Except in parks,

night access is not prohibited and people are informed through panels at beach entrances about the correct behaviour to minimise disturbance to turtles. Finally, scientific, conservation, or educational activities that directly involve sea turtles require a specific authorisation from FWC. Due to the extensive length of the coast, implementation and enforcement are possible thanks to the good will of local people who are targeted by information campaigns by FWC and NGOs.

4.4.2. Brazil: shifting local community habits

Brazil hosts breeding sites for five sea turtles species (Green sea turtles- *Chelonia mydas*-, Loggerhead sea turtle -*Caretta caretta*-, Hawksbill sea turtle -*Eretmochelys imbricata*-, Olive ridley sea turtle -*Lepidochelys olivacea*- and Leatherback sea turtle -*Dermochelys coriacea*-). When the conservation interest for these animals began, sea turtles were used for subsistence, commercialisation, and cultural traditional practices and sea turtle populations were severely depleted (Marcovaldi and dei Marcovaldi 1999). After prohibition of sea turtle and egg harvesting (1986) and long-term conservation activities by project TAMAR, all turtle populations are now recovering (e.g., Marcovaldi and Chaloupka 2007). Therefore, Brazil represents a good opportunity to learn lessons about the most extreme conflict between humans and sea turtles, represented by direct consumption, as well as conflicts due to coastal development.

The conservation success of TAMAR is mainly attributed to its capacity to engage local communities (da Silva et al. 2015). Specifically, TAMAR created economic opportunities (e.g. T-shirt manufacturing groups) for members of local fisher communities that have had a cultural tradition of turtle and egg harvesting, especially in non-tourist destinations. These income-generation activities for coastal communities improved their quality of life, maintaining, but inverting their direct tie to sea turtles, while the creation of Biological Reserves restricted the use of natural resource by the same communities (da Silva et al. 2015). Regarding coastal development (in coastal tracts not protected as national parks and the like) TAMAR conducted awareness campaigns to promote measures to minimise light pollution (perceived as the main threat for sea turtles in the area), providing a symbolic certificate to the owners that screened their lights. The success of such an initiative allowed TAMAR to stop relocating clutches and to leave them in situ because hatchlings were no more disoriented (da Silva et al. 2015). These campaigns also induced associations of condo complexes to act autonomously against the use of vehicles on the beaches.

4.4.3 India (Odisha): Integrated Coastal Zone Management Planning

Odisha, located in the northern part of the east coast of India, is a maritime state with immense wealth of natural resources. Odisha's coastline occupies a length of around 480 km. Odisha is known for its rich marine and coastal biodiversity including Olive ridley sea turtle *-Lepidochelys olivacea-*, Irrawaddy Dolphins *- Orcaella brevirostris-*, diverse mangroves and rich fish stocks. It also houses some of the most ecologically sensitive and fragile areas including the turtle nesting ground of Gahirmatha and a marine sanctuary. The Integrated Coastal Zone Management Plan (ICZMP) Odisha is a planning framework that aims at improving the management of coastal and marine resources, while addressing the concerns of those people that live, work or visit the coastal zone. Identifying and analysing the threats to marine environment and biodiversity was an essential step in preparation of the ICZMP, as these are integral to the Odisha coast.

Four species of sea turtles – Olive ridley sea turtle -*Lepidochelys olivacea*-, Green sea turtles-*Chelonia mydas*-, Hawksbill sea turtle -*Eretmochelys imbricata*-, and Leatherback sea turtle -*Dermochelys coriacea* – have been reported in Odisha, though the nesting of only the Olive Ridley has been confirmed. There are three recorded mass-nesting beaches in Odisha; Gahirmatha, Rushikulya and Devi river mouth, although mass nesting has not occurred at Devi mouth in the last

decade. The reduction in mass nesting is mostly associated with the reduced size of the beach availability at Gahirmatha, due to cyclonic storms and beach erosion. The nesting at the rookery near Devi river mouth has been altered by Casuarina plantation and the nesting population has shown a considerable reduction in number. Since the discovery of the Rushikulya rookery in 1994, Olive Ridleys are nesting in large numbers, but with fluctuation from year to year. India, being a signatory nation to many conventions including the Convention on Migratory Species (CMS), has the responsibility of protecting Olive Ridley turtle and its nesting beaches, breeding, feeding and congregation areas, as well as its migratory pathways in the sea.

Due to the sensitive nature of the Odisha Coast, it is especially vulnerable to the external pressures which occur due to anthropogenic activities. There have been various cases in the coastal zone where development has come up at the expense of the existing sensitive habitats. Such development puts additional pressure on the fragile coastal system which can result in the degradation of the existing environmental services.

The ICZMP Odisha proposed several measures to protect sea turtles in the wider development and geographical context. It included, among others, investments, in the conservation and protection of the Olive Ridley Turtle and other aquatic wildlife. Sensitive habitats have been protected as per the existing legal provisions to ensure that they were devoid of the negative impacts due to human activities. The Plan proposed that efficient patrolling mechanisms be put in place for monitoring and regulating marine fishing (in regulated fishing and trawling zones) for achieving a higher degree of conservation of marine resources and Olive Ridley Turtles. There are several points where the turtle migration paths coincide with the marine shipping routes. Thus, it was found that the movement of container ships should be monitored, with an implementation of proper surveillance strategy and an on-board vessel monitoring system to be put in place during turtle nesting period. The protection measures were extended to the marine area through appropriate Marine Spatial Planning measures. The plan provided detailed recommendations for sea turtles management.




Figure 4.4.3. Turtle nesting and marine infrastructure in one of Odisha conflict areas

T-PVS(2023)30

Environmental Protection (Ecosyst	em and biodiversity)		
• Turtle congregations observed in the Gahirmatha coastal waters (between the Dhamra and Mahanadi river mouths), in the Devi coastal waters (between Jatadha muhana and Kadua muhana) and in the		ar he EP01-02: Turtle congregation zones to have in the place a congregation monitoring mechanism (on h) an annual basis) Ty ED01-03: Level bealty for Duebity the 'po fishing'	conflicts between human activities a biodiversity rich areas
Marine Spatial Planning			
ILM01: Implementation of surveillance strategies for protection of marine biodiversity	Marine protected areas (Gahirmatha) and fishing - seasonal conflict during turtle nesting periods	ILM01-01: Stricter monitoring of fishing regulations (mainly trawling and other such scale activities) for conservation of biodive	
		ILM01-02: Stringent enforcement of usage of TEDs in fishing crafts	
	National level body is required for management of area falling wit 12 nautical miles from LTL,which currently has little governance.	in ILM01-03: Creation of a national level nodal agency for marine area	Agency responsible for preparation of full-fledged marine spatial plans and

Table 4.4.3 Two examples of management measures in ICZMP Odisha

administration and management

to serve as conflict resolution body for disputes related to the marine areas.

4.4.4 Indonesia (Sukabumi): Protecting the Green Turtle through Integrated Coastal Management

Sukabumi is the only place along the southern coastline of West Java where sea turtles nest. Dominant in all nine nesting locations including Pangumbahan beach is the green turtle (*Chelonia mydas*). Recognised as the official symbol of Sukabumi Regency, the species' existence has been threatened by human activities including rampant turtle egg collection and unregulated invasion and utilisation of its habitat by coastal tourism development and sand mining. Previous private sector management of the beach under local government license allowed a proportion of collected eggs to be sold while the rest were hatched for release. However, scientific assessments indicated a large decline in turtle population.

The local government regained management in 2008, developing and implementing a turtle conservation program as part of Sukabumi's Integrated Coastal Zone Management (ICZM) program. The national government, through the Ministry of Marine Affairs and Fisheries (MOMAF), declared Pangumbahan Beach as a conservation area and provided support for the establishment of a turtle conservation center.

The program ensured that all turtle eggs were allowed to hatch and the hatchlings released. An increase in the nesting population and number of eggs and hatchlings released relative to the private concession period was evident. Regulated ecotourism was permitted in the conservation area to promote education and awareness of turtle conservation and provide economic opportunities for local people. Within the regulated ecotourism, visitors are only allowed to do selected activities such as viewing of turtle egg-laying, visiting the turtle hatchery, and releasing young turtles into the sea. Visitors are also allowed to visit nearby beach to see its scenery and do surfing and fishing. The case study demonstrates the concerted efforts of the local and national governments and various stakeholders to put in place necessary governance mechanisms and actions using ICZM approaches, to ensure that the green turtle, the natural heritage and symbol of Sukabumi Regency, remains protected. The ICZM concept and framework, and the process of putting in place the necessary governance elements, can enable collaboration and convergence of efforts and resources across different agencies and sectors and facilitate stakeholder participation. This has been demonstrated in the development and implementation of the sea turtle conservation program in Sukabumi Regency.

One key challenge faced in the development of the sea turtle conservation area was the low awareness of communities in the area on marine and coastal conservation and the impact of their practice of taking turtle eggs for consumption or sale.



Figure 4.4.4 Master Plan of the area

5. FILTERING OUT WHICH FACTORS AFFECT THE CONSERVATION STATUS OF SEA TURTLE NESTING SITES

One of the activities undertaken under the Bern Convention Initiative was to investigate threats and conservation measures that are commonly believed to endanger/improve the conservation status of a nesting site and verify which out of these are truly determining factors. This was because within the case-files, a lot of disturbance for sea turtles is reported from the side of the complainants, yet the actual impact on their conservation status remains unclear. To make sure that the decision-making by the Standing Committee and elaboration of the guidance tool are based on scientific evidence, a review of academic research showed that, contrary to common belief, clutch trends did not show any relation with the conservation status of the nesting sites. Scientific research also did not find any casual connection between protection field projects and the conservation status of the nesting sites. However, the local community supportive attitude seems to have an impact on the conservation status of the species, and it may be promoted by field projects too. Therefore, field projects may contribute in several ways, but their direct impact on sea turtle is not obvious. Enforced legislation appears to be a key factor for mitigating habitat use but less for mitigating habitat degradation. The opposite was observed for local community supportive attitudes, which appeared to be a key factor for mitigating habitat degradation but less for mitigating habitat use. Finally, remoteness of the sites was a good predictor of both habitat degradation and use.

6. CONLUSIONS AND SUGGESTIONS FOR ACTION

6.1 Conclusions

From what is reported in the previous sections about the Bern Convention's open and possible case files, the following conclusions can be derived:

- all case-file parties have a general tendency to rely on their perceptions or on expert opinions, based on anecdotal information. This tendency may be in part enhanced by the typical Bern Convention's approach of having on-the-spot appraisals conducted by experts;
- complainants (and civil society) and Governments tend to focus on different types of information/evidence, resulting in a different interpretation of the conservation status of a nesting site. Consequently, their positions remain different and tend to crystalise with time;
- when evidence is sought, different types of evidence are considered (e.g., law violations, threats, biological indicators, management, new legislations/regulations) but they are not quantified in a way that allows them to be monitored in time or to be properly analysed in relation to threats and therefore to rank the different threats in terms of impact on the sea turtle population;
- the proper turtle-related indicators of the status of nesting sites are not reported or even mentioned to support claims of negative or positive status - except for Türkiye - despite the fact that probably the relevant data have been collected for decades by the local conservation organisations;
- the most common biological indicator mentioned (trends of clutch counts) cannot inform about the conservation status of a nesting site;
- enforced legislation appears to be important for conserving a nesting site as believed by most stakeholders and especially against the habitat use by humans. However, it may need support from the local community.
- engaging local communities is probably pivotal for long-term successful conservation, however no system is in place to promote and monitor the public awareness activities and their success:

From the consultations held, remoteness appears to be a key factor for maintaining a nesting site in a good status.

6.2 Suggestions for action

Based on the conclusions above and the research undertaken, a set of suggestions for action is provided to national and local authorities and institutions in the Mediterranean, and to other stakeholders (environmental conservationist, academia) that can contribute to the conservation of sea turtles, through prevention, monitoring and enforcement. To do so, it is essential to strengthen a sustainable collaborative approach to sea turtles' conservation among national stakeholders and base any conservation on solid scientific evidences:

- Draw lessons from less successful conservation cases to improve management in other sites before they are degraded too.
- Identify all remote sites and those that are at risk of becoming more accessible in the future to anticipate potential threats.

- Implement existing laws, regulations, spatial development plans and Marine Spatial Plans (where they exist). This should be a priority pursued jointly by national, regional and local authorities. Special focus should be on development of new Marine Spatial Plans as they are the best instrument to capture the totality of the sea turtle ecosystem.
- Assess and monitor the impact of each specific threat on sea turtles.
 - While monitoring violation of the law is important (especially for threats regarding habitat degradation and future scenarios), the impact of each specific threat on sea turtles should be assessed and monitored through monitoring anthropogenic threats and sea turtle biological indicators.
 - Expert opinion can be valuable in contexts with lack of information about the conservation status of a nesting site and in cases where only the precautionary principle can be implemented (e.g. newly discovered nesting sites or where no annual field work was conducted). However, where information does exist about sea turtle reproduction and anthropogenic threats, empirical scientific evidence should be used to assess and monitor in real time the impact of anthropogenic threats.
- Identify and pursue the best strategy to engage local communities at each nesting site. Such activities and their success should be monitored and assessed.
- Improve communication among national stakeholders creating regular occasions for positive confrontation in dedicated fora. Making use of a more standardised monitoring system suggested in these Guidance toolbox (see below) to evaluate the conservation status of nesting sites would help all stakeholders to have a more active role in identifying specific recommendations for the local needs instead of receiving such recommendations from the Bern Convention.

6.3 Toolbox

This section aims to translate the findings and conclusions reported in the previous sections into practical steps. The specific objectives of these activity suggestions are: (i) monitor the conservation status of a nesting site in terms of the impact of potential anthropogenic threats, (ii) engage local communities, (iii) use the monitoring results to improve communication and collaboration in order to identify and rank the most important threats and to identify and agree on strategies for sea turtle conservation.

6.3.1 Monitoring the conservation status of a nesting site

At present, the understanding of the relationship between conservation status and conservation measures is limited to exercises based on expert knowledge (see section 5). To improve such exercises and to allow a proper monitoring of the conservation status of a nesting site, proper indicators should be measured. As described in section 4, the conservation status of a nesting site is determined by its productivity (current or foreseen) in terms of number of hatchlings and their sex ratio (KBVs). To assess the effect of supposed anthropogenic threats on the KBVs, four types of indicators (for a total of 18 indicators) should be monitored: (i) anthropogenic threats, (ii) beach features, (iii) turtle biological indicators, (iv) mitigating measures.

Anthropogenic threats (4)	Turtle biological indicators (7)
Direct monitoring of each suspected anthropogenic threat is fundamental to relate them to observed changes of biological or beach indicators. This is not an easy task to undertake and the most	Monitoring the five primary biological variables outlined in section 4.2.2 may be not informative (C) or difficult (IS, SS, WS, SR) and other indicators can

suitable approach should be chosen based on the local context, keeping in mind that the aim is to detect spatial distribution and change with time (including appearance and removal) of anthropogenic threats. Examples are given below. In order to be useful, the indicators should be standardised at least at nesting site level.

- Hard constructions (HC), their distance to the landward boundary of the sandy beach and their description.
- Human density (HD) on the beach at night and in the daytime.
- Obstacle density (OD) on the beach at night and in the daytime.
- Light Pollution (LP) visible on the beach at night.

Beach features (3)

As described above, certain anthropogenic factors may alter the physical features of the nesting site. Therefore, monitoring these features may help understanding the real impact of those anthropogenic factors. The following variables are proposed:

- Beach width (BW).
- Sand colour (SC) can be a proxy of sand composition (e.g., mixing with mud).
- Beach profile (BP).

Mitigating measures (4)

Some conservation activities are very intensive and specific and can almost eliminate the effect of some anthropogenic threats. This should be considered because it can lead to an underestimation of the importance of the threats. Other conservation activities are aimed to engage local communities. As this may be an important factor for other conservation initiatives, an indicator for this engagement would be useful too.

- In situ clutch protection (CP) through cages or fences can avoid human disturbance on the eggs as well as predation.

be used for monitoring the conservation status of a nesting site. Specifically, this means (Table 6.3.1):

- Changes of C are mainly due to factors at sea or to a population productivity that occurred decades ago (i.e. a period equal to the age of turtle sexual maturity). Therefore, possible emerging effects of anthropogenic threats on the nesting phase may be better monitored through another variable: nesting success (NS; proportion of female emergence resulting in egg deposition). As explained above, a reduction in NS does not necessarily mean that the total number of clutches (C) is reduced. However, it may warn about a possible problem.
- To calculate IS and SS, F is needed, but it is difficult to estimate. Therefore, monitoring HS and ES is an easier option under the assumption of a constant F.
- Predators can destroy a whole clutch (i.e. IS=SS=0) or just parts of it (with reduction of IS and SS) (Kaska 2000). Therefore, the proportion of predated clutches (PC) is an important variable to measure, and it can help in calculating overall HS and ES (including predation).
- WS is difficult to assess directly. If the primary interest is to assess the effect of light pollution, then an orientation index (OI) would represent the best proxy and a relatively easier variable to measure, under the assumption that WS mostly depends on OI. However, even with a good orientation, hatchlings may have a high mortality due to predators that could nullify positive scores of all other variables and conservation measures. Therefore, assessing this predation on hatchlings on the beach (PH) would be interesting where predation is suspected, but is extremely difficult to obtain because information about the fate of every single hatchling (at least of sample clutches) crawling on the beach would be required. There may be factors other than orientation and predation that decrease WS. For instance, some hatchlings may simply not reach the shore because they get weak or entrapped in vegetation or pits.
- A direct estimation of SR requires using invasive methods like killing hatchlings to examine their gonads (Kaska et al. 2006) or sampling their blood (Tezak et al. 2020). Such approaches may not be feasible or acceptable in local contexts. Alternatively, SR can be indirectly inferred from

- Relocation (RE) of clutches to a different position or even in common hatcheries can increase ES (for clutches close to the sea and subject to be washed over) and avoid human disturbance on the eggs as well as predation.
- Assisted hatchling emergence (AE) (e.g. corridors, guidance by torch, release in or near the water) can help hatchlings reaching the sea avoiding mis- and disorientation by light pollution as well as predation.
- Local community engagement (CE).

incubation temperature during thermosensitive period of development (TSP, when temperature affects the embryo's sex, corresponding middle to the third development) (Kaska et al. 2006) or from incubation period (IP) (Mrosovsky et al. 1999). IP is a proxy of the mean incubation temperature during the entire incubation period and therefore cannot indicate the temperature during TSP and is less accurate because normally temperature is not constant during the IP. However, IP is very easy to monitor and, although it cannot provide precise estimates of SR, spatio-temporal differences of IP may indicate different incubation temperature and hence different SR (Mrosovsky et al. 1999).

An example of a monitoring form based on the variables above is provided in Annex III.

6.3.1.1. Nesting site subareas and geolocation

Individual anthropogenic threats (single sources of disturbance) may be local and not distributed all over the nesting site. This is a valuable opportunity to assess their impact through comparison with biological or physical variables. In this respect, two actions are required: (i) division of the nesting site into well-defined and permanent sectors, representing the coastal unit where comparisons can be made and (ii) information on geolocation (GPS) of all threats and monitored indicators that are then associated with the specific sectors.

6.3.1.2 Monitoring protocols

Naturally, different methods are needed to measure the 18 indicators described above. However, the necessary data for most of them (except OI, PH and CE) are already collected by conservation/research teams working at sea turtle nesting sites or can easily be collected through the activities typically conducted.

- <u>Single or few surveys</u> (**HC**, **HD**, **OD**, **LP**, **BW**, **SC**, **BP**, **CE**). Given that hard constructions need time to appear and beach features require time to change, HC, BW, SC, and BP may be assessed once per nesting season, unless changes occur during the nesting season.
 - HC can be measured as % of coastline with constructions. Other two data provide the necessary supporting information to describe this indicator: linear distance to the landward boundary of the sandy beach (m) and types of constructions (according to standardised categories).
 - BW can be measured as linear distance (m) from the high tide line to the dune or the end of the sandy zone.
 - SC can be measured through photos (taken in the same spot in different years) with standard colour reference. Possible changes in time or differences among different site sectors can be assessed by visual comparison. These changes can be described in terms of "stable", "darker", "brighter". Quantitative measure of the specific spot/time is more difficult but also not strictly necessary to assess changes.

- BP in terms of elevation at the landward boundary of the beach can be recorded through photos (taken in the same spot in different years). Possible changes in time or differences among different site sectors can be assessed by visual comparison. These changes can be described in terms of "stable", "lower", "higher". Quantitative measure of the specific spot/time is more difficult but also not strictly necessary to assess changes.
- E CE can be represented by % of individuals with a "positive attitude" in a sample of local people. It can be measured through one-time interviews from the main stakeholders (local citizens, local authorities, small to large economic enterprises) with a questionnaire aimed to detect the general attitude towards sea turtles and specific interests (e.g., ethical, economic) for their protection.

HD, OD and LP should be measured one or few times during the nesting/hatching season based on their variation (the more constant they are the fewer surveys needed).

- HD can be measured during the nesting season as the number of visitors per day, density (per linear or square meter) at the peak of the day, etc.
- OD can be measured during the nesting season as the number of obstacles per linear extension (m) of a costal part or % of coastline blocked by obstacles (from a nesting turtle point of view) (e.g., Fujisaki and Lamont 2016). Different values can be obtained per different obstacle types, if useful.
- LP can be measured during the hatching season (and possibly the nesting season too) as number of the brightest lights, presence of sky glow, and the light intensity during a new moon phase, i.e. with no moon light (e.g., Dimitriadis et al. 2018).
- <u>Daily beach surveys</u> (**NS, IP, PC**). The beach is surveyed daily at dawn (before any human activity can alter tracks) for all the nesting season in order to count and geolocate (GPS) each female emergence and to classify it as an emergence with or without a clutch. This can be done depending on local rules/preferences either by visual examination of the track or by assessing the presence of eggs (Demetropoulos and Hadjichristophorou 1995; Florida Fish and Wildlife Conservation Commission 2016). If daily surveys are not possible, samples over shorter periods may be considered, but the capacity to detect temporal changes will decrease. E=total number of emergences. C=total number of clutches.
 - \mathbb{P} NS=C/E

Beach surveys (or specific monitoring of clutches) will also detect hatchling emergences and predation on clutches:

- \square IP = date of first hatchling emergence date of nesting
- PC = number of clutches predated / C. A PC value for each different predator species should be obtained.
- Protection activities (CP, RE, AE). All protection activities should be recorded.
 - \square CP = number of clutches protected / C.
 - \mathbb{Z} RE = number of clutches relocated / C.
 - \blacksquare AE = number of clutches with assisted emergence / C.
- Post-hatching <u>nest inventory</u> (**HS, ES**). If not all nests can be dug, sampling should be distributed along the nesting site and hatching season. After the last hatchling emergence, the nest is dug and the following counts are taken: unhatched eggs (U), hatched eggs (H) from the number of eggshell pieces larger than 50% of an entire eggshell (Ceriani et al. 2021), dead or

live hatchlings (T), pipped (P, inside an hatched egg) dead or alive (Florida Fish and Wildlife Conservation Commission 2016). CS = (U + H + P).

- \mathbb{P} HS= (H+P)/CS;
- $\mathbb{E} = (H-T)/CS$.
- <u>Orientation measures</u> (**OI**). Disorientation (reduced orientation, resulting in reduced movements or in circling around) and misorientation (orientation towards a target different from the natural one) can be measured, respectively, as (i) fan spread and (ii) offset angle. For method details see Dimitriadis et al. (2018).
- Observation of crawling hatchlings (**PH**). Inferring predation from hatchling tracks is very difficult. Direct observation is needed but technically challenging. For examples of possible methods see Erb and Wyneken (2019).

Anthropogenic impacts	Anthropogenic threats (4)			Beach features (3)		Proxy biological indicators (7)						Mitigating measures (4)						
	нс	HD	OD	LP	BW	SC	BP	NS	HS	ES	OI	IP	PC	PH	CP	RE	AE	CE
Beach reduction by hard constructions	✓				√			✓	√	✓		✓						√
Alteration of sand composition	✓					✓			✓	✓		✓						✓
Alteration of beach profile	✓						✓	✓	✓			✓						✓
Disturbance by light pollution				✓				✓			✓						√	✓
Obstacles on the beach			✓					✓	✓	✓		✓						√
Disturbance of females while nesting		✓						✓										✓
Damage or disturbance of eggs		✓	✓						✓	✓		✓			✓	✓		✓
Predation by anthropophilic predators									✓	√			✓	√	✓	√	√	

Table 6.3.1. The 18 indicators proposed to monitor 8 anthropogenic impacts at sea turtle nesting sites. HC: hard constructions; HD: human density; OD: obstacle density; LP: light pollution; BW: beach width; SC: sand colour; BP: beach profile; NS: nesting success; HS: hatching success; ES: emergence success; OI: orientation index; IP: incubation period; PC: predated clutches; PH: predated hatchlings on the beach; CP: clutches protected; RE: clutches relocated; AE: clutches with assisted hatchling emergence; CE: community engagement.

6.3.2 Engage local community

As described above (sections 4.4 and 5), the positive attitude of local communities may be pivotal for the success of conservation measures at a nesting site. This positive attitude may be the result of different factors such as ethical/emotional affection and economic interest driven by non-consumptive use (section 4.3).

Since each nesting site has its specific features in terms of biological aspects of sea turtles and socio-economic aspects, stakeholders (government and civil society) may want to explore the best ways to enhance public awareness and the potential benefits (and drawbacks) of non-consumptive turtle use (in terms of economic value from indirect business activities or jobs positions) such as:

- facilities with live animals (e.g. rescue centers);
- turtle-watching at land: females while nesting;
- turtle-watching in-water: adults or juveniles.

6.3.3 Improve communication and collaboration in order to identify and agree on strategies for sea turtle conservation

A more standardised and less arbitrary monitoring protocol can improve communication among the main stakeholders (governmental agencies, civil society, business sector), avoid misunderstandings and facilitate cooperation. Multi-stakeholders meetings could be organised annually (in winter) to:

- Evaluate the monitoring results of the last sea turtle reproductive season.
- Identify at their first appearance any negative effects on sea turtles and their nesting habitat of anthropogenic threats as well as any positive effects of mitigating measures put in place.
- Compare different nesting sites in terms of lessons learned from less successful conservation cases.
- Agree on specific recommendations about additional conservation measures, if necessary, and implement them immediately.
- Provide the Bern Convention with the results of the monitoring (indicators, their changes and interpretation) and agreed conservation strategies.

ANNEXES

- I. List of acronyms
- II. Questionnaires national consultations
- III. Example of a Monitoring form

ANNEX I: List of acronyms

AE: Assisted hatchling emergence

BP: Beach profile

BW: Beach width

C: Number of clutches laid at the nesting site

CE: Local community engagement

CP: In situ clutch protection

CS: Average clutch size (number of eggs per clutch)

ES: Emergence success (proportion of hatchlings that emerge on the beach surface to the total

eggs laid)

F: Average fertility (proportion of fertile eggs on the total CS)

HC: Hard constructions

HD: Human density

HS: Hatching success (proportion of hatched eggs to total eggs laid)

IP: Incubation period

IS: Average incubation success (proportion of fertile eggs that hatch)

KBV: Key biological variables

LP: Light Pollution

OD: Obstacle density

OI: Orientation index

PH: predation on hatchlings on the beach

RE: Relocation

SC: Sand colour

SR: Sex ratio

SS: Average surfacing survival (proportion of hatchlings that emerge at beach surface)

WS: Average water entering success (proportion of emerged hatchlings that enter the sea).

ANNEX II: Questionnaires national consultations

As part of Bern Convention initiative on the conservation of sea turtles, a first round of consultations with relevant national stakeholders of Cyprus Akamas peninsula, Greece Thines Kiparissias, Zakynthos and, Turkey: Fethiye and Patara, Mersin-Anamur; and took place at national level between October 2021 and February 2022. These consultations focused on identifying obstacles and ways forward to the implementation of the Recommendations of the Standing Committee and on setting up a platform of exchange and collaboration.

The meetings were facilitated by the expert Mr Ivica Trumbic in close collaboration with the expert Mr Paolo Casale. To make the best use of the meeting time, a questionnaire was prepared by the two experts, in coordination with representatives of key parties to the case-file, and shared with the national stakeholders prior to the meetings.

The questionnaire was divided in two parts:

- A. Questions to the two main actors (Government and Complainant organisation);
- B. Questions to the key stakeholders identified by the previous step.

Part A was meant for the Complainant organisation of the case-file(s) and to the relevant Ministry in charge for follow up on the case-file(s). Part B was addressed to all remaining stakeholders invited to the consultation meetings. However, not all complainant organisations and relevant Ministry in charge for follow up on the case-file(s) replied to the questionnaire and most of the remaining stakeholders compiled both section A and B of the questionnaire.

The questions of the questionnaire were also slightly modified for Greece Thines Kiparissias, Zakynthos and, Turkey: Fethiye and Patara, Mersin-Anamur following the inputs from Complainant Organisations and relevant Ministries. Changes in the text have been highlighted in red.

For questions asking to provide an answer for each of the sites interested by the Bern Convention Recommendations, if the respondents didn't provide an answer for each site, it was considered that the same answer applied to all sites.

The answers were considered N/A in the following cases:

- answer not given;
- two answers provided to questions where multiple answers were not foreseen;
- unclear answers.

The questionnaire aimed to assess the situation and challenges in relation to the site concerned by the case-file, the Akamas peninsula (Cyprus), and to identify the main issues to be discussed during the online meetings.

In total, four civil society actors and two representatives of the Republic of Cyprus authorities submitted replies to the questionnaire. Two civil society organisations submitted a consolidated reply to the questionnaire, the responses were considered separately, therefore counted twice.

Civil Society stakeholders

of responses

Δ

this sheet analyses multiple choices questions only

Governmental stakeholders

of responses

In Total

of responses

6

QUESTIONS TO THE TWO MAIN ACTORS (GOV AND COMPLAINANT)

1. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	75%
b. Adequate	25%
c. Excessive	0%
N/A	0%

2. With the present level of protection, what will be the long-term fate of sea turtles in the country and in each of the sites interested by the Bern Convention recommendations?	
a. Declining	75%
b. Stable	0%
c. Increasing	25%
N/A	0%

1. What is the curses sea turtles in the curses	rent protection level assured to country?
a. Insufficient	0%
b. Adequate	100%
c. Excessive	0%
N/A	0%

2. With the present level of protection, what will be the long-term fate of sea turtles in the country and in each of the sites interested by the Bern Convention recommendations?	
a. Declining	0%
b. Stable	50%
c. Increasing	50%
N/A	0%

1. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	50%
b. Adequate	50%
c. Excessive	0%
N/A	0%

2. With the present level of protection, wha be the long-term fate of sea turtles in the coand in each of the sites interested by the Be Convention recommendations?	ountry
a. Declining	50%
b. Stable	17%
c. Increasing	33%
N/A	0%

3. How can the Bern Convention recommendations for ensuring sea turtles conservation be described?	
a. Insufficient	50%
b. Adequate	50%
c. Excessive	0%
N/A	0%

4. Which main factors did impede the Bern Convention recommendations to be implemented so far?	
a. Lack of legal instruments	25%
b. Lack of funds	6%
c. Opposition by local stakeholders	19%
d. Lack of enforcement capacity	25%
e. The implementation process is underway but slowly and therefore recommendations are expected to be implemented soon	0%
f. The recommendations are not binding	25%
g. Other	0%
N/A	0%

6. Which are the most promising solutions for solving the present situation and close the case files of the Bern Convention?	
a. Issue new regulations	23%
b. Allocate funds	23%
c. Engage local stakeholders	23%
d. Improve enforcement capacity	31%
e. Other	0%

3. How can the Bern Convention recommendations for ensuring sea turtles conservation be described?	
a. Insufficient	0%
b. Adequate	100%
c. Excessive	0%
N/A	0%

4. Which main factors did impede the Bern Convention recommendations to be implemented so far?	
a. Lack of legal instruments	0%
b. Lack of funds	0%
c. Opposition by local stakeholders	40%
d. Lack of enforcement capacity	20%
e. The implementation process is underway but slowly and therefore recommendations are expected to be implemented soon	20%
f. The recommendations are not BGnding	0%
g. Other	20%
N/A	0%

6. Which are the most promising solutions for solving the present situation and close the case files of the Bern Convention?	
a. Issue new regulations	0%
b. Allocate funds	0%
c. Engage local stakeholders	50%
d. Improve enforcement capacity	50%
e. Other	0%

3. How can the Bern Convention recommendations for ensuring sea turtles conservation be described?	
a. Insufficient	33%
b. Adequate	67%
c. Excessive	0%
N/A	0%

4. Which main factors did impede the Bern Convention recommendations to be implemented so far?	
a. Lack of legal instruments	19%
b. Lack of funds	5%
c. Opposition by local stakeholders	24%
d. Lack of enforcement capacity	24%
e. The implementation process is underway but slowly and therefore recommendations are expected to be implemented soon	5%
f. The recommendations are not BGnding	19%
g. Other	5%
N/A	0%

6. Which are the most promising solutions for solving the present situation and close the case files of the Bern Convention?	
a. Issue new regulations	18%
b. Allocate funds	18%
c. Engage local stakeholders	29%
d. Improve enforcement capacity	35%
e. Other	0%

12. If the marine spatial plans exist do they

space?

provide protection of their routes in the marine

N/A N/A 0% 0% N/A 0% 8. What are the coastal 8. What are the coastal 8. What are the coastal management/development programmes, plans management/development programmes, plans management/development programmes, plans and/or projects that exist in area in question? and/or projects that exist in area in question? and/or projects that exist in area in question? (multiple answers possible) (multiple answers possible) (multiple answers possible) a. Coastal plan 0% a. Coastal plan 0% a. Coastal plan 0% b. Coastal programme 0% b. Coastal programme 33% b. Coastal programme 14% c. Land use plan 50% c. Land use plan 67% c. Land use plan 57% d. Project 0% d. Project 0% d. Project 0% e. Other 25% e. Other 0% e. Other 14% N/A 25% N/A 0% N/A 14% 9. If the above planning initiatives exist, do they 9. If the above planning initiatives exist, do they 9. If the above planning initiatives exist, do they envisage the co-existence between the sea envisage the co-existence between the sea turtles envisage the co-existence between the sea and human activities? turtles and human activities? turtles and human activities? a. Yes 0% a. Yes 50% a. Yes 17% b. No 75% b. No 0% b. No 50% N/A 25% N/A 50% N/A 33% 11. there any marine spatial plans 11. there any marine spatial plans 11. there any marine spatial plans developed/adopted that take in consideration the developed/adopted that take in consideration developed/adopted that take in consideration sea turtles ecosystem boundaries? the sea turtles ecosystem boundaries? the sea turtles ecosystem boundaries? 25% a. Yes, adopted a. Yes, adopted 0% a. Yes, adopted 17% b. Yes, in the process of adoption 0% b. Yes, in the process of adoption 50% b. Yes, in the process of adoption 17% c. No 75% c. No 50% c. No 67% N/A N/A 0% 0% N/A 0%

space?

12. If the marine spatial plans exist do they

provide protection of their routes in the marine

12. If the marine spatial plans exist do they

space?

provide protection of their routes in the marine

a. Yes	0%
b. No	100%
N/A	0%

14. If tourism is the main activity endangering the sea turtles' natural habitats and their existence, have there been initiatives to propose alternative development pathways for local population?	
a. Yes	75%
b. No	25%
N/A	0%

16. If management plans for the protection of sea turtles exist, what is the planning boundary?	
a. The protected area boundary is strictly confined to the sea turtles' habitat	50%
b. The protected area is considered within a wider spatial context, taking in consideration influences from and linkages with the wider area?	33%
c. There is no protected area defined.	0%
d. Other	17%
N/A	0%

17. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by IAU in the area in question?	
a. Yes, 100 metres	0%
b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	50%

a. Yes	0%
b. No	0%
N/A	100%

the sea turtles' natural habitats and their existence, have there been initiatives to p alternative development pathways for loc population?	ropose
a. Yes	0%
b. No 100%	
N/A	0%

16. If management plans for the protection of sea turtles exist, what is the planning boundary?	
a. The protected area boundary is strictly confined to the sea turtles' habitat	67%
b. The protected area is considered within a wider spatial context, taking in consideration influences from and linkages with the wider area?	33%
c. There is no protected area defined.	0%
d. Other	0%
N/A	0%

17. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by IAU in the area in question?	
a. Yes, 100 metres 50%	
b. Yes, more than hundred metres 0%	
c. Yes, less than hundred metres 0%	

a. Yes	0%
b. No	67%
N/A	33%

14. If tourism is the main activity endangering the sea turtles' natural habitats and their existence, have there been initiatives to propose alternative development pathways for local population?	
a. Yes	50%
b. No	50%
N/A	0%

16. If management plans for the protection of sea turtles exist, what is the planning boundary?	
a. The protected area boundary is strictly confined to the sea turtles' habitat	56%
b. The protected area is considered within a wider spatial context, taking in consideration influences from and linkages with the wider area?	33%
c. There is no protected area defined.	0%
d. Other	11%
N/A	0%

17. Mediterranean ICZM Protocol under the	
Barcelona Convention stipulates 100 meters	
setback inland from the coastline. Has the	
setback zone been defined by IAU in the area in	
question?	
a. Yes, 100 metres	17%
b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	33%

d. No setback	50%
N/A	0%

d. No setback	0%
N/A	50%

d. No setback	33%
N/A	17%

QUESTIONS TO THE KEY STAKEHOLDERS IDENTIFIED BY THE PREVIOUS STEP

1. Do you consider as important that sea turtles continue to occur in your country/area in the lot term future?	
a. Yes	100%
b. No	0%
N/A	0%

	Do you consider as important that sea turtles continue to occur in your country/area in the	
	long-term future?	
	a. Yes	50%
	b. No	0%
	N/A	50%

1. Do you consider as important that sea turtles continue to occur in your country/area in the long-term future?	
a. Yes	83%
b. No	0%
N/A	17%

2. Do you think that the majority of your local community considers as important that sea turtles continue to occur in your country/area in the long-term future?

a. Yes 25%
b. No 50%
N/A 25%

2. Do you think that the majority of your local community considers as important that sea turtles continue to occur in your country/area in the long-term future?	
a. Yes	50%
b. No	0%
N/A	50%

2. Do you think that the majority of your local community considers as important that sea turtles continue to occur in your country/area in the long-term future?	
a. Yes	25%
b. No	50%
N/A	25%

3. With the present level of protection, what will be the long-term fate of sea turtles in the country and in each of the sites interested by the Bern Convention recommendations? (please provide separate answers for each country/site)

a. Declining 75%
b. Stable 0%
c. Increasing 25%
N/A 0%

3. With the present level of protection, what will be the long-term fate of sea turtles in the country and in each of the sites interested by the Bern Convention recommendations? (please provide separate answers for each country/site)	
a. Declining	0%
b. Stable	0%
c. Increasing	50%
N/A	50%

be the long-term fate of sea turtles in the country and in each of the sites interested by the Bern Convention recommendations? (please provide separate answers for each country/site)	
a. Declining	50%
b. Stable	33%
c. Increasing	0%
N/A	17%

3. With the present level of protection, what will

4. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	75%
b. Adequate	25%
c. Excessive	0%
N/A	0%

5. Do you think that coexistence of people and sea turtle is possible, with both thriving?	
a. Yes	100%
b. No	0%
N/A	0%

6. What is the relation between sea turtle and economic development/income at local level?	
a. No relation	0%
b. Turtles impede economic development / decrease profit	0%
c. Turtles favour economic development / increase profit	75%
N/A	25%

7. Which are the main factors that threaten turtle future occurrence in your country/are any)? (please provide details in addition to t short answer)	a (if
a. Destruction of nesting habitat (sandy beach) that becomes unavailable to turtles	23%

4. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	0%
b. Adequate	50%
c. Excessive	0%
N/A	50%

5. Do you think that coexistence of people and sea turtle is possible, with both thriving?	
a. Yes	50%
b. No	0%
N/A	50%

6. What is the relation between sea turtle and economic development/income at local level?	
a. No relation	0%
b. Turtles impede economic development / decrease profit	0%
c. Turtles favour economic development / increase profit	50%
N/A	50%

7. Which are the main factors that threate turtle future occurrence in your country/a any)? (please provide details in addition to short answer)	rea (if
a. Destruction of nesting habitat (sandy beach) that becomes unavailable to turtles	25%

4. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	50%
b. Adequate	33%
c. Excessive	0%
N/A	17%

5. Do you think that coexistence of people and sea turtle is possible, with both thriving?	
a. Yes	83%
b. No	0%
N/A	17%

6. What is the relation between sea turtle and economic development/income at local level?	
a. No relation	0%
b. Turtles impede economic development / decrease profit	0%
c. Turtles favour economic development / increase profit	67%
N/A	33%

7. Which are the main factors that threaten sea turtle future occurrence in your country/area (if any)? (please provide details in addition to the short answer)	
a. Destruction of nesting habitat (sandy beach) that becomes unavailable to turtles	24%

b. Human utilization (including vehicles) and presence on the nesting beach (that scares nesting females and/or damage the nests during incubation)	23%
c. Human presence and light pollution at night (that disorient hatchlings in their route to the sea)	23%
d. Pollution	15%
e. Fishing	8%
f. Other	0%
g. There is no threat	0%
N/A	8%

b. Human utilization (including and presence on the nesting be scares nesting females and/or of the nests during incubation)	ach (that
c. Human presence and light po night (that disorient hatchlings route to the sea)	
d. Pollution	0%
e. Fishing	0%
f. Other	0%
g. There is no threat	0%
N/A	25%

b. Human utilization (including vehicles) and presence on the nesting beach (that scares nesting females and/or damage the nests during incubation)	24%
c. Human presence and light pollution at night (that disorient hatchlings in their route to the sea)	24%
d. Pollution	12%
e. Fishing	6%
f. Other	0%
g. There is no threat	0%
N/A	12%

8. What should be done to ensure the long-term occurrence of sea turtles in your country/area?		
a. Public Awareness towards tourists	7%	
b. Raising public Awareness of the local community	21%	
c. New regulations to reduce the impact of threats	21%	
d. Enforcement of existing regulations to reduce the impact of threats	21%	
e. Develop an action plan different from the current one (including Bern Convention recommendations)	21%	
f. Nothing (there is no problem)	0%	
N/A	7%	

8. What should be done to ensure the long-term occurrence of sea turtles in your country/area?		
a. Public Awareness towards tourists	20%	
b. Raising public Awareness of the local community	20%	
c. New regulations to reduce the impact of threats	20%	
d. Enforcement of existing regulations to reduce the impact of threats	20%	
e. Develop an action plan different from the current one (including Bern Convention recommendations)	0%	
f. Nothing (there is no problem)	0%	
N/A	20%	

8. What should be done to ensure the long-term occurrence of sea turtles in your country/area?		
a. Public Awareness towards tourists	11%	
b. Raising public Awareness of the local community	21%	
c. New regulations to reduce the impact of threats	21%	
d. Enforcement of existing regulations to reduce the impact of threats	21%	
e. Develop an action plan different from the current one (including Bern Convention recommendations)	16%	
f. Nothing (there is no problem)	0%	
N/A	11%	

The questionnaire aimed to assess the situation and challenges in relation to the <u>sites concerned by the case-file, Kyparissia and Laganas Bay (Greece)</u>, and to identify the main issues to be discussed during the online meetings.

In total, three civil society actors, four representatives of Greek authorities and one economic actor submitted their replies to the questionnaire. Three governmental stakehodlers submitted a consolidated reply to the questionnaire, the responses were considered separately, therefore counted three times.

this sheet analyses multiple choices questions only

Civil Society stakeholders

of responses

Governmental stakeholders

of responses

Economic stakeholders

of responses

In Total

of responses

8

QUESTIONS TO THE TWO MAIN ACTORS (GOV AND COMPLAINANT)

What is the current protection level assured to sea turtles in the country?	
a. Insufficient	33%
b. Adequate	33%
c. Excessive	0%
N/A	33%

	assured to sea turtles in the country?	
3%	a. Insufficient	0%
3%	b. Adequate	1009
1%	c. Excessive	0%
3%	N/A	0%

1. What is the current protection level

1. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	0%
b. Adequate	0%
c. Excessive	0%
N/A	100%

What is the current protection level assured to sea turtles in the country?		
a. Insufficient	13%	
b. Adequate	63%	
c. Excessive	0%	
N/A	25%	

2. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	0%
b. Stable	0%
c. Increasing	0%
N/A	100%

2. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	0%
b. Stable	75%
c. Increasing	25%
N/A	0%

2. With the present level what will be the long-term turtles in country?	•
a. Declining	0%
b. Stable	0%
c. Increasing	0%
N/A	100%

2. With the present level of protection, what will be the long-term fate of sea turtles in country ?	
a. Declining	0%
b. Stable	38%
c. Increasing	13%
N/A	50%

3a. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Kyparissia)

3. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Kyparissia)

3. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Kyparissia)

3. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Kyparissia)

a. Declining	0%
b. Stable	0%
c. Increasing	33%
N/A	67%

a. Declining	0%
b. Stable	75%
c. Increasing	0%
N/A	25%

a. Declining	0%
b. Stable	0%
c. Increasing	0%
N/A	100%

a. Declining	0%
b. Stable	38%
c. Increasing	13%
N/A	50%

3b. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Laganas)	
a. Declining	0%
b. Stable	33%
c. Increasing	0%

67%

N/A

3. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Laganas)	
a. Declining	0%
b. Stable	75%
c. Increasing	25%
N/A	0%

3. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Laganas)	
a. Declining	0%
b. Stable	0%
c. Increasing	0%

100%

0% 0% 0% 0%

100%

3. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Laganas)	
a. Declining	0%
b. Stable	50%
c. Increasing	13%
N/A	38%

4. How can the Bern Convention recommendations for ensuring sea turtles conservation be described?	
a. Insufficient	33%
b. Adequate	0%
c. Excessive	0%
d. Other	0%
N/A	67%

4. How can the Bern Convention recommendations for ensuring sea turtles conservation be described?	
a. Insufficient	0%
b. Adequate	75%
c. Excessive	0%
d. Other	25%
N/A	0%

4. How can the Bern Convention recommendations for ensuring seconservation be described?	a turtles
a. Insufficient	0%
b. Adequate	0%
c. Excessive	0%
d. Other	0%

N/A

N/A

4. How can the Bern Convention recommendations for ensuring sea turtles conservation be described?	
a. Insufficient	13%
b. Adequate	38%
c. Excessive	0%
d. Other	13%
N/A	38%

5. Which main factors did impede the Bern Convention recommendations to be implemented so far?	
a. Lack of legal instruments	11%
b. Lack of funds	11%
c. Opposition by local stakeholders	22%
d. Lack of enforcement capacity	22%

5. Which main factors did impede the Bern Convention recommendations to be implemented so far?	
a. Lack of legal instruments	0%
b. Lack of funds	0%
c. Opposition by local stakeholders	0%
d. Lack of enforcement capacity	0%

5. Which main factors did impede the Bern Convention recommendations to be implemented so far?	
a. Lack of legal instruments	0%
b. Lack of funds	0%
c. Opposition by local stakeholders	0%
d. Lack of enforcement capacity	0%

5. Which main factors did impede the Bern Convention recommendations to be implemented so far?	
a. Lack of legal instruments	7%
b. Lack of funds	7%
c. Opposition by local stakeholders	14%
d. Lack of enforcement capacity	14%

e. The implementation process is underway but slowly and therefore recommendations are expected to	
be implemented soon	0%
f. The recommendations are not	
Binding	11%
g. Other	11%
N/A	11%

e. The implementation process is underway but slowly and therefore recommendations are expected to	
be implemented soon	75%
f. The recommendations are not	
Binding	0%
g. Other	25%
N/A	0%

e. The implementation process is	
underway but slowly and therefore	
recommendations are expected to	
be implemented soon	0%
f. The recommendations are not	
Binding	0%
g. Other	0%
N/A	100%

0% 0%

0%

0% 0% 100%

e. The implementation process is underway but slowly and therefore recommendations are expected to	
be implemented soon	21%
f. The recommendations are not	
BGnding	7%
g. Other	14%
N/A	14%

7. Which are the most promising solutions for solving the present situation and close the case files of the Bern Convention?	
a. Issue new regulations	20%
b. Allocate funds	20%
c. Engage local stakeholders	20%
d. Improve enforcement capacity	20%
e. Other	10%
N/A	10%

7. Which are the most promising solutions for solving the present situation and close the case files of the Bern Convention?	
a. Issue new regulations	0%
b. Allocate funds	0%
c. Engage local stakeholders	44%
d. Improve enforcement capacity	44%
e. Other	11%
N/A	0%

7. Which are the most promising solution for solving the present situation and the case files of the Bern Convention	close
a. Issue new regulations	0%
b. Allocate funds	0%
c. Engage local stakeholders	0%
d. Improve enforcement capacity	0%
e. Other	0%
N/A	100%

7. Which are the most promising solutions for solving the present situation and close the case files of the Bern Convention?	
a. Issue new regulations	10%
b. Allocate funds	10%
c. Engage local stakeholders	30%
d. Improve enforcement capacity	30%
e. Other	10%
N/A	10%

management/development programmes, plans and/or projects that exist in area in question? (multiple answers possible)	
a. Coastal plan	0%
b. Coastal programme	0%
c. Land use plan	50%
d. Project	25%
e. Management Plan	0%
f. Other	0%
N/A	25%

9. What are the coastal management/development programmes, plans and/or projects that exist in area in question? (multiple answers possible)	
a. Coastal plan	0%
b. Coastal programme	0%
c. Land use plan	0%
d. Project	0%
e. Management Plan	0%
e. Other	100%
N/A	0%

9. What are the coastal management/development programmes, plans and/or projects that exist in area in question? (multiple answers possible)	
a. Coastal plan	0%
b. Coastal programme	0%
c. Land use plan	0%
d. Project	0%
e. Management Plan	0%
e. Other	0%
N/A	100%

9. What are the coastal management/development programmes, plans and/or projects that exist in area in question? (multiple answers possible)	
a. Coastal plan	0%
b. Coastal programme	0%
c. Land use plan	22%
d. Project	11%
e. Management Plan	0%
e. Other	44%
N/A	22%

10. If the above planning initiatives exist, do they envisage the co-existence between the sea turtles and human activities?	
a. Yes	67%
b. No	0%
NI/A	220/

10. If the above planning initiatives exist, do they envisage the co-existence between the sea turtles and human activities?	
a. Yes	100%
b. No	0%
N/A	0%

10. If the above planning initiatives exist, do they envisage the co-existence between the sea turtles and human activities?	
a. Yes	0%
b. No	0%
N/A	100%

10. If the above planning initiatives exist, do they envisage the co-existence between the sea turtles and human activities?	
a. Yes	75%
b. No	0%
N/A	25%

12. Are there any marine spatial plate developed/adopted that take in consideration the sea turtles ecosy boundaries?	
a. Yes, adopted	33%
b. Yes, in the process of adoption	0%
c. No	0%
N/A	67%

12. Are there any marine spatial plans developed/adopted that take in consideration the sea turtles ecosystem boundaries?	
a. Yes, adopted	25%
b. Yes, in the process of adoption	0%
c. No	0%
N/A	75%

12. Are there any marine spatial plans developed/adopted that take in consideration the sea turtles ecosystem boundaries?	
a. Yes, adopted	0%
b. Yes, in the process of adoption	0%
c. No	0%
N/A	100%

12. Are there any marine spatial plans developed/adopted that take in consideration the sea turtles ecosystem boundaries?	
a. Yes, adopted	25%
b. Yes, in the process of adoption	0%
c. No	0%
N/A	75%

13. If the marine spatial plans exist do they provide protection of their routes in the marine space?	
a. Yes	0%
b. No	0%
N/A	100%

13. If the marine spatial plans exist do they provide protection of their routes in the marine space?	
a. Yes	25%
b. No	0%
N/A	75%

13. If the marine spatial plans exist do the provide protection of their routes in the marine space?	
a. Yes 09	6
b. No 09	6

100%

13. If the marine spatial plans exist do they provide protection of their routes in the marine space?	
a. Yes	13%
b. No	0%
N/A	88%

15. If tourism is the main activi endangering the sea turtles' na habitats and their existence, habeen initiatives to propose alter development pathways for location?	itural ave there ernative
a. Yes	33%
b. No	0%
N/A	67%

15. If tourism is the main activity endangering the sea turtles' natural habitats and their existence, have the been initiatives to propose alternativ development pathways for local population?	
a. Yes	100%
b. No	0%
N/A	0%

15. If tourism is the main activity endangering the sea turtles' nature habitats and their existence, have been initiatives to propose altern development pathways for local population?	e there
a. Yes	0%
b. No	0%
N/A	100%

15. If tourism is the main activity endangering the sea turtles' na habitats and their existence, habeen initiatives to propose alter development pathways for local population?	tural ive there irnative
a. Yes	63%
b. No	0%
N/A	38%

N/A

17. If management plans for the proof sea turtles exist, what is the plan boundary?	
a. The protected area boundary is	
strictly confined to the sea turtles'	
haBGtat	0%
b. The protected area is	
considered within a wider spatial	
context, taking in consideration	
influences from and linkages with	
the wider area?	67%
c. There is no protected area	
defined.	0%
d. Other	0%
N/A	33%

17. If management plans for the proto of sea turtles exist, what is the planni boundary?	
a. The protected area boundary is	
strictly confined to the sea turtles'	
haBGtat	0%
b. The protected area is considered	
within a wider spatial context,	
taking in consideration influences	
from and linkages with the wider	
area?	100%
c. There is no protected area	
defined.	0%
d. Other	0%
N/A	0%

17. If management plans for the prot of sea turtles exist, what is the plann boundary?	
a. The protected area boundary is	
strictly confined to the sea turtles'	
haBGtat	0%
b. The protected area is considered	
within a wider spatial context,	
taking in consideration influences	
from and linkages with the wider	
area?	0%
c. There is no protected area	
defined.	0%
d. Other	0%
N/A	100%

of sea turtles exist, what is the planni boundary?	
a. The protected area boundary is	
strictly confined to the sea turtles'	
haBGtat	0%
b. The protected area is	
considered within a wider spatial	
context, taking in consideration	
influences from and linkages with	
the wider area?	75%
c. There is no protected area	
defined.	0%
d. Other	0%
N/A	25%

18a. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Kyparissia)	
a. Yes, 100 metres	33%
b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	0%
d. No setback	33%
N/A	33%

18a. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Kyparissia)	
a. Yes, 100 metres	0%
b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	75%
d. No setback	0%
N/A	25%

18a. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Kyparissia)	
a. Yes, 100 metres	0%
b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	0%
d. No setback	0%
N/A	100%

18a. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Kyparissia)	
a. Yes, 100 metres	13%
b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	38%
d. No setback	13%
N/A	38%

18b. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Laganas)

a. Yes, 100 metres 33%

18b. Mediterranean ICZM Protocol und the Barcelona Convention stipulates 10 meters setback inland from the coastli Has the setback zone been defined by the area in question? (Laganas)	00 ne.
a. Yes, 100 metres	0%

18b. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Laganas)

0%

a. Yes, 100 metres

18b. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Laganas)

a. Yes, 100 metres 13%

b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	0%
d. No setback	33%
N/A	33%

b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	25%
d. No setback	0%
N/A	75%

b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	0%
d. No setback	0%
N/A	100%

b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	13%
d. No setback	13%
N/A	63%

QUESTIONS TO THE KEY STAKEHOLDERS IDENTIFIED BY THE PREVIOUS STEP

1. Do you consider as important that sea turtles continue to occur in your country/area in the long-term future?	
a. Yes	67%
b. No	0%
N/A	33%

Do you consider as important that sea turtles continue to occur in your country/area in the long-term future?	
a. Yes	100%
b. No	0%
N/A	0%

Do you consider as important that sea turtles continue to occur in your country/area in the long-term future?	
a. Yes	100%
b. No	0%
N/A	0%

Do you consider as important that sea curtles continue to occur in your country/area in the long-term future?	
a. Yes	88%
b. No	0%
N/A	13%

2. Do you think that the majority of your local community considers as important that sea turtles continue to occur in your country/area in the long-term future?	
a. Yes	33%
b. No	33%
N/A	33%

2. Do you think that the majority of your local community considers as important that sea turtles continue to occur in your country/area in the long-term future?	
a. Yes	100%
b. No	0%
N/A	0%

2. Do you think that the majority of your local community considers as important that sea turtles continue to occur in your country/area in the long-term future?	
a. Yes	100%
b. No	0%
N/A	0%

2. Do you think that the majority of your local community considers as important that sea turtles continue to occur in your country/area in the long-term future?	
a. Yes	75%
b. No	13%
N/A	13%

3. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	0%
b. Stable	33%
c. Increasing	0%
N/A	67%

3. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	0%
b. Stable	75%
c. Increasing	25%
N/A	0%

3. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	0%
b. Stable	100%
c. Increasing	0%
N/A	0%

3. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	0%
b. Stable	63%
c. Increasing	13%
N/A	25%

4a. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Kyparissia)	
a. Declining	0%
b. Stable	33%
c. Increasing	33%
N/A	33%

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations?	
(Kyparissia)	
a. Declining	0%
b. Stable	75%
c. Increasing	25%
N/A	0%

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Kyparissia)	
a. Declining	0%
b. Stable	100%
c. Increasing	0%
N/A	0%

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Kyparissia)	
a. Declining	0%
b. Stable	63%
c. Increasing	25%
N/A	13%

4b. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Laganas)	
a. Declining	0%
b. Stable	67%
c. Increasing	0%
N/A	33%

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Laganas)	
a. Declining	0%
b. Stable	75%
c. Increasing	25%
N/A	0%

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations?	
(Laganas)	
a. Declining 0%	
b. Stable 100%	
c. Increasing 0%	
N/A 0%	

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Laganas)	
a. Declining	0%
b. Stable	75%
c. Increasing	13%
N/A	13%

5. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	67%
b. Adequate	0%
c. Excessive	0%
N/A	33%

5. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	0%
b. Adequate	100%
c. Excessive	0%
N/A	0%

5. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	0%
b. Adequate	100%
c. Excessive	0%
N/A	0%

5. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	25%
b. Adequate	63%
c. Excessive	0%
N/A	13%

6. Do you think that coexistence of people and sea turtle is possible, with both thriving?	
a. Yes	67%
b. No	0%
N/A	33%

6. Do you think that coexistence of people and sea turtle is possible, with both thriving?	
a. Yes	100%
b. No	0%
N/A	0%

6. Do you think that coexistence of people and sea turtle is possible, with both thriving?	
a. Yes	100%
b. No	0%
N/A	0%

6. Do you think that coexistence of people and sea turtle is possible, with both thriving?	
a. Yes	88%
b. No	0%
N/A	13%

7. What is the relation between sea turtle and economic development/income at local level?	
a. No relation	0%
b. Turtles impede economic development / decrease profit	0%
c. Turtles favour economic	
development / increase profit	0%
N/A	100%

7. What is the relation between sea and economic development/income level?	
a. No relation	0%
b. Turtles impede economic development / decrease profit	0%
c. Turtles favour economic development / increase profit	100%
N/A	0%

7. What is the relation between sea turtle and economic development/income at local level?	
a. No relation	0%
b. Turtles impede economic development / decrease profit	0%
c. Turtles favour economic development / increase profit	100%
N/A	0%

7. What is the relation between sea turtle and economic development/income at local level?	
a. No relation	0%
b. Turtles impede economic development / decrease profit	0%
c. Turtles favour economic development / increase profit	63%
N/A	38%

8. Which are the main factors that the sea turtle future occurrence in your country/area (if any)?	reaten
a. Destruction of nesting habitat	
(sandy beach) that becomes	
unavailable to turtles	17%
b. Human utilization (including	
vehicles) and presence on the	
nesting beach (that scares nesting	
females and/or damage the nests	
during incubation)	17%
c. Human presence and light	
pollution at night (that disorient	
hatchlings in their route to the sea)	8%
d. Pollution	17%
e. Fishing	17%
f. Other	17%
g. There is no threat	0%
N/A	9%

8. Which are the main factors that threaten sea turtle future occurrence in your	
country/area (if any)?	
a. Destruction of nesting habitat	
(sandy beach) that becomes unavailable to turtles	20%
b. Human utilization (including	2076
vehicles) and presence on the	
nesting beach (that scares nesting	
females and/or damage the nests	
during incubation)	20%
c. Human presence and light	
pollution at night (that disorient	
hatchlings in their route to the sea)	20%
d. Pollution	7%
e. Fishing	27%
f. Other	7%
g. There is no threat	0%
N/A	0%

8. Which are the main factors that th sea turtle future occurrence in your country/area (if any)?	reaten
a. Destruction of nesting habitat	
(sandy beach) that becomes	
unavailable to turtles	0%
b. Human utilization (including	
vehicles) and presence on the	
nesting beach (that scares nesting	
females and/or damage the nests	
during incubation)	0%
c. Human presence and light	
pollution at night (that disorient	
hatchlings in their route to the sea)	0%
d. Pollution	100%
e. Fishing	0%
f. Other	0%
g. There is no threat	0%
N/A	0%

8. Which are the main factors that th sea turtle future occurrence in your country/area (if any)?	reaten
a. Destruction of nesting haBGtat	
(sandy beach) that becomes	
unavailable to turtles	18%
b. Human utilization (including	
vehicles) and presence on the	
nesting beach (that scares nesting	
females and/or damage the nests	
during incubation)	18%
c. Human presence and light	
pollution at night (that disorient	
hatchlings in their route to the sea)	14%
d. Pollution	14%
e. Fishing	21%
f. Other	11%
g. There is no threat	0%
N/A	4%

Total

9. What should be done to ensure the long- term occurrence of sea turtles in your country/area?	
a. Public AUareness towards	
tourists	22%
b. Raising public AUareness of the	
local community	22%
c. New regulations to reduce the	
impact of threats	11%
d. Enforcement of existing	
regulations to reduce the impact of	
threats	22%
e. Develop an action plan different	
from the current one (including	
Bern Convention	
recommendations)	11%
f. Nothing (there is no problem)	0%
N/A	11%

100%

9. What should be done to ensure the long- term occurrence of sea turtles in your country/area?	
a. Public AUareness towards	
tourists	24%
b. Raising public AUareness of the	
local community	24%
c. New regulations to reduce the	
impact of threats	24%
d. Enforcement of existing	
regulations to reduce the impact of	
threats	24%
e. Develop an action plan different	
from the current one (including	
Bern Convention	
recommendations)	6%
f. Nothing (there is no problem)	0%
N/A	0%
Total	100%

9. What should be done to ensure the	e long-
term occurrence of sea turtles in you	r
country/area?	
a. Public AUareness towards	
tourists	33%
b. Raising public AUareness of the	
local community	33%
c. New regulations to reduce the	
impact of threats	33%
d. Enforcement of existing	
regulations to reduce the impact of	
threats	0%
e. Develop an action plan different	
from the current one (including	
Bern Convention	
recommendations)	0%
f. Nothing (there is no problem)	0%
N/A	0%
Total	100%

9. What should be done to ensure the long- term occurrence of sea turtles in your	
country/area? a. Public AUareness towards	
tourists	24%
b. Raising public AUareness of the	
local community	24%
c. New regulations to reduce the	
impact of threats	21%
d. Enforcement of existing	
regulations to reduce the impact of	
threats	21%
e. Develop an action plan different	
from the current one (including	
Bern Convention	
recommendations)	7%
f. Nothing (there is no problem)	0%
N/A	3%

100%

Total

The questionnaire aimed to assess the situation and challenges in relation to the <u>sites concerned by the case-file, Fethiye and Patara SPAs (Türkiye)</u>, and to identify the main issues to be discussed during the online meetings.

In total, eight civil society actors, six representatives of Turkish authorities and one economic actor submitted their replies to the questionnaire. Two separate answers were received by the same civil society organisation, three and two separate answers by the same governmental entities, these were considered as separate answers.

this sheet analyses multiple choices questions only

Civil Society stakeholders

of responses

Governmental stakeholders

of responses

Economic stakeholders

of responses

In Total

of responses

15

QUESTIONS TO THE TWO MAIN ACTORS (GOV AND COMPLAINANT)

What is the current protection level assured to sea turtles in the country?	
a. Insufficient	25%
b. Adequate	63%
c. Excessive	0%
N/A	12%

2. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	0%
b. Stable	63%
c. Increasing	13%
N/A	25%

1. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	17%
b. Adequate	67%
c. Excessive	17%
N/A	0%

2. With the present level of protection, what will be the long-term fate of sea turtles in country ?	
a. Declining	0%
b. Stable	33%
c. Increasing	67%
N/A	0%

What is the current protection level assured to sea turtles in the country?	
a. Insufficient	0%
b. Adequate	100%
c. Excessive	0%
N/A	0%

2. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	0%
b. Stable	0%
c. Increasing	100%
N/A	0%

What is the current protection level assured to sea turtles in the country?	
a. Insufficient	20%
b. Adequate	67%
c. Excessive	7%
N/A	7%

2. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	0%
b. Stable	47%
c. Increasing	40%
N/A	13%

3a. With the present level of prote what will be the long-term fate of sturtles in each of the sites interested the Bern Convention Recommendation (Fethiye)	sea ed by
a. Declining	38%
b. Stable	13%
c. Increasing	13%
N/A	38%

3. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Fethiye)	
a. Declining	0%
b. Stable	67%
c. Increasing	33%
N/A	0%

3. With the present level of protection, what will be the long-term fate of sea	
turtles in each of the sites interested	•
the Bern Convention Recommendati (Fethiye)	onsr
a. Declining	0%
b. Stable	0%
c. Increasing	100%
N/A	0%

3. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Fethiye)	
a. Declining	20%
b. Stable	33%
c. Increasing	27%
N/A	20%

3b. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Patara)		a by
	a. Declining	25%
	b. Stable	25%
	c. Increasing	25%
	N/A	25%

3. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Patara)	
a. Declining	0%
b. Stable	50%
c. Increasing	50%
N/A	0%

With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations (Patara)	
a. Declining	0%
b. Stable	0%
c. Increasing	100%

0%

3. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention Recommendations? (Patara)	
a. Declining	13%
b. Stable	33%
c. Increasing	40%
N/A	13%

4. How can the Bern Convention recommendations for ensuring sea turtles conservation be described?	
a. Insufficient	0%
b. Adequate	88%
c. Excessive	0%
d. Other	0%
N/A	13%

4. How can the Bern Convention recommendations for ensuring sea turtles conservation be described?	
a. Insufficient	0%
b. Adequate	83%
c. Excessive	17%
d. Other	0%
N/A	0%

4. How can the Bern Convergeommendations for ensurant conservation be described	uring sea turtles
a. Insufficient	0%
b. Adequate	0%
c. Excessive	100%
d. Other	0%
N/A	0%

4. How can the Bern Convention recommendations for ensuring sea turtles conservation be described?	
a. Insufficient	0%
b. Adequate	80%
c. Excessive	13%
d. Other	0%
N/A	7%

5. Which main factors did impede the Bern Convention recommendations to be implemented so far?

a. Lack of legal instruments 8%

5. Which main factors did impede the Bern
Convention recommendations to be
implemented so far?

a. Lack of legal instruments 0%

5. Which main factors did impede the	
Bern Convention recommendations to be	•
implemented so far?	

a. Lack of legal instruments 0%

5. Which main factors did impede to Convention recommendations to be implemented so far?	
a. Lack of legal instruments	6%

N/A

b. Lack of funds	16%
c. Opposition by local stakeholders	20%
d. Lack of enforcement capacity	20%
e. The implementation process is underway but slowly and therefore recommendations are expected to be implemented soon	12%
f. The recommendations are not	12/0
Binding	16%
g. Other	4%
N/A	4%

b. Lack of funds	20%
c. Opposition by local	200/
stakeholders	20%
d. Lack of enforcement capacity	20%
e. The implementation process is underway but slowly and therefore recommendations are expected to be implemented soon	20%
f. The recommendations are not	2070
	2001
Binding	20%
g. Other	0%
N/A	0%

b. Lack of funds	0%
c. Opposition by local	
stakeholders	0%
d. Lack of enforcement capacity	0%
e. The implementation process is	
underway but slowly and	
therefore recommendations are	
expected to be implemented soon	0%
f. The recommendations are not	0,0
Binding	0%
g. Other	0%
N/A	100%

b. Lack of funds	17%
c. Opposition by local	
stakeholders	19%
d. Lack of enforcement capacity	19%
e. The implementation process is	
underway but slowly and	
therefore recommendations are	
expected to be implemented	
soon	14%
f. The recommendations are not	
BGnding	17%
g. Other	3%
N/A	6%

7. Which are the most promising solutions for solving the present situation and close the case files of the Bern Convention?	
a. Issue new regulations	18%
b. Allocate funds	18%
c. Engage local stakeholders	18%
d. Improve enforcement capacity	29%
e. Other	12%
N/A	6%

7. Which are the most promising solutions for solving the present situation and close the case files of the Bern Convention?	
a. Issue new regulations	14%
b. Allocate funds	21%
c. Engage local stakeholders	36%
d. Improve enforcement capacity	21%
e. Other	7%
N/A	0%

7. Which are the most promising so for solving the present situation and the case files of the Bern Convention	d close
a. Issue new regulations	0%
b. Allocate funds	0%
c. Engage local stakeholders	100%
d. Improve enforcement capacity	0%
e. Other	0%
N/A	0%

7. Which are the most promising solutions for solving the present situation and close the case files of the Bern Convention?	
a. Issue new regulations	16%
b. Allocate funds	19%
c. Engage local stakeholders	25%
d. Improve enforcement capacity	28%
e. Other	9%
N/A	3%

9. What are the coastal management/development programmes, plans and/or projects that exist in area in question? (multiple answers possible)	
a. Coastal plan	21%
b. Coastal programme	11%
c. Land use plan	21%
d. Project	16%

management/development programmes, plans and/or projects that exist in area in question? (multiple answers possible)	
a. Coastal plan	22%
b. Coastal programme	0%
c. Land use plan	0%
d. Project	22%

management/development programmes, plans and/or projects that exist in area in question? (multiple answers possible)	
a. Coastal plan	0%
b. Coastal programme	0%
c. Land use plan	0%
d. Project	0%

9. What are the coastal management/development programmes, plans and/or projects that exist in area in question? (multiple answers possible)	
a. Coastal plan	21%
b. Coastal programme	7%
c. Land use plan	14%
d. Project	17%

e. Management Plan	16%
f. Other	0%
N/A	16%

e. Management Plan	44%
f. Other	0%
N/A	11%

e. Management Plan	0%
e f. Other	0%
N/A	100%

e. Management Plan	24%
f. Other	0%
N/A	17%

10. If the above planning initiatives do they envisage the co-existence between the sea turtles and human activities?	
a. Yes	50%
b. No	13%
N/A	38%

10. If the above planning initiatives exist, do they envisage the co-existence betwee the sea turtles and human activities?	
a. Yes	83%
b. No	0%
N/A	17%

do they envisage the co-existence between the sea turtles and human activities?	
a. Yes	100%
b. No	0%
N/A	0%

40 If the above observation between a color

10. If the above planning initiatives exist, do they envisage the co-existence between the sea turtles and human activities?	
a. Yes	67%
b. No	7%
N/A	27%

12. Are there any marine spatial plans developed/adopted that take in consideration the sea turtles ecosystem

boundaries?	
a. Yes, adopted	50%
b. Yes, in the process of adoption	0%
c. No	25%
N/A	25%

consideration the sea turtles ecosystem boundaries?

a. Yes, adopted	50%
b. Yes, in the process of adoption	0%
c. No	17%
N/A	33%

12. Are there any marine spatial plans
developed/adopted that take in
consideration the sea turtles ecosystem
boundaries?

a. Yes, adopted	100%
b. Yes, in the process of adoption	0%
c. No	0%
N/A	0%

12. Are there any marine spatial plans developed/adopted that take in consideration the sea turtles ecosystem boundaries?	
a. Yes, adopted	53%
b. Yes, in the process of adoption	0%

20% 27%

13. If the marine spatial plans exist do they provide protection of their routes in the marine space?

a. Yes	25%
b. No	13%
N/A	63%

13. If the marine spatial plans exist do they provide protection of their routes in the marine space?

a. Yes	50%
b. No	0%
N/A	50%

13. If the marine spatial plans exist do they provide protection of their routes in the marine space?

a. Yes	100%
b. No	0%
N/A	0%

13. If the marine spatial plans exist do they provide protection of their routes in the marine space?

c. No

N/A

a. Yes	40%
b. No	7%
N/A	53%

15. If tourism is the main activity endangering the sea turtles' natural habitats and their existence, have there been initiatives to propose alternative development pathways for local population?

15. If tourism is the main activity endangering the sea turtles' natural habitats and their existence, have there been initiatives to propose alternative development pathways for local population?

15. If tourism is the main activity endangering the sea turtles' natural habitats and their existence, have there been initiatives to propose alternative development pathways for local population?

15. If tourism is the main activity endangering the sea turtles' natural habitats and their existence, have there been initiatives to propose alternative development pathways for local population?

N/A	38%
b. No	13%
a. Yes	50%

a. Yes	33%
b. No	33%
N/A	33%

a. Yes	0%
b. No	100%
N/A	0%

a. Yes	40%
b. No	27%
N/A	33%

17. If management plans for the protection of sea turtles exist, what is the planning boundary?

, ,	
a. The protected area boundary is	
strictly confined to the sea turtles'	
haBGtat	38%
b. The protected area is	
considered within a wider spatial	
context, taking in consideration	
influences from and linkages with	
the wider area?	25%
c. There is no protected area	
defined.	0%
d. Other	13%
N/A	250/

17. If management plans for the protection
of sea turtles exist, what is the planning
boundary?

a. The protected area boundary is	
strictly confined to the sea turtles'	
habitat	50%
b. The protected area is	
considered within a wider spatial	
context, taking in consideration	
influences from and linkages with	
the wider area?	33%
c. There is no protected area	
defined.	0%
d. Other	0%
N/A	17%

he

 The protected area boundary is 	
strictly confined to the sea turtles'	
habitat	0%
b. The protected area is	
considered within a wider spatial	
context, taking in consideration	
influences from and linkages with	
the wider area?	0%
c. There is no protected area	
defined.	0%
d. Other	0%
N/A	100%

17. If management plans for the protection of sea turtles exist, what is the
planning boundary?
P

planning boundary?	
a. The protected area boundary	
is strictly confined to the sea	
turtles' habitat	40%
b. The protected area is	
considered within a wider spatial	
context, taking in consideration	
influences from and linkages with	
the wider area?	27%
c. There is no protected area	
defined.	0%
d. Other	7%
NI/A	27%

18a. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Fethiye)

a. Yes, 100 metres	25%
b. Yes, more than hundred metres	13%
c. Yes, less than hundred metres	0%
d. No setback	25%
N/A	38%

18a. Mediterranean ICZM Protocol under
the Barcelona Convention stipulates 100
meters setback inland from the coastline.
Has the setback zone been defined by law
in the area in question? (Fethiye)

a. Yes, 100 metres	17%
b. Yes, more than hundred	
metres	17%
c. Yes, less than hundred metres	33%
d. No setback	0%
N/A	33%

18a. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Fethiye)

a. Yes, 100 metres	0%
b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	0%
d. No setback	100%
NI/A	00/

18a. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Fethiye)
a. Yes, 100 metres 20%

b. Yes, more than hundred	
metres	13%
c. Yes, less than hundred metres	13%
d. No setback	20%
N/A	33%

20%

18b. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Patara)	
a. Yes, 100 metres	25%
b. Yes, more than hundred metres	63%
c. Yes, less than hundred metres	0%
d. No setback	13%
N/A	0%

18b. Mediterranean ICZM Protoc the Barcelona Convention stipula meters setback inland from the c Has the setback zone been define in the area in question? (Patara)	ntes 100 coastline.
a. Yes, 100 metres	0%
b. Yes, more than hundred	
metres	83%
c. Yes, less than hundred metres	17%
d. No setback	0%
N/A	0%

18b. Mediterranean ICZM Protocol the Barcelona Convention stipulate meters setback inland from the coal Has the setback zone been defined in the area in question? (Patara)	es 100 astline.
a. Yes, 100 metres	0%
b. Yes, more than hundred metres	0%
c. Yes, less than hundred metres	100%
d. No setback	0%
N/A	0%

18b. Mediterranean ICZM Protocol under the Barcelona Convention stipulates 100 meters setback inland from the coastline. Has the setback zone been defined by law in the area in question? (Patara)	
a. Yes, 100 metres	13%
b. Yes, more than hundred	
metres	67%
c. Yes, less than hundred metres	13%
d. No setback	7%
N/A	0%

QUESTIONS TO THE KEY STAKEHOLDERS IDENTIFIED BY THE PREVIOUS STEP

Do you consider as important that sea turtles continue to occur in your country/area in the long-term future?	
a. Yes	86%
b. No	14%
N/A	0%

- 1. Do you consider as important that sea turtles continue to occur in your country/area in the long-term future?

 a. Yes 100%
 b. No 0%

 N/A 0%
- 1. Do you consider as important that sea turtles continue to occur in your country/area in the long-term future?

 a. Yes 100%
 b. No 0%

 N/A 0%
- 1. Do you consider as important that sea turtles continue to occur in your country/area in the long-term future?

 a. Yes 93%
 b. No 7%
 N/A 0%

2. Do you think that the majority of your local community considers as important that sea turtles continue to occur in your country/area in the long-term future?

a. Yes

639

a. Yes	63%
b. No	25%
N/A	13%

local community considers as important that sea turtles continue to occur in your country/area in the long-term future?

a. Yes 83%
b. No 17%
N/A 0%

2. Do you think that the majority of your

- 2. Do you think that the majority of your local community considers as important that sea turtles continue to occur in your country/area in the long-term future?

 a. Yes 100%
 b. No 0%

 N/A 0%
- 2. Do you think that the majority of your local community considers as important that sea turtles continue to occur in your country/area in the long-term future?

 a. Yes 73%

 b. No 20%

 N/A 7%

3. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	13%
b. Stable	63%
c. Increasing	13%
N/A	13%

3. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	0%
b. Stable	0%
c. Increasing	100%
N/A	0%

3. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	0%
b. Stable	0%
c. Increasing	100%
N/A	0%

3. With the present level of protection, what will be the long-term fate of sea turtles in country?	
a. Declining	7%
b. Stable	33%
c. Increasing	53%
N/A	7%

4a. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Fethiye)	
a. Declining	38%
b. Stable	25%
c. Increasing	13%
N/A	25%

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Fethiye)	
a. Declining	0%
b. Stable	17%
c. Increasing	83%
N/A	0%

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Fethiye)	
a. Declining	0%
b. Stable	0%
c. Increasing	100%
N/A	0%

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Fethiye)	
a. Declining	20%
b. Stable	20%
c. Increasing	47%
N/A	13%

4b. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Patara)	
a. Declining	14%
b. Stable	57%
c. Increasing	14%
N/A	14%

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Patara)	
a. Declining	0%
b. Stable	0%
c. Increasing	100%
N/A	0%

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Patara)	
a. Declining	0%
b. Stable	0%
c. Increasing	100%
N/A	0%

4. With the present level of protection, what will be the long-term fate of sea turtles in each of the sites interested by the Bern Convention recommendations? (Patara)	
a. Declining	7%
b. Stable	29%
c. Increasing	57%
N/A	7%

5. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	88%
b. Adequate	0%

5. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	100%
b. Adequate	0%

5. What is the current protection level	
assured to sea turtles in the country?	
a. Insufficient	100%
b. Adequate	0%

5. What is the current protection level assured to sea turtles in the country?	
a. Insufficient	93%
b. Adequate	0%

c. Excessive	13%
N/A	0%

c. Excessive	0%
N/A	0%

c. Excessive	0%
N/A	0%

c. Excessive	7%
N/A	0%

6. Do you think that coexistence of people and sea turtle is possible, with both thriving?	
a. Yes	88%
b. No	0%
N/A	13%

6. Do you think that coexistence of people and sea turtle is possible, with both thriving?	
a. Yes	100%
b. No	0%
N/A	0%

6. Do you think that coexistence of people and sea turtle is possible, with both thriving?	
a. Yes	100%
b. No	0%
N/A	0%

6. Do you think that coexistence of people and sea turtle is possible, with both thriving?	
a. Yes	93%
b. No	0%
N/A	7%

7. What is the relation between sea turtle and economic development/income at local level?	
a. No relation	0%
b. Turtles impede economic	
development / decrease profit	0%
c. Turtles favour economic	
development / increase profit	88%
N/A	13%

7. What is the relation between sea turtle and economic development/income at local level?	
a. No relation	17%
b. Turtles impede economic development / decrease profit	0%
c. Turtles favour economic	020/
development / increase profit	83%
N/A	0%

7. What is the relation between sea turtle and economic development/income at local level?	
a. No relation	0%
b. Turtles impede economic	
development / decrease profit	0%
c. Turtles favour economic	
development / increase profit	100%
N/A	0%

7. What is the relation between sea turtle and economic development/income at local level?	
a. No relation	7%
b. Turtles impede economic development / decrease profit	0%
c. Turtles favour economic development / increase profit	87%
N/A	7%

8. Which are the main factors that threaten sea turtle future occurrence your country/area (if any)?	e in
a. Destruction of nesting habitat	
(sandy beach) that becomes	
unavailable to turtles	26%
b. Human utilization (including	
vehicles) and presence on the	
nesting beach (that scares nesting	
females and/or damage the nests	
during incubation)	11%
c. Human presence and light pollution at night (that disorient hatchlings in their route to the sea)	11%

8. Which are the main factors that the sea turtle future occurrence in your country/area (if any)?	reaten
a. Destruction of nesting habitat	
(sandy beach) that becomes	
unavailable to turtles	14%
b. Human utilization (including	
vehicles) and presence on the	
nesting beach (that scares nesting	
females and/or damage the nests	
during incubation)	14%
c. Human presence and light	
pollution at night (that disorient	
hatchlings in their route to the	
sea)	21%

8. Which are the main factors that	
threaten sea turtle future occurrence in	
your country/area (if any)?	
a. Destruction of nesting habitat	
(sandy beach) that becomes	
unavailable to turtles	0%
b. Human utilization (including	
vehicles) and presence on the	
nesting beach (that scares nesting	
females and/or damage the nests	
during incubation)	0%
c. Human presence and light	
pollution at night (that disorient	
hatchlings in their route to the	
sea)	0%

8. Which are the main factors that	
threaten sea turtle future occurrence	e in
your country/area (if any)?	
a. Destruction of nesting haBGtat	
(sandy beach) that becomes	
unavailable to turtles	20%
b. Human utilization (including	
vehicles) and presence on the	
nesting beach (that scares nesting	
females and/or damage the nests	
during incubation)	11%
c. Human presence and light	
pollution at night (that disorient	
hatchlings in their route to the	
sea)	14%

d. Pollution	16%
e. Fishing	26%
f. Other	5%
g. There is no threat	0%
N/A	5%

d. Pollution	21%
e. Fishing	0%
f. Other	21%
g. There is no threat	7%
N/A	0%

d. Pollution	50%
e. Fishing	50%
f. Other	0%
g. There is no threat	0%
N/A	0%

d. Pollution	20%
e. Fishing	17%
f. Other	11%
g. There is no threat	3%
N/A	3%

9. What should be done to ensure th long-term occurrence of sea turtles in your country/area?	_
a. Public AUareness towards	2.40/
tourists	24%
b. Raising public AUareness of the	
local community	19%
c. New regulations to reduce the	
impact of threats	10%
d. Enforcement of existing	
regulations to reduce the impact of	
threats	33%
e. Develop an action plan different	
from the current one (including	
Bern Convention	
recommendations)	10%
f. Nothing (there is no problem)	0%
N/A	5%

9. What should be done to ensure the	_
term occurrence of sea turtles in yo country/area?	ui
a. Public AUareness towards	
tourists	33%
b. Raising public AUareness of the	
local community	27%
c. New regulations to reduce the	
impact of threats	7%
d. Enforcement of existing	
regulations to reduce the impact	
of threats	27%
e. Develop an action plan different	
from the current one (including	
Bern Convention	
recommendations)	7%
f. Nothing (there is no problem)	0%
N/A	0%

	9. What should be done to ensure t long-term occurrence of sea turtles your country/area?	_
	a. Public AUareness towards	
	tourists	0%
	b. Raising public AUareness of the	
Į	local community	0%
	c. New regulations to reduce the	
Į	impact of threats	0%
	d. Enforcement of existing	
	regulations to reduce the impact	
	of threats	100%
	e. Develop an action plan different	
	from the current one (including	
	Bern Convention	
Į	recommendations)	0%
	f. Nothing (there is no problem)	0%
	N/A	0%
•		

9. What should be done to ensure the long-term occurrence of sea turtles in your country/area?	
a. Public AUareness towards	270/
tourists	27%
b. Raising public AUareness of the	
local community	22%
c. New regulations to reduce the	
impact of threats	8%
d. Enforcement of existing	
regulations to reduce the impact	
of threats	32%
e. Develop an action plan	
different from the current one	
(including Bern Convention	
recommendations)	8%
f. Nothing (there is no problem)	0%
N/A	3%

ANNEX III: Example of a Monitoring form

(one form for each site sector).

	(one form for each site sector).			
Nesting site name				
Sector name				
Sector length (m)				
Turtle species				
		Year 0 (Ref)	Year 1	Year 2
С	Number of clutches			
E	Number of female emergences			
Anthropogenic th	reats			
НС	% coastline with contructions			
	Distance to sandy beach (m)			
	Types of constructions			
HD	Daily visitors (N)			
	Visitors density (N/m)			
OD	Ostacle density (N/m)			
	% coastline with obstacles			
LP	Number of lights (N)			
	Sky glow (Y/N)			
	Light intensity (lx)			
	Eight interiory (ix)			
Beach features				
BW	Beach width (m)			
SC	Sand colour (brighter, stable, darker)			
BP	Elevation (lower, stable, higher)			
Dr	Lievation (lower, stable, nigher)			
Proxy biological in	 disators			
NS	Clutches/nesting emergences			
HS	% eggs hatched			
OI	% eggs emerged			
	Fan spread (°)			
	Offset angle (°)			
	N clutches sampled (N)			
IP	Incubation period (days)			
	N clutches sampled (N)			
PC PH	% Clutches predated by pred 1			
	% Clutches predated by pred 2			
	% Clutches predated by pred 3			
	% Clutches predated by pred 4			
	% hatchlings predated on the beach			
	N clutches sampled (N)			
Mitigating measu				
СР	% Clutches protected			
RE	% Clutches relocated			
AE	% Clutches with assisted emergence			
CE	% positive attitude			
	N interviewed			

REFERENCES

Ackerman RA (1997) The nest environment and the embryonic development of sea turtles, The biology of sea turtles. CRC Press, pp 83-106

Berry M, Booth DT, Limpus CJ (2013) Artificial lighting and disrupted sea-finding behaviour in hatchling loggerhead turtles (*Caretta caretta*) on the Woongarra coast, south-east Queensland, Australia. Aust J Zool 61: 137-145 doi 10.1071/zo13028

Best B (2003) Conservation and Integrated Coastal Management: Looking Beyond Marine Protected Areas, in: Olsen S. B. CRAFTING COASTAL GOVERNANCE IN A CHANGING WORLD. University of Rhode Island Coastal Resources Center, Narragansett, USA.

Brander, L., Madden Hof, C., Bishop, J., and Riskas, K.A. (2021) MONEY TALKS: THE VALUE OF CONSERVING SEA TURTLES IN ASIA-PACIFIC. Vrije Universiteit Amsterdam and Brander Environmental Economics report to WWF-Australia and WWF-Coral Triangle Programme.

Brost B, Witherington B, Meylan A, Leone E, Ehrhart L, Bagley D (2015) Sea turtle hatchling production from Florida (USA) beaches, 2002-2012, with recommendations for analyzing hatching success. Endang Species Res 27: 53-68 doi 10.3354/esr00653

Casale P (2015) *Caretta caretta* (Mediterranean subpopulation). The IUCN Red List of Threatened Species. www.iucnredlist.org. Downloaded on 26 December 2016

Casale P, Heppell SS (2016) How much sea turtle bycatch is too much? A stationary age distribution model for simulating population abundance and potential biological removal in the Mediterranean. Endang Species Res 29: 239-254

Casale P, Broderick AC, Camiñas JA, Cardona L, Carreras C, Demetropoulos A, Fuller WJ, Godley BJ, Hochscheid S, Kaska Y, Lazar B, Margaritoulis D, Panagopoulou A, Rees AF, Tomás J, Turkozan O (2018) Mediterranean sea turtles: current knowledge and priorities for conservation and research. Endang Species Res 36: 229-267 doi 10.3354/esr00901

Casale P, Ceriani SA (2020) Sea turtle populations are overestimated worldwide from remigration intervals: Correction for bias. Endang Species Res 41: 141-151 doi 10.3354/esr01019

Casale P, Hochscheid S, Kaska Y, Panagopoulou A (2020) Sea Turtles in the Mediterranean Region: MTSG Annual Regional Report 2020. Draft Report of the IUCN-SSC Sea turtle Specialist Group, 2020.

Ceriani SA, Casale P, Brost M, Leone EH, Witherington BE (2019) Conservation implications of sea turtle nesting trends: elusive recovery of a globally important loggerhead population. Ecosphere 10 doi 10.1002/ecs2.2936

Ceriani SA, Brost B, Meylan AB, Meylan PA, Casale P (2021) Bias in sea turtle productivity estimates: error and factors involved. Mar Biol 168 doi 10.1007/s00227-021-03843-w

da Silva VRF, Mitraud SF, Ferraz MLCP, Lima EHSM, Melo MTD, Santos AJB, da Silva ACCD, de Castilhos JC, Batista JAF, Lopez GG, Tognin F, Thomé JC, Baptistotte C, da Silva BMG, Becker JH, Wanderline J, de Vasconcellos Pegas F, Róstan G, Dei Marcovaldi GG, Dei Marcovaldi MÂG (2015) Adaptive threat management framework: integrating people and turtles. Environment, Development and Sustainability doi 10.1007/s10668-015-9716-0

Demetropoulos A, Hadjichristophorou M (1995) Manual on sea turtle conservation in the Mediterranean. UNEP(MAP)SPA/IUCN/CWS/Fishery Department MANRE, Cyprus

Dimitriadis C, Fournari – Konstantinidou I, Sourbès L, Koutsoubas D, Mazaris AD (2018) Reduction of sea turtle population recruitment caused by nightlight: Evidence from the Mediterranean region. Ocean and Coastal Management 153: 108-115 doi 10.1016/j.ocecoaman.2017.12.013

Dugan JE, Hubbard DM (2006) Ecological responses to coastal armoring on exposed sandy beaches. Shore & Beach 74: 10-16

Erb V, Wyneken J (2019) Nest-to-surf mortality of loggerhead sea turtle (*Caretta caretta*) hatchlings on Florida's east coast. Frontiers in Marine Science 6 doi 10.3389/fmars.2019.271

- Fish MR, Cote IM, Horrocks JA, Mulligan B, Watkinson AR, Jones AP (2008) Construction setback regulations and sea-level rise: Mitigating sea turtle nesting beach loss. Ocean Coastal Manage 51: 330-341 doi 10.1016/j.ocecoaman.2007.09.002
- Florida Fish and Wildlife Conservation Commission (2016) Sea turtle Conservation Handbook. https://myfwc.com/license/wildlife/marine-turtle-permit/
- Foley AM, Peck SA, Harman GR, Richardson LW (2000) Loggerhead turtle (*Caretta caretta*) nesting habitat on low-relief mangrove islands in southwest Florida and consequences to hatchling sex ratios. Herpetologica 56: 433-445
- Foley AM, Peck SA, Harman GR (2006) Effects of sand characteristics and inundation on the hatching success of loggerhead sea turtle (Caretta caretta) clutches on low-relief mangrove islands in southwest Florida. Chelonian Conserv Biol 5: 32-41
- Fujisaki I, Lamont MM (2016) The effects of large beach debris on nesting sea turtles. J Exp Mar Biol Ecol 482: 33-37 doi 10.1016/j.jembe.2016.04.005
- Fujisaki I, Lamont M, Carthy R (2018) Temporal shift of sea turtle nest sites in an eroding barrier island beach. Ocean and Coastal Management 155: 24-29 doi 10.1016/j.ocecoaman.2017.12.032
- González JM, Anastácio R, Lizárraga-Cubedo HA, Pereira MJ (2020) *Caretta caretta* nesting activity on Akumal Beaches, Mexico. Sci Rep 10 doi 10.1038/s41598-020-60018-1
- Halls JN, Randall AL (2018) Nesting patterns of loggerhead sea turtles (*Caretta caretta*): Development of a multiple regression model tested in North Carolina, USA. Canadian Historical Review 7 doi 10.3390/ijgi7090348
 - Hornell J (1935) Report on fisheries of Palestine. Crown Agents for the Colonies, Millbank, London
- Karaman S, Turkozan O, Carreras C, Yılmaz C, Sönmez B, Candan O, Ergene S, Ergene M, Uçar AH, Ulger C (2022) Population genetic diversity of green turtles, Chelonia mydas, in the Mediterranean revisited. Mar Biol 169: 77 doi 10.1007/s00227-022-04068-1
- Karavas N, Georghiou K, Arianoutsou M, Dimopoulos D (2005) Vegetation and sand characteristics influencing nesting activity of *Caretta caretta* on Sekania beach. Biol Conserv 121: 177-188 doi 10.1016/j.biocon.2004.04.017
- Kaska Y (2000) Predation pattern of loggerhead and green turtle nests in the eastern Mediterranean and its possible effect on sex ratio. Isr J Zool 46: 343-349
- Kaska Y, Ilgaz C, Ozdemir A, Baskale E, Turkozan O, Baran I, Stachowitsch M (2006) Sex ratio estimations of loggerhead sea turtle hatchlings by histological examination and nest temperatures at Fethiye beach, Turkey. Naturwissenschaften 93: 338-343 doi 10.1007/s00114-006-0110-5
- Kaska Y, Başkale E, Urhan R, Katılmış Y, Gidiş M, Sarı F, Sözbilen D, Canbolat AF, Yılmaz F, Barlas M, Özdemir N, Özkul M (2010) Natural and anthropogenic factors affecting the nest-site selection of loggerhead turtles, *Caretta caretta*, on dalaman-sarıgerme beach in south-west turkey: (Reptilia: Cheloniidae). Zool Middle East 50: 47-58 doi 10.1080/09397140.2010.10638411
- Kaska Y, Sahin B, Baskale E, Sari F, Owczarczak S (2011) Sea Turtle Research and Rehabilitation Centre (DEKAMER), Dalyan, Mugla, Turkey. Mar Turtle Newsl 131: 16-17
- Kelly I, Leon JX, Gilby BL, Olds AD, Schlacher TA (2017) Sea turtles are not fussy nesters: A novel test of small-scale nest site selection using structure from motion beach terrain information. PeerJ 2017 doi 10.7717/peerj.2770
- Limpus C, Kamrowski RL (2013) Ocean-finding in sea turtles: The importance of low horizon elevation as an orientation cue. Behaviour 150: 863-893
- Limpus CJ, Miller JD, Pfaller JB (2020) Flooding-induced mortality of loggerhead sea turtle eggs. Wildl Res: doi https://doi.org/10.1071/WR20080
- Lorne JK, Salmon M (2007) Effects of exposure to artificial lighting on orientation of hatchling sea turtles on the beach and in the ocean. Endang Species Res 3: 23-30

Marco A, Martins S, Martín-Rábano A, Lopes S, Clarke LJ, Abella E (2021) Risk assessment of wildlife-watching tourism in an important endangered loggerhead turtle rookery. Endang Species Res 45: 195-207 doi 10.3354/esr01130

Marcovaldi MA, dei Marcovaldi GG (1999) Sea turtles of Brazil: the history and structure of Projeto TAMAR-IBAMA. Biol Conserv 91: 35-41

Marcovaldi MA, Chaloupka M (2007) Conservation status of the loggerhead sea turtle in Brazil: an encouraging outlook. Endang Species Res 3: 132–143

Margaritoulis D (2005) Nesting activity and reproductive output of loggerhead sea turtles, *Caretta caretta*, over 19 seasons (1984-2002) at Laganas Bay, Zakynthos, Greece: The largest rookery in the Mediterranean. Chelonian Conserv Biol 4: 916-929

Martins S, Patino–Martinez J, Abella E, de Santos Loureiro N, Clarke LJ, Marco A (2022) Potential impacts of sea level rise and beach flooding on reproduction of sea turtles. Climate Change Ecology 3: 100053 doi https://doi.org/10.1016/j.ecochg.2022.100053

Mazaris AD, Matsinos YG, Margaritoulis D (2006) Nest site selection of loggerhead sea turtles: The case of the island of Zakynthos, W Greece. J Exp Mar Biol Ecol 336: 157-162 doi 10.1016/j.jembe.2006.04.015

Mazaris AD, Matsinos G, Pantis JD (2009) Evaluating the impacts of coastal squeeze on sea turtle nesting. Ocean Coastal Manage 52: 139-145 doi 10.1016/j.ocecoaman.2008.10.005

McGehee MA (1990) Effects of moisture on eggs and hatchlings of loggerhead sea turtles (*Caretta caretta*). Herpetologica: 251-258

Miller JDL, C. J.Godfrey, M. H. (2003) Nest Site Selection, Oviposition, Eggs, Development, Hatching, and Emergence of Loggerhead Turtles Bolten, A B ,Witherington, B E Eds, Loggerhead Sea Turtles Smithsonian Books, Washington, DC 319 pp; 2003, p 125-143

Mrosovsky N, Baptistotte C, Godfrey MH (1999) Validation of incubation duration as an index of the sex ratio of hatchling sea turtles. Can J Zool-Rev Can Zool 77: 831-835

Oz M, Erdogan A, Kaska Y, Dusen S, Aslan A, Sert H, Yavuz M, Tunc MR (2004) Nest temperatures and sex-ratio estimates of loggerhead turtles at Patara beach on the southwestern coast of Turkey. Canadian Journal of Zoology 82: 94-101 doi 10.1139/z03-200

Papafitsoros K, Panagopoulou A, Schofield G (2021) Social media reveals consistently disproportionate tourism pressure on a threatened marine vertebrate. Anim Conserv 24: 568-579 doi 10.1111/acv.12656

Pegas FDV, Coghlan A, Stronza A, Rocha V (2013) For love or for money? Investigating the impact of an ecotourism programme on local residents' assigned values towards sea turtles. Journal of Ecotourism 12: 90-106 doi 10.1080/14724049.2013.831099

Peters A, Verhoeven KJF, Strijbosch H (1994) Hatching and emergence in the turkish mediterranean loggerhead turtle, Caretta caretta: natural causes for egg and hatching failure. Herpetologica 50: 369-373

Pikesley SK, Agamboue PD, Bonguno EA, Boussamba F, Cardiec F, Michael Fay J, Formia A, Godley BJ, Laurance WF, Mabert BDK, Mills C, Mounguengui GAM, Moussounda C, Ngouessono S, Parnell RJ, Sounguet GP, Verhage B, White L, Witt MJ (2013) Here today, here tomorrow: Beached timber in Gabon, a persistent threat to nesting sea turtles. Biol Conserv

Price JT, Drye B, Domangue RJ, Paladino FV (2018) Exploring the role of artificial lighting in loggerhead turtle (*Caretta caretta*) nest-site selection and hatchling disorientation. Herpetol Conserv Biol 13: 415-422

R Development Core Team (2021) R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria

Rizkalla CE, Savage A (2011) Impact of Seawalls on Loggerhead Sea Turtle (*Caretta caretta*) Nesting and Hatching Success. J Coast Res 27: 166-173 doi 10.2112/jcoastres-d-10-00081.1

Salmon M (2006) Protecting sea turtles from artificial night lighting at Florida's oceanic beaches. Ecological consequences of artificial night lighting: 141-168

Sella I (1982) Sea turtles in the eastern Mediterranean and northern Red Sea. In: Bjorndal KA (ed) Biology and Conservation of Sea Turtles. Smithsonian Inst. Press, pp 417-423

Serafini TZ, Lopez GG, da Rocha PLB (2009) Nest site selection and hatching success of hawksbill and loggerhead sea turtles (Testudines, Cheloniidae) at Arembepe Beach, northeastern Brazil. Phyllomedusa: Journal of Herpetology 8: 03-17

Shamblin BM, Bolten AB, Abreu-Grobois FA, Bjorndal KA, Cardona L, Carreras C, Clusa M, Monzón-Argüello C, Nairn CJ, Nielsen JT, Nel R, Soares LS, Stewart KR, Vilaça ST, Türkozan O, Yilmaz C, Dutton PH (2014) Geographic Patterns of Genetic Variation in a Broadly Distributed Marine Vertebrate: New Insights into Loggerhead Turtle Stock Structure from Expanded Mitochondrial DNA Sequences. PLoS ONE 9: e85956 doi 10.1371/journal.pone.0085956

Silva E, Marco A, da Graça J, Pérez H, Abella E, Patino-Martinez J, Martins S, Almeida C (2017) Light pollution affects nesting behavior of loggerhead turtles and predation risk of nests and hatchlings. Journal of Photochemistry and Photobiology B: Biology 173: 240-249 doi 10.1016/j.jphotobiol.2017.06.006

Siqueira-Silva IS, Arantes MO, Hackradt CW, Schiavetti A (2020) Environmental and anthropogenic factors affecting nesting site selection by sea turtles. Mar Environ Res 162 doi 10.1016/j.marenvres.2020.105090

Smith JR, Lindborg RJ, Hernandez V, Abney EA, Witherington BE (2021) Using behavior indices and vital rates to determine the conservation impact of wildlife tourism: Guided sea turtle watch programs in Florida. Global Ecology and Conservation 27 doi 10.1016/j.gecco.2021.e01537

Speakman JR, Hays GC, Lindblad E (1998) Thermal conductivity of sand and its effect on the temperature of loggerhead sea turtle (Caretta caretta) nests. J Mar Biol Assoc UK 78: 1337-1352

Tezak B, Sifuentes-Romero I, Milton S, Wyneken J (2020) Identifying Sex of Neonate Turtles with Temperature-dependent Sex Determination via Small Blood Samples. Sci Rep 10 doi 10.1038/s41598-020-61984-2

Troeng S, Drews C (2004) Money Talks: Economic Aspects of Sea turtle Use and Conservation. WWF International, Gland, Switzerland

Tuttle J, Rostal D (2010) Effects of Nest Relocation on Nest Temperature and Embryonic Development of Loggerhead Sea Turtles (*Caretta caretta*). Chelonian Conserv Biol 9: 1-7

Tuxbury S, Salmon M (2005) Competitive interactions between artificial lighting and natural cues during seafinding by hatchling sea turtles. Biological Conservation 121 (2005) 311–316

Ullmann J, Stachowitsch M (2015) A critical review of the Mediterranean sea turtle rescue network: A web looking for a weaver. Nature Conservation 10: 45-69 doi 10.3897/natureconservation.10.4890

UNEP (2004) Guidelines to improve the involvement of marine rescue centres for sea turtles. UNEP

UNEP/MAP-PAP/RAC (2008) Protocol on Integrated Coastal Zone Management in the Mediterranean. UNEP/MAP-PAP/RAC, Split, Croatia

Wallace BP, DiMatteo AD, Hurley BJ, Finkbeiner EM, Bolten AB, Chaloupka MY, Hutchinson BJ, Abreu-Grobois FA, Amorocho D, Bjorndal KA, Bourjea J, Bowen BW, Duenas RB, Casale P, Choudhury BC, Costa A, Dutton PH, Fallabrino A, Girard A, Girondot M, Godfrey MH, Hamann M, Lopez-Mendilaharsu M, Marcovaldi MA, Mortimer JA, Musick JA, Nel R, Pilcher NJ, Seminoff JA, Troeng S, Witherington B, Mast RB (2010) Regional management units for sea turtles: a novel framework for prioritizing conservation and research across multiple scales. PLoS ONE 5: e15465 doi 10.1371/journal.pone.0015465

Ware M, Fuentes MMPB (2020) Leave No Trace ordinances for coastal species management: Influences on sea turtle nesting success. Endang Species Res 41: 197-207 doi 10.3354/esr01020

Witherington B, Hirama S, Mosier A (2011) Sea turtle responses to barriers on their nesting beach. J Exp Mar Biol Ecol 401: 1-6 doi 10.1016/j.jembe.2011.03.012

Witherington BE (1992) Behavioral responses of nesting sea turtles to artificial lighting. Herpetologica: 31-39

Witherington BE, Martin RE (2000) Understanding, assessing, and resolving light-pollution problems on sea turtle nesting beaches. Florida Fish and Wildlife Conservation Commission. FMRI Technical Report TR-2